



US011423886B2

(12) **United States Patent**  
**Gruber et al.**

(10) **Patent No.:** **US 11,423,886 B2**

(45) **Date of Patent:** **Aug. 23, 2022**

(54) **TASK FLOW IDENTIFICATION BASED ON USER INTENT**

(71) Applicant: **Apple Inc.**, Cupertino, CA (US)

(72) Inventors: **Thomas Robert Gruber**, Santa Cruz, CA (US); **Adam John Cheyer**, Oakland, CA (US); **Dag Kittlaus**, San Jose, CA (US); **Didier Rene Guzzoni**, Montsur-Rolle (CH); **Christopher Dean Brigham**, San Jose, CA (US); **Richard Donald Giuli**, Arroyo Grande, CA (US); **Marcello Bastea-Forte**, San Francisco, CA (US); **Harry Joseph Saddler**, Berkeley, CA (US)

(73) Assignee: **Apple Inc.**, Cupertino, CA (US)

(\* ) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.

(21) Appl. No.: **16/879,643**

(22) Filed: **May 20, 2020**

(65) **Prior Publication Data**

US 2020/0279556 A1 Sep. 3, 2020

**Related U.S. Application Data**

(63) Continuation of application No. 15/394,162, filed on Dec. 29, 2016, now Pat. No. 10,706,841, which is a (Continued)

(51) **Int. Cl.**

**G10L 15/22** (2006.01)

**G10L 15/28** (2013.01)

(Continued)

(52) **U.S. Cl.**

CPC ..... **G10L 15/1815** (2013.01); **B60K 35/00** (2013.01); **G06F 3/167** (2013.01);

(Continued)

(58) **Field of Classification Search**

CPC ..... G10L 15/22; G10L 15/28; G10L 15/285; G10L 15/30; G10L 15/32; G10L 15/34

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,559,320 A 10/1925 Hirsh

2,180,522 A 11/1939 Henne

(Continued)

FOREIGN PATENT DOCUMENTS

AU 2014100581 B4 9/2014

AU 2015203483 A1 7/2015

(Continued)

OTHER PUBLICATIONS

Decision to Refuse received for European Patent Application No. 11707939.2, dated Dec. 16, 2020, 31 pages.

(Continued)


*Primary Examiner* — Michael N Opsasnick

(74) *Attorney, Agent, or Firm* — Dentons US LLP

(57) **ABSTRACT**

The intelligent automated assistant system engages with the user in an integrated, conversational manner using natural language dialog, and invokes external services when appropriate to obtain information or perform various actions. The system can be implemented using any of a number of different platforms, such as the web, email, smartphone, and the like, or any combination thereof. In one embodiment, the system is based on sets of interrelated domains and tasks, and employs additional functionally powered by external services with which the system can interact.

**54 Claims, 47 Drawing Sheets**



<b>Related U.S. Application Data</b>					
	continuation of application No. 13/492,809, filed on Jun. 9, 2012, now Pat. No. 9,548,050, which is a continuation of application No. 12/987,982, filed on Jan. 10, 2011, now Pat. No. 9,318,108.				
(60)	Provisional application No. 61/295,774, filed on Jan. 18, 2010.				
(51)	<b>Int. Cl.</b>				
	<i>G10L 15/30</i> (2013.01)		4,332,464 A	6/1982	Bartulis et al.
	<i>G10L 15/32</i> (2013.01)		4,348,553 A	9/1982	Baker et al.
	<i>G10L 15/34</i> (2013.01)		4,384,169 A	5/1983	Mozser et al.
	<i>G10L 15/18</i> (2013.01)		4,386,345 A	5/1983	Narveson et al.
	<i>G06F 16/332</i> (2019.01)		4,433,377 A	2/1984	Eustis et al.
	<i>G06F 16/33</i> (2019.01)		4,451,849 A	5/1984	Fuhrer
	<i>G06F 16/9537</i> (2019.01)		4,485,439 A	11/1984	Rothstein
	<i>G06F 40/30</i> (2020.01)		4,495,644 A	1/1985	Parks et al.
	<i>G06F 40/40</i> (2020.01)		4,513,379 A	4/1985	Wilson et al.
	<i>G06F 40/279</i> (2020.01)		4,513,435 A	4/1985	Sakoe et al.
	<i>H04M 1/7243</i> (2021.01)		4,555,775 A	11/1985	Pike
	<i>H04M 1/72448</i> (2021.01)		4,577,343 A	3/1986	Oura
	<i>H04M 1/72484</i> (2021.01)		4,586,158 A	4/1986	Brandle
	<i>G06F 3/16</i> (2006.01)		4,587,670 A	5/1986	Levinson et al.
	<i>G06F 9/54</i> (2006.01)		4,589,022 A	5/1986	Prince et al.
	<i>G10L 15/26</i> (2006.01)		4,611,346 A	9/1986	Bednar et al.
	<i>G10L 21/06</i> (2013.01)		4,615,081 A	10/1986	Lindahl
	<i>B60K 35/00</i> (2006.01)		4,618,984 A	10/1986	Das et al.
	<i>G10L 13/02</i> (2013.01)		4,642,790 A	2/1987	Minshull et al.
	<i>G10L 13/08</i> (2013.01)		4,653,021 A	3/1987	Takagi
	<i>G10L 15/183</i> (2013.01)		4,654,875 A	3/1987	Srihari et al.
	<i>H04M 1/60</i> (2006.01)		4,655,233 A	4/1987	Laughlin
	<i>G10L 13/00</i> (2006.01)		4,658,425 A	4/1987	Julstrom
			4,670,848 A	6/1987	Schramm
			4,677,570 A	6/1987	Taki
			4,680,429 A	7/1987	Murdock et al.
			4,680,805 A	7/1987	Scott
			4,686,522 A	8/1987	Hernandez et al.
			4,688,195 A	8/1987	Thompson et al.
			4,692,941 A	9/1987	Jacks et al.
			4,698,625 A	10/1987	McCaskill et al.
			4,709,390 A	11/1987	Atal et al.
			4,713,775 A	12/1987	Scott et al.
			4,718,094 A	1/1988	Bahl et al.
			4,724,542 A	2/1988	Williford
			4,726,065 A	2/1988	Froessl
			4,727,354 A	2/1988	Lindsay
			RE32,632 E	3/1988	Atkinson
			4,736,296 A	4/1988	Katayama et al.
			4,750,122 A	6/1988	Kaji et al.
			4,754,489 A	6/1988	Bokser
			4,755,811 A	7/1988	Slavin et al.
			4,759,070 A	7/1988	Voroba et al.
			4,776,016 A	10/1988	Hansen
			4,783,804 A	11/1988	Juang et al.
			4,783,807 A	11/1988	Marley
			4,785,413 A	11/1988	Atsumi
			4,790,028 A	12/1988	Ramage
			4,797,930 A	1/1989	Goudie
			4,802,223 A	1/1989	Lin et al.
			4,803,729 A	2/1989	Baker
			4,807,752 A	2/1989	Chodorow
			4,811,243 A	3/1989	Racine
			4,813,074 A	3/1989	Marcus
			4,819,271 A	4/1989	Bahl et al.
			4,827,518 A	5/1989	Feustel et al.
			4,827,520 A	5/1989	Zeinstra
			4,829,576 A	5/1989	Porter
			4,829,583 A	5/1989	Monroe et al.
			4,831,551 A	5/1989	Schalk et al.
			4,833,712 A	5/1989	Bahl et al.
			4,833,718 A	5/1989	Sprague
			4,837,798 A	6/1989	Cohen et al.
			4,837,831 A	6/1989	Gillick et al.
			4,839,853 A	6/1989	Deerwester et al.
			4,852,168 A	7/1989	Sprague
			4,862,504 A	8/1989	Nomura
			4,875,187 A	10/1989	Smith
			4,878,230 A	10/1989	Murakami et al.
			4,887,212 A	12/1989	Zamora et al.
			4,896,359 A	1/1990	Yamamoto et al.
			4,903,305 A	2/1990	Gillick et al.
			4,905,163 A	2/1990	Garber et al.
			4,908,867 A	3/1990	Silverman
			4,914,586 A	4/1990	Swinehart et al.
			4,914,590 A	4/1990	Loatman et al.
			4,914,704 A	4/1990	Cole et al.
			4,918,723 A	4/1990	Iggulden et al.
			4,926,491 A	5/1990	Maeda et al.
(56)	<b>References Cited</b>				
	U.S. PATENT DOCUMENTS				
	2,495,222 A 1/1950 Bierig				
	3,704,345 A 11/1972 Coker et al.				
	3,710,321 A 1/1973 Rubenstein				
	3,787,542 A 1/1974 Gallagher et al.				
	3,828,132 A 8/1974 Flanagan et al.				
	3,979,557 A 9/1976 Schulman et al.				
	4,013,085 A 3/1977 Wright				
	4,081,631 A 3/1978 Feder				
	4,090,216 A 5/1978 Constable				
	4,107,784 A 8/1978 Van Bemmelen				
	4,108,211 A 8/1978 Tanaka				
	4,159,536 A 6/1979 Kehoe et al.				
	4,181,821 A 1/1980 Pirz et al.				
	4,204,089 A 5/1980 Key et al.				
	4,241,286 A 12/1980 Gordon				
	4,253,477 A 3/1981 Eichman				
	4,278,838 A 7/1981 Antonov				
	4,282,405 A 8/1981 Taguchi				
	4,310,721 A 1/1982 Manley et al.				

(56)

## References Cited

## U.S. PATENT DOCUMENTS

4,928,307	A	5/1990	Lynn	5,161,102	A	11/1992	Griffin et al.
4,931,783	A	6/1990	Atkinson	5,163,809	A	11/1992	Akgun et al.
4,935,954	A	6/1990	Thompson et al.	5,164,900	A	11/1992	Bernath
4,939,639	A	7/1990	Lee et al.	5,164,982	A	11/1992	Davis
4,941,488	A	7/1990	Marxer et al.	5,165,007	A	11/1992	Bahl et al.
4,944,013	A	7/1990	Gouvianakis et al.	5,167,004	A	11/1992	Netsch et al.
4,945,504	A	7/1990	Nakama et al.	5,175,536	A	12/1992	Aschliman et al.
4,953,106	A	8/1990	Gansner et al.	5,175,803	A	12/1992	Yeh
4,955,047	A	9/1990	Morganstein et al.	5,175,814	A	12/1992	Anick et al.
4,965,763	A	10/1990	Zamora	5,179,627	A	1/1993	Sweet et al.
4,972,462	A	11/1990	Shibata	5,179,652	A	1/1993	Rozmanith et al.
4,974,191	A	11/1990	Amirghodsi et al.	5,194,950	A	3/1993	Murakami et al.
4,975,975	A	12/1990	Filipski	5,195,034	A	3/1993	Garneau et al.
4,977,598	A	12/1990	Doddington et al.	5,195,167	A	3/1993	Bahl et al.
4,980,916	A	12/1990	Zinser	5,197,005	A	3/1993	Shwartz et al.
4,985,924	A	1/1991	Matsuura	5,199,077	A	3/1993	Wilcox et al.
4,992,972	A	2/1991	Brooks et al.	5,201,034	A	4/1993	Matsuura et al.
4,994,966	A	2/1991	Hutchins	5,202,952	A	4/1993	Gillick et al.
4,994,983	A	2/1991	Landell et al.	5,208,862	A	5/1993	Ozawa
5,001,774	A	3/1991	Lee	5,210,689	A	5/1993	Baker et al.
5,003,577	A	3/1991	Ertz et al.	5,212,638	A	5/1993	Bernath
5,007,095	A	4/1991	Nara et al.	5,212,821	A	5/1993	Gorin et al.
5,007,098	A	4/1991	Kumagai	5,216,747	A	6/1993	Hardwick et al.
5,010,574	A	4/1991	Wang	5,218,700	A	6/1993	Beechick
5,016,002	A	5/1991	Levanto	5,220,629	A	6/1993	Kosaka et al.
5,020,112	A	5/1991	Chou	5,220,639	A	6/1993	Lee
5,021,971	A	6/1991	Lindsay	5,220,657	A	6/1993	Bly et al.
5,022,081	A	6/1991	Hirose et al.	5,222,146	A	6/1993	Bahl et al.
5,027,110	A	6/1991	Chang et al.	5,230,036	A	7/1993	Akamine et al.
5,027,406	A	6/1991	Roberts et al.	5,231,670	A	7/1993	Goldhor et al.
5,027,408	A	6/1991	Kroeker et al.	5,235,680	A	8/1993	Bijnagte
5,029,211	A	7/1991	Ozawa	5,237,502	A	8/1993	White et al.
5,031,217	A	7/1991	Nishimura	5,241,619	A	8/1993	Schwartz et al.
5,032,989	A	7/1991	Tornetta	5,252,951	A	10/1993	Tannenbaum et al.
5,033,087	A	7/1991	Bahl et al.	5,253,325	A	10/1993	Clark
5,040,218	A	8/1991	Vitale et al.	5,255,386	A	10/1993	Prager
5,046,099	A	9/1991	Nishimura	5,257,387	A	10/1993	Richek et al.
5,047,614	A	9/1991	Bianco	5,260,697	A	11/1993	Barrett et al.
5,047,617	A	9/1991	Shepard et al.	5,266,931	A	11/1993	Tanaka
5,050,215	A	9/1991	Nishimura	5,266,949	A	11/1993	Rossi
5,053,758	A	10/1991	Cornett et al.	5,267,345	A	11/1993	Brown et al.
5,054,084	A	10/1991	Tanaka et al.	5,268,990	A	12/1993	Cohen et al.
5,057,915	A	10/1991	Von Kohorn	5,274,771	A	12/1993	Hamilton et al.
5,062,143	A	10/1991	Schmitt	5,274,818	A	12/1993	Vasilevsky et al.
5,067,158	A	11/1991	Arjmand	5,276,616	A	1/1994	Kuga et al.
5,067,503	A	11/1991	Stile	5,276,794	A	1/1994	Lamb, Jr.
5,072,452	A	12/1991	Brown et al.	5,278,980	A	1/1994	Pedersen et al.
5,075,896	A	12/1991	Wilcox et al.	5,282,265	A	1/1994	Rohra Suda et al.
5,079,723	A	1/1992	Herceg et al.	5,283,818	A	2/1994	Klausner et al.
5,083,119	A	1/1992	Trevett et al.	5,287,448	A	2/1994	Nicol et al.
5,083,268	A	1/1992	Hemphill et al.	5,289,562	A	2/1994	Mizuta et al.
5,086,792	A	2/1992	Chodorow	RE34,562	E	3/1994	Murakami et al.
5,090,012	A	2/1992	Kajiyama et al.	5,291,286	A	3/1994	Murakami et al.
5,091,790	A	2/1992	Silverberg	5,293,254	A	3/1994	Eschbach
5,091,945	A	2/1992	Kleijn	5,293,448	A	3/1994	Honda
5,103,498	A	4/1992	Lanier et al.	5,293,452	A	3/1994	Picone et al.
5,109,509	A	4/1992	Katayama et al.	5,296,642	A	3/1994	Konishi
5,111,423	A	5/1992	Kopec, Jr. et al.	5,297,170	A	3/1994	Eyuboglu et al.
5,119,079	A	6/1992	Hube et al.	5,297,194	A	3/1994	Hunt et al.
5,122,951	A	6/1992	Kamiya	5,299,125	A	3/1994	Baker et al.
5,123,103	A	6/1992	Ohtaki et al.	5,299,284	A	3/1994	Roy
5,125,022	A	6/1992	Hunt et al.	5,301,109	A	4/1994	Landauer et al.
5,125,030	A	6/1992	Nomura et al.	5,303,406	A	4/1994	Hansen et al.
5,127,043	A	6/1992	Hunt et al.	5,305,205	A	4/1994	Weber et al.
5,127,053	A	6/1992	Koch	5,305,421	A	4/1994	Li et al.
5,127,055	A	6/1992	Larkey	5,305,768	A	4/1994	Gross et al.
5,128,672	A	7/1992	Kaehler	5,309,359	A	5/1994	Katz et al.
5,133,011	A	7/1992	McKiel, Jr.	5,315,689	A	5/1994	Kanazawa et al.
5,133,023	A	7/1992	Bokser	5,317,507	A	5/1994	Gallant
5,142,584	A	8/1992	Ozawa	5,317,647	A	5/1994	Pagallo
5,144,875	A	9/1992	Nakada	5,325,297	A	6/1994	Bird et al.
5,148,541	A	9/1992	Lee et al.	5,325,298	A	6/1994	Gallant
5,153,913	A	10/1992	Kandefer et al.	5,325,462	A	6/1994	Farrett
5,157,610	A	10/1992	Asano et al.	5,326,270	A	7/1994	Ostby et al.
5,157,779	A	10/1992	Washburn et al.	5,327,342	A	7/1994	Roy
				5,327,498	A	7/1994	Hamon
				5,329,608	A	7/1994	Bocchieri et al.
				5,333,236	A	7/1994	Bahl et al.
				5,333,266	A	7/1994	Boaz et al.

(56)

## References Cited

## U.S. PATENT DOCUMENTS

5,333,275	A	7/1994	Wheatley et al.	5,493,677	A	2/1996	Balogh et al.
5,335,011	A	8/1994	Addeo et al.	5,495,604	A	2/1996	Harding et al.
5,335,276	A	8/1994	Thompson et al.	5,497,319	A	3/1996	Chong et al.
5,341,293	A	8/1994	Vertelney et al.	5,500,903	A	3/1996	Gulli
5,341,466	A	8/1994	Perlin et al.	5,500,905	A	3/1996	Martin et al.
5,345,536	A	9/1994	Hoshimi et al.	5,500,937	A	3/1996	Thompson-Rohrlich
5,349,645	A	9/1994	Zhao	5,502,774	A	3/1996	Bellegarda et al.
5,353,374	A	10/1994	Wilson et al.	5,502,790	A	3/1996	Yi
5,353,376	A	10/1994	Oh et al.	5,502,791	A	3/1996	Nishimura et al.
5,353,377	A	10/1994	Kuroda et al.	5,515,475	A	5/1996	Gupta et al.
5,353,408	A	10/1994	Kato et al.	5,521,816	A	5/1996	Roche et al.
5,353,432	A	10/1994	Richek et al.	5,524,140	A	6/1996	Klausner et al.
5,357,431	A	10/1994	Nakada et al.	5,530,861	A	6/1996	Diamant et al.
5,367,640	A	11/1994	Hamilton et al.	5,530,950	A	6/1996	Medan et al.
5,369,575	A	11/1994	Lamberti et al.	5,533,182	A	7/1996	Bates et al.
5,369,577	A	11/1994	Kadashevich et al.	5,535,121	A	7/1996	Roche et al.
5,371,853	A	12/1994	Kao et al.	5,536,902	A	7/1996	Serra et al.
5,371,901	A	12/1994	Reed et al.	5,537,317	A	7/1996	Schabes et al.
5,373,566	A	12/1994	Murdock	5,537,618	A	7/1996	Boulton et al.
5,377,103	A	12/1994	Lamberti et al.	5,537,647	A	7/1996	Hermansky et al.
5,377,301	A	12/1994	Rosenberg et al.	5,543,588	A	8/1996	Bisset et al.
5,377,303	A	12/1994	Firman	5,543,897	A	8/1996	Altrieth, III
5,384,671	A	1/1995	Fisher	5,544,264	A	8/1996	Bellegarda et al.
5,384,892	A	1/1995	Strong	5,548,507	A	8/1996	Martino et al.
5,384,893	A	1/1995	Hutchins	5,551,049	A	8/1996	Kaplan et al.
5,386,494	A	1/1995	White	5,555,343	A	9/1996	Luther
5,386,556	A	1/1995	Hedin et al.	5,555,344	A	9/1996	Zunkler
5,390,236	A	2/1995	Klausner et al.	5,559,301	A	9/1996	Bryan, Jr. et al.
5,390,279	A	2/1995	Strong	5,559,945	A	9/1996	Beaudet et al.
5,390,281	A	2/1995	Luciw et al.	5,564,446	A	10/1996	Wiltshire
5,392,419	A	2/1995	Walton	5,565,888	A	10/1996	Selker
5,396,625	A	3/1995	Parkes	5,568,536	A	10/1996	Tiller et al.
5,400,434	A	3/1995	Pearson	5,568,540	A	10/1996	Greco et al.
5,404,295	A	4/1995	Katz et al.	5,570,324	A	10/1996	Geil
5,406,305	A	4/1995	Shimomura et al.	5,572,576	A	11/1996	Klausner et al.
5,408,060	A	4/1995	Muurinen	5,574,823	A	11/1996	Hassanein et al.
5,412,756	A	5/1995	Bauman et al.	5,574,824	A	11/1996	Slyh et al.
5,412,804	A	5/1995	Krishna	5,577,135	A	11/1996	Grajski et al.
5,412,806	A	5/1995	Du et al.	5,577,164	A	11/1996	Kaneko et al.
5,418,951	A	5/1995	Damashek	5,577,241	A	11/1996	Spencer
5,422,656	A	6/1995	Allard et al.	5,578,808	A	11/1996	Taylor
5,424,947	A	6/1995	Nagao et al.	5,579,037	A	11/1996	Tahara et al.
5,425,108	A	6/1995	Hwang et al.	5,579,436	A	11/1996	Chou et al.
5,428,731	A	6/1995	Powers, III	5,581,484	A	12/1996	Prince
5,434,777	A	7/1995	Luciw	5,581,652	A	12/1996	Abe et al.
5,440,615	A	8/1995	Caccuro et al.	5,581,655	A	12/1996	Cohen et al.
5,442,598	A	8/1995	Haikawa et al.	5,583,993	A	12/1996	Foster et al.
5,442,780	A	8/1995	Takanashi et al.	5,584,024	A	12/1996	Shwartz
5,444,823	A	8/1995	Nguyen	5,586,540	A	12/1996	Marzec et al.
5,449,368	A	9/1995	Kuzmak	5,594,641	A	1/1997	Kaplan et al.
5,450,523	A	9/1995	Zhao	5,596,260	A	1/1997	Moravec et al.
5,455,888	A	10/1995	Iyengar et al.	5,596,676	A	1/1997	Swaminathan et al.
5,457,768	A	10/1995	Tsuboi et al.	5,596,994	A	1/1997	Bro
5,459,488	A	10/1995	Geiser	5,608,624	A	3/1997	Luciw
5,463,696	A	10/1995	Beernink et al.	5,608,698	A	3/1997	Yamanoi et al.
5,463,725	A	10/1995	Henckel et al.	5,608,841	A	3/1997	Tsuboka
5,465,401	A	11/1995	Thompson	5,610,812	A	3/1997	Schabes et al.
5,469,529	A	11/1995	Bimbot et al.	5,613,036	A	3/1997	Strong
5,471,611	A	11/1995	McGregor	5,613,122	A	3/1997	Burnard et al.
5,473,728	A	12/1995	Luginbuhl et al.	5,615,378	A	3/1997	Nishino et al.
5,475,587	A	12/1995	Anick et al.	5,615,384	A	3/1997	Allard et al.
5,475,796	A	12/1995	Iwata	5,616,876	A	4/1997	Cluts
5,477,447	A	12/1995	Luciw et al.	5,617,386	A	4/1997	Choi
5,477,448	A	12/1995	Golding et al.	5,617,507	A	4/1997	Lee et al.
5,477,451	A	12/1995	Brown et al.	5,617,539	A	4/1997	Ludwig et al.
5,479,488	A	12/1995	Lennig et al.	5,619,583	A	4/1997	Page et al.
5,481,739	A	1/1996	Staats	5,619,694	A	4/1997	Shimazu
5,483,261	A	1/1996	Yasutake	5,621,859	A	4/1997	Schwartz et al.
5,485,372	A	1/1996	Golding et al.	5,621,903	A	4/1997	Luciw et al.
5,485,543	A	1/1996	Aso	5,627,939	A	5/1997	Huang et al.
5,488,204	A	1/1996	Mead et al.	5,634,084	A	5/1997	Malsheen et al.
5,488,727	A	1/1996	Agrawal et al.	5,636,325	A	6/1997	Farrett
5,490,234	A	2/1996	Narayan	5,638,425	A	6/1997	Meador, III et al.
5,491,758	A	2/1996	Bellegarda et al.	5,638,489	A	6/1997	Tsuboka
5,491,772	A	2/1996	Hardwick et al.	5,638,523	A	6/1997	Mullet et al.
				5,640,487	A	6/1997	Lau et al.
				5,642,464	A	6/1997	Yue et al.
				5,642,466	A	6/1997	Narayan
				5,642,519	A	6/1997	Martin

(56)

## References Cited

## U.S. PATENT DOCUMENTS

5,644,656	A	7/1997	Akra et al.	5,761,687	A	6/1998	Hon et al.
5,644,727	A	7/1997	Atkins	5,764,852	A	6/1998	Williams
5,644,735	A	7/1997	Luciw et al.	5,765,131	A	6/1998	Stentiford et al.
5,649,060	A	7/1997	Ellozy et al.	5,765,168	A	6/1998	Burrows
5,652,828	A	7/1997	Silverman	5,771,276	A	6/1998	Wolf
5,652,884	A	7/1997	Palevich	5,774,834	A	6/1998	Visser
5,652,897	A	7/1997	Linebarger et al.	5,774,855	A	6/1998	Foti et al.
5,661,787	A	8/1997	Pocock	5,774,859	A	6/1998	Houser et al.
5,664,055	A	9/1997	Kroon	5,777,614	A	7/1998	Ando et al.
5,664,206	A	9/1997	Murow et al.	5,778,405	A	7/1998	Ogawa
5,670,985	A	9/1997	Cappels, Sr. et al.	5,790,978	A	8/1998	Olive et al.
5,675,704	A	10/1997	Juang et al.	5,794,050	A	8/1998	Dahlgren et al.
5,675,819	A	10/1997	Schuetze	5,794,182	A	8/1998	Manduchi et al.
5,678,039	A	10/1997	Hinks et al.	5,794,189	A	8/1998	Gould
5,678,053	A	10/1997	Anderson	5,794,207	A	8/1998	Walker et al.
5,680,511	A	10/1997	Baker et al.	5,794,237	A	8/1998	Gore, Jr.
5,682,475	A	10/1997	Johnson et al.	5,797,008	A	8/1998	Burrows
5,682,539	A	10/1997	Conrad et al.	5,799,268	A	8/1998	Boguraev
5,684,513	A	11/1997	Decker	5,799,269	A	8/1998	Schabes et al.
5,687,077	A	11/1997	Gough, Jr.	5,799,276	A	8/1998	Komissarchik et al.
5,689,287	A	11/1997	Mackinlay et al.	5,799,279	A	8/1998	Gould et al.
5,689,616	A	11/1997	Li	5,801,692	A	9/1998	Muzio et al.
5,689,618	A	11/1997	Gaspar et al.	5,802,466	A	9/1998	Gallant et al.
5,692,205	A	11/1997	Berry et al.	5,802,526	A	9/1998	Fawcett et al.
5,696,962	A	12/1997	Kupiec	5,806,021	A	9/1998	Chen et al.
5,697,793	A	12/1997	Huffman et al.	5,812,697	A	9/1998	Sakai et al.
5,699,082	A	12/1997	Marks et al.	5,812,698	A	9/1998	Platt et al.
5,701,400	A	12/1997	Amado	5,815,142	A	9/1998	Allard et al.
5,706,442	A	1/1998	Anderson et al.	5,815,225	A	9/1998	Nelson
5,708,659	A	1/1998	Rostoker et al.	5,818,142	A	10/1998	Edleblute et al.
5,708,822	A	1/1998	Wical	5,818,451	A	10/1998	Bertram et al.
5,710,886	A	1/1998	Christensen et al.	5,818,924	A	10/1998	King et al.
5,710,922	A	1/1998	Alley et al.	5,822,288	A	10/1998	Shinada
5,712,949	A	1/1998	Kato et al.	5,822,720	A	10/1998	Bookman et al.
5,712,957	A	1/1998	Waibel et al.	5,822,730	A	10/1998	Roth et al.
5,715,468	A	2/1998	Budzinski	5,822,743	A	10/1998	Gupta et al.
5,717,877	A	2/1998	Orton et al.	5,825,349	A	10/1998	Meier et al.
5,721,827	A	2/1998	Logan et al.	5,825,352	A	10/1998	Bisset et al.
5,721,949	A	2/1998	Smith et al.	5,825,881	A	10/1998	Colvin, Sr.
5,724,406	A	3/1998	Juster	5,826,261	A	10/1998	Spencer
5,724,985	A	3/1998	Snell et al.	5,828,768	A	10/1998	Eatwell et al.
5,726,672	A	3/1998	Hernandez et al.	5,828,999	A	10/1998	Bellegarda et al.
5,727,950	A	3/1998	Cook et al.	5,832,428	A	11/1998	Chow et al.
5,729,694	A	3/1998	Holzrichter et al.	5,832,433	A	11/1998	Yashchin et al.
5,729,704	A	3/1998	Stone et al.	5,832,435	A	11/1998	Silverman
5,732,216	A	3/1998	Logan et al.	5,833,134	A	11/1998	Ho et al.
5,732,390	A	3/1998	Katayanagi et al.	5,835,077	A	11/1998	Dao et al.
5,732,395	A	3/1998	Silverman	5,835,079	A	11/1998	Shieh
5,734,750	A	3/1998	Arai et al.	5,835,721	A	11/1998	Donahue et al.
5,734,791	A	3/1998	Acero et al.	5,835,732	A	11/1998	Kikinis et al.
5,736,974	A	4/1998	Selker	5,835,893	A	11/1998	Ushioda
5,737,487	A	4/1998	Bellegarda et al.	5,839,106	A	11/1998	Bellegarda
5,737,609	A	4/1998	Reed et al.	5,841,902	A	11/1998	Tu
5,737,734	A	4/1998	Schultz	5,842,165	A	11/1998	Raman et al.
5,739,451	A	4/1998	Winsky et al.	5,845,255	A	12/1998	Mayaud
5,740,143	A	4/1998	Suetomi	5,848,410	A	12/1998	Walls et al.
5,742,705	A	4/1998	Parthasarathy	5,850,480	A	12/1998	Scanlon
5,742,736	A	4/1998	Haddock	5,850,629	A	12/1998	Holm et al.
5,745,116	A	4/1998	Pisutha-Armond	5,852,801	A	12/1998	Hon et al.
5,745,843	A	4/1998	Wetters et al.	5,854,893	A	12/1998	Ludwig et al.
5,745,873	A	4/1998	Braida et al.	5,855,000	A	12/1998	Waibel et al.
5,748,512	A	5/1998	Vargas	5,857,184	A	1/1999	Lynch
5,748,974	A	5/1998	Johnson	5,859,636	A	1/1999	Pandit
5,749,071	A	5/1998	Silverman	5,860,063	A	1/1999	Gorin et al.
5,749,081	A	5/1998	Whiteis	5,860,064	A	1/1999	Henton
5,751,906	A	5/1998	Silverman	5,860,075	A	1/1999	Hashizume et al.
5,757,358	A	5/1998	Osga	5,862,223	A	1/1999	Walker et al.
5,757,979	A	5/1998	Hongo et al.	5,862,233	A	1/1999	Poletti
5,758,024	A	5/1998	Alleva	5,864,806	A	1/1999	Mokbel et al.
5,758,079	A	5/1998	Ludwig et al.	5,864,815	A	1/1999	Rozak et al.
5,758,083	A	5/1998	Singh et al.	5,864,844	A	1/1999	James et al.
5,758,314	A	5/1998	McKenna	5,864,855	A	1/1999	Ruocco et al.
5,758,318	A	5/1998	Kojima et al.	5,867,799	A	2/1999	Lang et al.
5,759,101	A	6/1998	Von Kohorn	5,870,710	A	2/1999	Ozawa et al.
5,761,640	A	6/1998	Kalyanswamy et al.	5,873,056	A	2/1999	Liddy et al.
				5,873,064	A	2/1999	De Armas et al.
				5,875,427	A	2/1999	Yamazaki
				5,875,429	A	2/1999	Douglas
				5,875,437	A	2/1999	Atkins

(56)

## References Cited

## U.S. PATENT DOCUMENTS

5,875,448	A	2/1999	Boys et al.	5,963,208	A	10/1999	Dolan et al.
5,876,396	A	3/1999	Lo et al.	5,963,924	A	10/1999	Williams et al.
5,877,751	A	3/1999	Kanemitsu et al.	5,963,964	A	10/1999	Nielsen
5,877,757	A	3/1999	Baldwin et al.	5,966,126	A	10/1999	Szabo
5,878,393	A	3/1999	Hata et al.	5,970,446	A	10/1999	Goldberg et al.
5,878,394	A	3/1999	Muhling	5,970,451	A	10/1999	Lewis et al.
5,878,396	A	3/1999	Henton	5,970,460	A	10/1999	Bunce et al.
5,880,411	A	3/1999	Gillespie et al.	5,970,474	A	10/1999	LeRoy et al.
5,880,731	A	3/1999	Liles et al.	5,973,612	A	10/1999	Deo et al.
5,884,039	A	3/1999	Ludwig et al.	5,973,676	A	10/1999	Kawakura
5,884,262	A	3/1999	Wise et al.	5,974,146	A	10/1999	Randle et al.
5,884,323	A	3/1999	Hawkins et al.	5,977,950	A	11/1999	Rhyne
5,890,117	A	3/1999	Silverman	5,982,352	A	11/1999	Pryor
5,890,122	A	3/1999	Van et al.	5,982,370	A	11/1999	Kamper
5,891,180	A	4/1999	Greeninger et al.	5,982,891	A	11/1999	Ginter et al.
5,893,126	A	4/1999	Drews et al.	5,982,902	A	11/1999	Terano
5,893,132	A	4/1999	Huffman et al.	5,983,179	A	11/1999	Gould et al.
5,895,448	A	4/1999	Vysotsky et al.	5,983,184	A	11/1999	Noguchi
5,895,464	A	4/1999	Bhandari et al.	5,983,216	A	11/1999	Kirsch et al.
5,895,466	A	4/1999	Goldberg et al.	5,987,132	A	11/1999	Rowney
5,896,321	A	4/1999	Miller et al.	5,987,140	A	11/1999	Rowney et al.
5,896,500	A	4/1999	Ludwig et al.	5,987,401	A	11/1999	Trudeau
5,899,972	A	5/1999	Miyazawa et al.	5,987,404	A	11/1999	Della Pietra et al.
5,905,498	A	5/1999	Diament et al.	5,987,440	A	11/1999	O'Neil et al.
5,907,597	A	5/1999	Mark	5,990,887	A	11/1999	Redpath et al.
5,909,666	A	6/1999	Gould et al.	5,991,441	A	11/1999	Jourjine
5,909,667	A	6/1999	Leontiades et al.	5,995,460	A	11/1999	Takagi et al.
5,912,951	A	6/1999	Checchio et al.	5,995,590	A	11/1999	Brunet et al.
5,912,952	A	6/1999	Brendzel	5,995,918	A	11/1999	Kendall et al.
5,913,185	A	6/1999	Martino et al.	5,998,972	A	12/1999	Gong
5,913,193	A	6/1999	Huang et al.	5,999,169	A	12/1999	Lee
5,915,001	A	6/1999	Uppaluru et al.	5,999,895	A	12/1999	Forest
5,915,236	A	6/1999	Gould et al.	5,999,908	A	12/1999	Abelow
5,915,238	A	6/1999	Tjaden	5,999,927	A	12/1999	Tukey et al.
5,915,249	A	6/1999	Spencer	6,005,495	A	12/1999	Connolly et al.
5,917,487	A	6/1999	Ulrich	6,006,274	A	12/1999	Hawkins et al.
5,918,303	A	6/1999	Yamaura et al.	6,009,237	A	12/1999	Hirabayashi et al.
5,920,327	A	7/1999	Seidensticker, Jr.	6,011,585	A	1/2000	Anderson
5,920,836	A	7/1999	Gould et al.	6,014,428	A	1/2000	Wolf
5,920,837	A	7/1999	Gould et al.	6,016,471	A	1/2000	Kuhn et al.
5,923,757	A	7/1999	Hocker et al.	6,017,219	A	1/2000	Adams, Jr. et al.
5,924,068	A	7/1999	Richard et al.	6,018,705	A	1/2000	Gaudet
5,926,769	A	7/1999	Valimaa et al.	6,018,711	A	1/2000	French-St. George et al.
5,926,789	A	7/1999	Barbara et al.	6,020,881	A	2/2000	Naughton et al.
5,930,408	A	7/1999	Seto	6,023,536	A	2/2000	Visser
5,930,751	A	7/1999	Cohrs et al.	6,023,676	A	2/2000	Erell
5,930,754	A	7/1999	Karaali et al.	6,023,684	A	2/2000	Pearson
5,930,769	A	7/1999	Rose	6,024,288	A	2/2000	Gottlich et al.
5,930,783	A	7/1999	Li et al.	6,026,345	A	2/2000	Shah et al.
5,933,477	A	8/1999	Wu	6,026,375	A	2/2000	Hall et al.
5,933,806	A	8/1999	Beyerlein et al.	6,026,388	A	2/2000	Liddy et al.
5,933,822	A	8/1999	Braden-Harder et al.	6,026,393	A	2/2000	Gupta et al.
5,936,926	A	8/1999	Yokouchi et al.	6,029,132	A	2/2000	Kuhn et al.
5,937,163	A	8/1999	Lee et al.	6,029,135	A	2/2000	Krasle
5,940,811	A	8/1999	Norris	6,035,267	A	3/2000	Watanabe et al.
5,940,841	A	8/1999	Schmuck et al.	6,035,303	A	3/2000	Baer et al.
5,941,944	A	8/1999	Messlerly	6,035,336	A	3/2000	Lu et al.
5,943,043	A	8/1999	Furuhata et al.	6,038,533	A	3/2000	Buchsbaum et al.
5,943,049	A	8/1999	Matsubara et al.	6,040,824	A	3/2000	Maekawa et al.
5,943,052	A	8/1999	Allen et al.	6,041,023	A	3/2000	Lakhansingh
5,943,429	A	8/1999	Haendel et al.	6,047,255	A	4/2000	Williamson
5,943,443	A	8/1999	Itonori et al.	6,047,300	A	4/2000	Walfish et al.
5,943,670	A	8/1999	Prager	6,052,654	A	4/2000	Gaudet et al.
5,946,647	A	8/1999	Miller et al.	6,052,656	A	4/2000	Suda et al.
5,946,648	A	8/1999	Halstead et al.	6,054,990	A	4/2000	Tran
5,948,040	A	9/1999	DeLorme et al.	6,055,514	A	4/2000	Wren
5,949,961	A	9/1999	Sharman	6,055,531	A	4/2000	Bennett et al.
5,950,123	A	9/1999	Schwelb et al.	6,061,646	A	5/2000	Martino et al.
5,952,992	A	9/1999	Helms	6,064,767	A	5/2000	Muir et al.
5,953,541	A	9/1999	King et al.	6,064,951	A	5/2000	Park et al.
5,956,021	A	9/1999	Kubota et al.	6,064,959	A	5/2000	Young et al.
5,956,699	A	9/1999	Wong et al.	6,064,960	A	5/2000	Bellegarda et al.
5,960,385	A	9/1999	Skiena et al.	6,064,963	A	5/2000	Gainsboro
5,960,394	A	9/1999	Gould et al.	6,067,519	A	5/2000	Lowry
5,960,422	A	9/1999	Prasad	6,069,648	A	5/2000	Suso et al.
				6,070,138	A	5/2000	Iwata
				6,070,139	A	5/2000	Miyazawa et al.
				6,070,140	A	5/2000	Tran
				6,070,147	A	5/2000	Harms et al.

(56)

## References Cited

## U.S. PATENT DOCUMENTS

6,073,033	A	6/2000	Campo	6,192,340	B1	2/2001	Abecassis
6,073,036	A	6/2000	Heikkinen et al.	6,195,641	B1	2/2001	Loring et al.
6,073,091	A	6/2000	Kanevsky et al.	6,199,076	B1	3/2001	Logan et al.
6,073,097	A	6/2000	Gould et al.	6,205,456	B1	3/2001	Nakao
6,076,051	A	6/2000	Messerly et al.	6,208,044	B1	3/2001	Viswanadham et al.
6,076,060	A	6/2000	Lin et al.	6,208,932	B1	3/2001	Ohmura et al.
6,076,088	A	6/2000	Paik et al.	6,208,956	B1	3/2001	Motoyama
6,078,885	A	6/2000	Beutnagel	6,208,964	B1	3/2001	Sabourin
6,078,914	A	6/2000	Redfern	6,208,967	B1	3/2001	Pauws et al.
6,081,750	A	6/2000	Hoffberg et al.	6,208,971	B1	3/2001	Bellegarda et al.
6,081,774	A	6/2000	de Hita et al.	6,212,564	B1	4/2001	Harter et al.
6,081,780	A	6/2000	Lumelsky	6,216,102	B1	4/2001	Martino et al.
6,085,204	A	7/2000	Chijiwa et al.	6,216,131	B1	4/2001	Liu et al.
6,088,671	A	7/2000	Gould et al.	6,217,183	B1	4/2001	Shipman
6,088,731	A	7/2000	Kiraly et al.	6,222,347	B1	4/2001	Gong
6,092,036	A	7/2000	Hamann et al.	6,226,403	B1	5/2001	Parthasarathy
6,092,038	A	7/2000	Kanevsky et al.	6,226,533	B1	5/2001	Akahane
6,092,043	A	7/2000	Squires et al.	6,226,614	B1	5/2001	Mizuno et al.
6,094,649	A	7/2000	Bowen et al.	6,226,655	B1	5/2001	Borman et al.
6,097,391	A	8/2000	Wilcox	6,230,322	B1	5/2001	Saib et al.
6,101,468	A	8/2000	Gould et al.	6,232,539	B1	5/2001	Looney et al.
6,101,470	A	8/2000	Eide et al.	6,232,966	B1	5/2001	Kurlander
6,105,865	A	8/2000	Hardesty	6,233,545	B1	5/2001	Datig
6,108,627	A	8/2000	Sabourin	6,233,547	B1	5/2001	Denber et al.
6,108,640	A	8/2000	Slotznick	6,233,559	B1	5/2001	Balakrishnan, Sr.
6,111,562	A	8/2000	Downs et al.	6,233,578	B1	5/2001	Machihara et al.
6,111,572	A	8/2000	Blair et al.	6,237,025	B1	5/2001	Ludwig et al.
6,115,686	A	9/2000	Chung et al.	6,240,303	B1	5/2001	Katzur
6,116,907	A	9/2000	Baker et al.	6,243,681	B1	6/2001	Guji et al.
6,119,101	A	9/2000	Peckover	6,246,981	B1	6/2001	Papineni et al.
6,121,960	A	9/2000	Carroll et al.	6,249,606	B1	6/2001	Kiraly et al.
6,122,340	A	9/2000	Darley et al.	6,259,436	B1	7/2001	Moon et al.
6,122,614	A	9/2000	Kahn et al.	6,259,826	B1	7/2001	Pollard et al.
6,122,616	A	9/2000	Henton	6,260,011	B1	7/2001	Heckerman et al.
6,122,647	A	9/2000	Horowitz et al.	6,260,013	B1	7/2001	Sejnoha
6,125,284	A	9/2000	Moore et al.	6,260,016	B1	7/2001	Holm et al.
6,125,346	A	9/2000	Nishimura et al.	6,260,024	B1	7/2001	Shkedy
6,125,356	A	9/2000	Brockman et al.	6,266,098	B1	7/2001	Cove et al.
6,129,582	A	10/2000	Wilhite et al.	6,266,637	B1	7/2001	Donovan et al.
6,138,098	A	10/2000	Shieber et al.	6,268,859	B1	7/2001	Andresen et al.
6,138,158	A	10/2000	Boyle et al.	6,269,712	B1	8/2001	Zentmyer
6,141,642	A	10/2000	Oh	6,271,835	B1	8/2001	Hoeksma
6,141,644	A	10/2000	Kuhn et al.	6,272,456	B1	8/2001	De Campos
6,144,377	A	11/2000	Oppermann et al.	6,272,464	B1	8/2001	Kiraz et al.
6,144,380	A	11/2000	Shwarts et al.	6,275,795	B1	8/2001	Tzirkel-Hancock
6,144,938	A	11/2000	Surace et al.	6,275,824	B1	8/2001	O'Flaherty et al.
6,144,939	A	11/2000	Pearson et al.	6,278,443	B1	8/2001	Amro et al.
6,151,401	A	11/2000	Annaratone	6,278,970	B1	8/2001	Milner
6,154,551	A	11/2000	Frenkel	6,282,507	B1	8/2001	Horiguchi et al.
6,154,720	A	11/2000	Onishi et al.	6,282,511	B1	8/2001	Mayer
6,157,935	A	12/2000	Tran et al.	6,285,785	B1	9/2001	Bellegarda et al.
6,161,084	A	12/2000	Messerly et al.	6,285,786	B1	9/2001	Seni et al.
6,161,087	A	12/2000	Wightman et al.	6,289,085	B1	9/2001	Miyashita et al.
6,161,944	A	12/2000	Leman	6,289,124	B1	9/2001	Okamoto
6,163,769	A	12/2000	Acero et al.	6,289,301	B1	9/2001	Higginbotham et al.
6,163,809	A	12/2000	Buckley	6,289,353	B1	9/2001	Hazlehurst et al.
6,167,369	A	12/2000	Schulze	6,292,772	B1	9/2001	Kantrowitz
6,169,538	B1	1/2001	Nowlan et al.	6,292,778	B1	9/2001	Sukkar
6,172,948	B1	1/2001	Keller et al.	6,295,390	B1	9/2001	Kobayashi et al.
6,173,194	B1	1/2001	Vanttila	6,295,391	B1	9/2001	Rudd et al.
6,173,251	B1	1/2001	Ito et al.	6,295,541	B1	9/2001	Bodnar et al.
6,173,261	B1	1/2001	Arai et al.	6,297,818	B1	10/2001	Ulrich et al.
6,173,263	B1	1/2001	Conkie	6,298,314	B1	10/2001	Blackadar et al.
6,173,279	B1	1/2001	Levin et al.	6,298,321	B1	10/2001	Karlov et al.
6,177,905	B1	1/2001	Welch	6,300,947	B1	10/2001	Kanevsky
6,177,931	B1	1/2001	Alexander et al.	6,304,844	B1	10/2001	Pan et al.
6,179,432	B1	1/2001	Zhang et al.	6,304,846	B1	10/2001	George et al.
6,182,028	B1	1/2001	Karaali et al.	6,307,548	B1	10/2001	Flinchem et al.
6,182,099	B1	1/2001	Nakasato	6,308,149	B1	10/2001	Gaussier et al.
6,185,533	B1	2/2001	Holm et al.	6,310,610	B1	10/2001	Beaton et al.
6,188,391	B1	2/2001	Seely et al.	6,311,152	B1	10/2001	Bai et al.
6,188,967	B1	2/2001	Kurtzberg et al.	6,311,157	B1	10/2001	Strong
6,188,999	B1	2/2001	Moody	6,311,189	B1	10/2001	deVries et al.
6,191,939	B1	2/2001	Burnett	6,314,397	B1	11/2001	Lewis et al.
6,192,253	B1	2/2001	Charlier et al.	6,317,237	B1	11/2001	Nakao et al.
				6,317,594	B1	11/2001	Gossman et al.
				6,317,707	B1	11/2001	Bangalore et al.
				6,317,831	B1	11/2001	King
				6,321,092	B1	11/2001	Fitch et al.

(56)

## References Cited

## U.S. PATENT DOCUMENTS

6,321,179	B1	11/2001	Glance et al.	6,448,485	B1	9/2002	Barile
6,323,846	B1	11/2001	Westerman et al.	6,448,986	B1	9/2002	Smith
6,324,499	B1	11/2001	Lewis et al.	6,449,620	B1	9/2002	Draper et al.
6,324,502	B1	11/2001	Handel et al.	6,453,281	B1	9/2002	Walters et al.
6,324,512	B1	11/2001	Junqua et al.	6,453,292	B2	9/2002	Ramaswamy et al.
6,324,514	B2	11/2001	Matulich et al.	6,453,312	B1	9/2002	Goiffon et al.
6,330,538	B1	12/2001	Breen	6,453,315	B1	9/2002	Weissman et al.
6,331,867	B1	12/2001	Eberhard et al.	6,456,616	B1	9/2002	Rantanen
6,332,175	B1	12/2001	Birrell et al.	6,456,972	B1	9/2002	Gladstein et al.
6,334,103	B1	12/2001	Surace et al.	6,460,015	B1	10/2002	Hetherington et al.
6,335,722	B1	1/2002	Tani et al.	6,460,029	B1	10/2002	Fries et al.
6,336,365	B1	1/2002	Blackadar et al.	6,462,778	B1	10/2002	Abram et al.
6,336,727	B1	1/2002	Kim	6,463,128	B1	10/2002	Elwin
6,340,937	B1	1/2002	Stepita-Klauco	6,463,413	B1	10/2002	Applebaum et al.
6,341,316	B1	1/2002	Kloba et al.	6,466,654	B1	10/2002	Cooper et al.
6,343,267	B1	1/2002	Kuhn et al.	6,467,924	B2	10/2002	Shipman
6,345,240	B1	2/2002	Havens	6,469,712	B1	10/2002	Hilpert, Jr. et al.
6,345,250	B1	2/2002	Martin	6,469,722	B1	10/2002	Kinoe et al.
6,347,296	B1	2/2002	Friedland	6,469,732	B1	10/2002	Chang et al.
6,347,315	B1	2/2002	Kiyoki et al.	6,470,347	B1	10/2002	Gillam
6,351,522	B1	2/2002	Vitikainen	6,473,630	B1	10/2002	Baranowski et al.
6,351,762	B1	2/2002	Ludwig et al.	6,473,754	B1	10/2002	Matsubayashi et al.
6,353,442	B1	3/2002	Masui	6,477,488	B1	11/2002	Bellegarda
6,353,794	B1	3/2002	Davis et al.	6,477,494	B2	11/2002	Hyde-Thomson et al.
6,356,287	B1	3/2002	Ruberry et al.	6,487,533	B2	11/2002	Hyde-Thomson et al.
6,356,854	B1	3/2002	Schubert et al.	6,487,534	B1	11/2002	Thelen et al.
6,356,864	B1	3/2002	Foltz et al.	6,487,663	B1	11/2002	Jaisimha et al.
6,356,905	B1	3/2002	Gershman et al.	6,489,951	B1	12/2002	Wong et al.
6,357,147	B1	3/2002	Darley et al.	6,490,547	B1	12/2002	Atkin et al.
6,359,572	B1	3/2002	Vale	6,490,560	B1	12/2002	Ramaswamy et al.
6,359,970	B1	3/2002	Burgess	6,493,006	B1	12/2002	Gourdol et al.
6,360,227	B1	3/2002	Aggarwal et al.	6,493,428	B1	12/2002	Hillier
6,360,237	B1	3/2002	Schulz et al.	6,493,652	B1	12/2002	Ohlenbusch et al.
6,363,347	B1	3/2002	Rozak	6,493,667	B1	12/2002	De Souza et al.
6,363,348	B1	3/2002	Besling et al.	6,499,013	B1	12/2002	Weber
6,366,883	B1	4/2002	Campbell et al.	6,499,014	B1	12/2002	Chihara
6,366,884	B1	4/2002	Bellegarda et al.	6,499,016	B1	12/2002	Anderson et al.
6,374,217	B1	4/2002	Bellegarda	6,501,937	B1	12/2002	Ho et al.
6,374,226	B1	4/2002	Hunt et al.	6,502,194	B1	12/2002	Berman et al.
6,377,530	B1	4/2002	Burrows	6,505,158	B1	1/2003	Conkie
6,377,925	B1	4/2002	Greene, Jr. et al.	6,505,175	B1	1/2003	Silverman et al.
6,377,928	B1	4/2002	Saxena et al.	6,505,183	B1	1/2003	Loofbourrow et al.
6,381,593	B1	4/2002	Yano et al.	6,507,829	B1	1/2003	Richards et al.
6,385,586	B1	5/2002	Dietz	6,510,406	B1	1/2003	Marchisio
6,385,662	B1	5/2002	Moon et al.	6,510,412	B1	1/2003	Sasai et al.
6,389,114	B1	5/2002	Dowens et al.	6,510,417	B1	1/2003	Woods et al.
6,397,183	B1	5/2002	Baba et al.	6,513,006	B2	1/2003	Howard et al.
6,397,186	B1	5/2002	Bush et al.	6,513,008	B2	1/2003	Pearson et al.
6,400,806	B1	6/2002	Uppaluru	6,513,063	B1	1/2003	Julia et al.
6,400,996	B1	6/2002	Hoffberg et al.	6,519,565	B1	2/2003	Clements et al.
6,401,065	B1	6/2002	Kanevsky et al.	6,519,566	B1	2/2003	Boyer et al.
6,401,085	B1	6/2002	Gershman et al.	6,523,026	B1	2/2003	Gillis
6,405,169	B1	6/2002	Kondo et al.	6,523,061	B1	2/2003	Halverson et al.
6,405,238	B1	6/2002	Votipka	6,523,172	B1	2/2003	Martinez-Guerra et al.
6,408,272	B1	6/2002	White et al.	6,526,351	B2	2/2003	Whitham
6,411,924	B1	6/2002	De Hita et al.	6,526,382	B1	2/2003	Yuschik
6,411,932	B1	6/2002	Molnar et al.	6,526,395	B1	2/2003	Morris
6,415,250	B1	7/2002	Van Den Akker	6,529,592	B1	3/2003	Khan
6,417,873	B1	7/2002	Fletcher et al.	6,529,608	B2	3/2003	Gersabeck et al.
6,418,431	B1	7/2002	Mahajan et al.	6,532,444	B1	3/2003	Weber
6,421,305	B1	7/2002	Gioscia et al.	6,532,446	B1	3/2003	King
6,421,672	B1	7/2002	McAllister et al.	6,535,610	B1	3/2003	Stewart
6,421,707	B1	7/2002	Miller et al.	6,535,852	B2	3/2003	Eide
6,424,944	B1	7/2002	Hikawa	6,535,983	B1	3/2003	McCormack et al.
6,430,531	B1	8/2002	Polish	6,536,139	B2	3/2003	Darley et al.
6,430,551	B1	8/2002	Thelen et al.	6,538,665	B2	3/2003	Crow et al.
6,434,522	B1	8/2002	Tsuboka	6,542,171	B1	4/2003	Satou et al.
6,434,524	B1	8/2002	Weber	6,542,584	B1	4/2003	Sherwood et al.
6,434,529	B1	8/2002	Walker et al.	6,542,868	B1	4/2003	Badt et al.
6,434,604	B1	8/2002	Harada et al.	6,546,262	B1	4/2003	Freadman
6,437,818	B1	8/2002	Ludwig et al.	6,546,367	B2	4/2003	Otsuka
6,438,523	B1	8/2002	Oberteuffer et al.	6,546,388	B1	4/2003	Edlund et al.
6,442,518	B1	8/2002	Van Thong et al.	6,549,497	B2	4/2003	Miyamoto et al.
6,442,523	B1	8/2002	Siegel	6,553,343	B1	4/2003	Kagoshima et al.
6,446,076	B1	9/2002	Burkey et al.	6,553,344	B2	4/2003	Bellegarda et al.
				6,556,971	B1	4/2003	Rigsby et al.
				6,556,983	B1	4/2003	Altschuler et al.
				6,560,903	B1	5/2003	Darley
				6,563,769	B1	5/2003	Van Der Meulen



(56)

## References Cited

## U.S. PATENT DOCUMENTS

6,564,186	B1	5/2003	Kiraly et al.	6,694,295	B2	2/2004	Lindholm et al.
6,567,549	B1	5/2003	Marianetti et al.	6,694,297	B2	2/2004	Sato
6,570,557	B1	5/2003	Westerman et al.	6,697,780	B1	2/2004	Beutnagel et al.
6,570,596	B2	5/2003	Frederiksen	6,697,824	B1	2/2004	Bowman-Amuah
6,582,342	B2	6/2003	Kaufman	6,701,294	B1	3/2004	Ball et al.
6,583,806	B2	6/2003	Ludwig et al.	6,701,305	B1	3/2004	Holt et al.
6,584,464	B1	6/2003	Warthen	6,701,318	B2	3/2004	Fox et al.
6,587,403	B1	7/2003	Keller et al.	6,704,015	B1	3/2004	Bovarnick et al.
6,587,404	B1	7/2003	Keller et al.	6,704,034	B1	3/2004	Rodriguez et al.
6,590,303	B1	7/2003	Austin et al.	6,704,698	B1	3/2004	Paulsen, Jr. et al.
6,591,379	B1	7/2003	LeVine et al.	6,704,710	B2	3/2004	Strong
6,594,673	B1	7/2003	Smith et al.	6,708,153	B2	3/2004	Brittan et al.
6,594,688	B2	7/2003	Ludwig et al.	6,711,585	B1	3/2004	Copperman et al.
6,597,345	B2	7/2003	Hirshberg	6,714,221	B1	3/2004	Christie et al.
6,598,021	B1	7/2003	Shambaugh et al.	6,716,139	B1	4/2004	Hosseinzadeh-Dolkhani et al.
6,598,022	B2	7/2003	Yuschik	6,718,324	B2	4/2004	Edlund et al.
6,598,039	B1	7/2003	Livovsky	6,718,331	B2	4/2004	Davis et al.
6,598,054	B2	7/2003	Schuetze et al.	6,720,980	B1	4/2004	Lui et al.
6,601,026	B2	7/2003	Appelt et al.	6,721,728	B2	4/2004	McGreevy
6,601,234	B1	7/2003	Bowman-Amuah	6,721,734	B1	4/2004	Subasic et al.
6,603,837	B1	8/2003	Kesanupalli et al.	6,724,370	B2	4/2004	Dutta et al.
6,604,059	B2	8/2003	Strubbe et al.	6,725,197	B1	4/2004	Wuppermann et al.
6,606,101	B1	8/2003	Malamud et al.	6,728,675	B1	4/2004	Maddalozzo, Jr. et al.
6,606,388	B1	8/2003	Townsend et al.	6,728,681	B2	4/2004	Whitham
6,606,632	B1	8/2003	Saulpaugh et al.	6,728,729	B1	4/2004	Jawa et al.
6,611,789	B1	8/2003	Darley	6,731,312	B2	5/2004	Robbin
6,615,172	B1	9/2003	Bennett et al.	6,732,142	B1	5/2004	Bates et al.
6,615,175	B1	9/2003	Gazdzinski	6,735,562	B1	5/2004	Zhang et al.
6,615,176	B2	9/2003	Lewis et al.	6,735,632	B1	5/2004	Kiraly et al.
6,615,220	B1	9/2003	Austin et al.	6,738,738	B2	5/2004	Henton
6,621,768	B1	9/2003	Keller et al.	6,738,742	B2	5/2004	Badt et al.
6,621,892	B1	9/2003	Banister et al.	6,741,264	B1	5/2004	Lesser
6,622,121	B1	9/2003	Crepv et al.	6,742,021	B1	5/2004	Halverson et al.
6,622,136	B2	9/2003	Russell	6,751,592	B1	6/2004	Shiga
6,623,529	B1	9/2003	Lakritz	6,751,595	B2	6/2004	Busayapongchai et al.
6,625,583	B1	9/2003	Silverman et al.	6,751,621	B1	6/2004	Calistri-Yeh et al.
6,628,808	B1	9/2003	Bach et al.	6,754,504	B1	6/2004	Reed
6,631,186	B1	10/2003	Adams et al.	6,757,362	B1	6/2004	Cooper et al.
6,631,346	B1	10/2003	Karaorman et al.	6,757,365	B1	6/2004	Bogard
6,633,741	B1	10/2003	Posa et al.	6,757,646	B2	6/2004	Marchisio
6,633,846	B1	10/2003	Bennett et al.	6,757,653	B2	6/2004	Buth et al.
6,633,932	B1	10/2003	Bork et al.	6,757,718	B1	6/2004	Halverson et al.
6,640,098	B1	10/2003	Roundtree	6,760,412	B1	7/2004	Loucks
6,642,940	B1	11/2003	Dakss et al.	6,760,700	B2	7/2004	Lewis et al.
6,643,401	B1	11/2003	Kashioka et al.	6,760,754	B1	7/2004	Isaacs et al.
6,643,824	B1	11/2003	Bates et al.	6,762,692	B1	7/2004	Mingot et al.
6,647,260	B2	11/2003	Dusse et al.	6,762,741	B2	7/2004	Weindorf
6,650,735	B2	11/2003	Burton et al.	6,762,777	B2	7/2004	Carroll
6,651,042	B1	11/2003	Field et al.	6,763,089	B2	7/2004	Feigenbaum
6,651,218	B1	11/2003	Adler et al.	6,766,294	B2	7/2004	MacGinite et al.
6,654,740	B2	11/2003	Tokuda et al.	6,766,295	B1	7/2004	Murveit et al.
6,658,389	B1	12/2003	Alpdemir	6,766,320	B1	7/2004	Wang et al.
6,658,408	B2	12/2003	Yano et al.	6,766,324	B2	7/2004	Carlson et al.
6,658,577	B2	12/2003	Huppi et al.	6,768,979	B1	7/2004	Menendez-Pidal et al.
6,661,438	B1	12/2003	Shiraishi et al.	6,771,982	B1	8/2004	Toupin
6,662,023	B1	12/2003	Helle	6,772,123	B2	8/2004	Cooklev et al.
6,665,639	B2	12/2003	Mozer et al.	6,772,195	B1	8/2004	Hatlelid et al.
6,665,640	B1	12/2003	Bennett et al.	6,772,394	B1	8/2004	Kamada
6,665,641	B1	12/2003	Coorman et al.	6,775,358	B1	8/2004	Breitenbach et al.
6,671,672	B1	12/2003	Heck	6,778,951	B1	8/2004	Contractor
6,671,683	B2	12/2003	Kanno	6,778,952	B2	8/2004	Bellegarda
6,671,856	B1	12/2003	Gillam	6,778,962	B1	8/2004	Kasai et al.
6,675,169	B1	1/2004	Bennett et al.	6,778,970	B2	8/2004	Au
6,675,233	B1	1/2004	Du et al.	6,778,979	B2	8/2004	Grefenstette et al.
6,677,932	B1	1/2004	Westerman	6,782,510	B1	8/2004	Gross et al.
6,680,675	B1	1/2004	Suzuki	6,784,901	B1	8/2004	Harvey et al.
6,684,187	B1	1/2004	Conkie	6,789,094	B2	9/2004	Rudoff et al.
6,684,376	B1	1/2004	Kerzman et al.	6,789,231	B1	9/2004	Reynar et al.
6,690,387	B2	2/2004	Zimmerman et al.	6,790,704	B2	9/2004	Doyle et al.
6,690,800	B2	2/2004	Resnick	6,792,082	B1	9/2004	Levine
6,690,828	B2	2/2004	Meyers	6,792,083	B2	9/2004	Dams et al.
6,691,064	B2	2/2004	Vroman	6,792,086	B1	9/2004	Saylor et al.
6,691,090	B1	2/2004	Laurila et al.	6,792,407	B2	9/2004	Kibre et al.
6,691,111	B2	2/2004	Lazaridis et al.	6,794,566	B2	9/2004	Pachet
6,691,151	B1	2/2004	Cheyser et al.	6,795,059	B2	9/2004	Endo
				6,799,162	B1	9/2004	Goronzy et al.
				6,799,226	B1	9/2004	Robbin et al.
				6,801,604	B2	10/2004	Maes et al.
				6,801,964	B1	10/2004	Mahdavi

(56)

## References Cited

## U.S. PATENT DOCUMENTS

6,803,905	B1	10/2004	Capps et al.	6,918,677	B2	7/2005	Shipman
6,804,649	B2	10/2004	Miranda	6,924,828	B1	8/2005	Hirsch
6,804,677	B2	10/2004	Shadmon et al.	6,925,438	B2	8/2005	Mohamed et al.
6,807,536	B2	10/2004	Achlioptas et al.	6,928,149	B1	8/2005	Panjwani et al.
6,807,574	B1	10/2004	Partovi et al.	6,928,614	B1	8/2005	Everhart
6,809,724	B1	10/2004	Shiraishi et al.	6,931,255	B2	8/2005	Mekuria
6,810,379	B1	10/2004	Vermeulen et al.	6,931,384	B1	8/2005	Horvitz et al.
6,813,218	B1	11/2004	Antonelli et al.	6,932,708	B2	8/2005	Yamashita et al.
6,813,491	B1	11/2004	McKinney	6,933,928	B1	8/2005	Lilienthal et al.
6,813,607	B1	11/2004	Faruquie et al.	6,934,394	B1	8/2005	Anderson
6,816,578	B1	11/2004	Kredo et al.	6,934,684	B2	8/2005	Alpdemir et al.
6,820,055	B2	11/2004	Saindon et al.	6,934,756	B2	8/2005	Maes
6,829,018	B2	12/2004	Lin et al.	6,934,812	B1	8/2005	Robbin et al.
6,829,603	B1	12/2004	Chai et al.	6,937,975	B1	8/2005	Elworthy
6,832,194	B1	12/2004	Mozer et al.	6,937,986	B2	8/2005	Denenberg et al.
6,832,381	B1	12/2004	Mathur et al.	6,944,593	B2	9/2005	Kuzunuki et al.
6,836,537	B1	12/2004	Zirngibl et al.	6,944,846	B2	9/2005	Ryzhov
6,836,651	B2	12/2004	Segal et al.	6,948,094	B2	9/2005	Schultz et al.
6,836,760	B1	12/2004	Bellegarda et al.	6,950,087	B2	9/2005	Knox et al.
6,839,464	B2	1/2005	Hawkins et al.	6,950,502	B1	9/2005	Jenkins
6,839,667	B2	1/2005	Reich	6,952,799	B2	10/2005	Edwards et al.
6,839,669	B1	1/2005	Gould et al.	6,954,755	B2	10/2005	Reisman
6,839,670	B1	1/2005	Stammeler et al.	6,954,899	B1	10/2005	Anderson
6,839,742	B1	1/2005	Dyer et al.	6,956,845	B2	10/2005	Baker et al.
6,842,767	B1	1/2005	Partovi et al.	6,957,076	B2	10/2005	Hunzinger
6,847,966	B1	1/2005	Sommer et al.	6,957,183	B2	10/2005	Malayath et al.
6,847,979	B2	1/2005	Allemang et al.	6,960,734	B1	11/2005	Park
6,850,775	B1	2/2005	Berg	6,961,699	B1	11/2005	Kahn et al.
6,850,887	B2	2/2005	Epstein et al.	6,961,912	B2	11/2005	Aoki et al.
6,851,115	B1	2/2005	Cheyet et al.	6,963,759	B1	11/2005	Gerson
6,856,259	B1	2/2005	Sharp	6,963,841	B2	11/2005	Handal et al.
6,857,800	B2	2/2005	Zhang et al.	6,964,023	B2	11/2005	Maes et al.
6,859,931	B1	2/2005	Cheyet et al.	6,965,376	B2	11/2005	Tani et al.
6,862,568	B2	3/2005	Case	6,965,863	B1	11/2005	Zuberec et al.
6,862,710	B1	3/2005	Marchisio	6,968,311	B2	11/2005	Knockeart et al.
6,862,713	B1	3/2005	Kraft et al.	6,970,820	B2	11/2005	Junqua et al.
6,865,533	B2	3/2005	Addison et al.	6,970,881	B1	11/2005	Mohan et al.
6,868,045	B1	3/2005	Schroder	6,970,915	B1	11/2005	Partovi et al.
6,868,385	B1	3/2005	Gerson	6,970,935	B1	11/2005	Maes
6,870,529	B1	3/2005	Davis	6,976,090	B2	12/2005	Ben-Shaul et al.
6,871,346	B1	3/2005	Kumbalimutt et al.	6,978,127	B1	12/2005	Bulthuis et al.
6,873,953	B1	3/2005	Lennig	6,978,239	B2	12/2005	Chu et al.
6,873,986	B2	3/2005	McConnell et al.	6,980,949	B2	12/2005	Ford
6,876,947	B1	4/2005	Darley et al.	6,980,953	B1	12/2005	Kanevsky et al.
6,877,003	B2	4/2005	Ho et al.	6,980,955	B2	12/2005	Okutani et al.
6,879,957	B1	4/2005	Pechter et al.	6,983,251	B1	1/2006	Umemoto et al.
6,882,335	B2	4/2005	Saarinen	6,985,858	B2	1/2006	Frey et al.
6,882,337	B2	4/2005	Shetter	6,985,865	B1	1/2006	Packingham et al.
6,882,747	B2	4/2005	Thawonmas et al.	6,985,958	B2	1/2006	Zwiegincew et al.
6,882,955	B1	4/2005	Ohlenbusch et al.	6,988,063	B2	1/2006	Tokuda et al.
6,882,971	B2	4/2005	Craner	6,988,071	B1	1/2006	Gazdzinski
6,885,734	B1	4/2005	Eberle et al.	6,990,450	B2	1/2006	Case et al.
6,889,361	B1	5/2005	Bates et al.	6,996,520	B2	2/2006	Levin
6,895,084	B1	5/2005	Saylor et al.	6,996,531	B2	2/2006	Korall et al.
6,895,257	B2	5/2005	Boman et al.	6,996,575	B2	2/2006	Cox et al.
6,895,380	B2	5/2005	Sepe, Jr.	6,999,066	B2	2/2006	Litwiller
6,895,558	B1	5/2005	Loveland	6,999,914	B1	2/2006	Boerner et al.
6,898,550	B1	5/2005	Blackadar et al.	6,999,925	B2	2/2006	Fischer et al.
6,901,364	B2	5/2005	Nguyen et al.	6,999,927	B2	2/2006	Mozer et al.
6,901,399	B1	5/2005	Corston et al.	7,000,189	B2	2/2006	Dutta et al.
6,904,405	B2	6/2005	Suominen	7,002,556	B2	2/2006	Tsukada et al.
6,907,112	B1	6/2005	Guedalia et al.	7,003,099	B1	2/2006	Zhang et al.
6,907,140	B2	6/2005	Matsugu et al.	7,003,463	B1	2/2006	Maes et al.
6,910,004	B2	6/2005	Tarbouriech et al.	7,003,522	B1	2/2006	Reynar et al.
6,910,007	B2	6/2005	Stylianou et al.	7,006,969	B2	2/2006	Atal
6,910,012	B2	6/2005	Hartley et al.	7,006,973	B1	2/2006	Genly et al.
6,910,186	B2	6/2005	Kim	7,007,026	B2	2/2006	Wilkinson et al.
6,911,971	B2	6/2005	Suzuki et al.	7,007,239	B1	2/2006	Hawkins et al.
6,912,407	B1	6/2005	Clarke et al.	7,010,581	B2	3/2006	Brown et al.
6,912,498	B2	6/2005	Stevens et al.	7,013,289	B2	3/2006	Horn et al.
6,912,499	B1	6/2005	Sabourin et al.	7,013,308	B1	3/2006	Tunstall-Pedoe
6,915,138	B2	7/2005	Kraft	7,013,429	B2	3/2006	Fujimoto et al.
6,915,246	B2	7/2005	Gusler et al.	7,015,894	B2	3/2006	Morohoshi
6,915,294	B1	7/2005	Singh et al.	7,020,685	B1	3/2006	Chen et al.
6,917,373	B2	7/2005	Vong et al.	7,024,363	B1	4/2006	Comerford et al.
				7,024,364	B2	4/2006	Guerra et al.
				7,024,366	B1	4/2006	Deyoe et al.
				7,024,460	B2	4/2006	Koopmas et al.
				7,027,568	B1	4/2006	Simpson et al.

(56)

## References Cited

## U.S. PATENT DOCUMENTS

7,027,974	B1	4/2006	Busch et al.	7,127,403	B1	10/2006	Saylor et al.
7,027,990	B2	4/2006	Sussman	7,129,932	B1	10/2006	Klarlund et al.
7,028,252	B1	4/2006	Baru et al.	7,133,900	B1	11/2006	Szeto
7,030,861	B1	4/2006	Westerman et al.	7,136,710	B1	11/2006	Hoffberg et al.
7,031,530	B2	4/2006	Driggs et al.	7,136,818	B1	11/2006	Cosatto et al.
7,031,909	B2	4/2006	Mao et al.	7,137,126	B1	11/2006	Coffinan et al.
7,035,794	B2	4/2006	Sirivara	7,139,697	B2	11/2006	Häkkinen et al.
7,035,801	B2	4/2006	Jimenez-Feltstrom	7,139,714	B2	11/2006	Bennett et al.
7,035,807	B1	4/2006	Brittain et al.	7,139,722	B2	11/2006	Perrella et al.
7,036,128	B1	4/2006	Julia et al.	7,143,028	B2	11/2006	Hillis et al.
7,036,681	B2	5/2006	Suda et al.	7,143,038	B2	11/2006	Katae
7,038,659	B2	5/2006	Rajkowski	7,143,040	B2	11/2006	Durstun et al.
7,039,588	B2	5/2006	Okutani et al.	7,146,319	B2	12/2006	Hunt
7,043,420	B2	5/2006	Ratnaparkhi	7,146,437	B2	12/2006	Robbin et al.
7,043,422	B2	5/2006	Gao et al.	7,149,319	B2	12/2006	Roeck
7,046,230	B2	5/2006	Zadesky et al.	7,149,695	B1	12/2006	Bellegarda
7,046,850	B2	5/2006	Braspenning et al.	7,149,964	B1	12/2006	Cottrille et al.
7,047,193	B1	5/2006	Bellegarda	7,152,070	B1	12/2006	Musick et al.
7,050,550	B2	5/2006	Steinbiss et al.	7,152,093	B2	12/2006	Ludwig et al.
7,050,976	B1	5/2006	Packingham	7,154,526	B2	12/2006	Foote et al.
7,050,977	B1	5/2006	Bennett	7,155,668	B2	12/2006	Holland et al.
7,051,096	B1	5/2006	Krawiec et al.	7,158,647	B2	1/2007	Azima et al.
7,054,419	B2	5/2006	Culliss	7,159,174	B2	1/2007	Johnson et al.
7,054,888	B2	5/2006	LaChapelle et al.	7,162,412	B2	1/2007	Yamada et al.
7,057,607	B2	6/2006	Mayoraz et al.	7,162,482	B1	1/2007	Dunning
7,058,569	B2	6/2006	Coorman et al.	7,165,073	B2	1/2007	Vandersluis
7,058,888	B1	6/2006	Gjerstad et al.	7,166,791	B2	1/2007	Robbin et al.
7,058,889	B2	6/2006	Trovato et al.	7,171,350	B2	1/2007	Lin et al.
7,062,223	B2	6/2006	Gerber et al.	7,171,360	B2	1/2007	Huang et al.
7,062,225	B2	6/2006	White	7,174,042	B1	2/2007	Simmons et al.
7,062,428	B2	6/2006	Hogenhout et al.	7,174,295	B1	2/2007	Kivimaki
7,062,438	B2	6/2006	Kobayashi et al.	7,174,297	B2	2/2007	Guerra et al.
7,065,185	B1	6/2006	Koch	7,174,298	B2	2/2007	Sharma
7,065,485	B1	6/2006	Chong-White et al.	7,177,794	B2	2/2007	Mani et al.
7,069,213	B2	6/2006	Thompson	7,177,798	B2	2/2007	Hsu et al.
7,069,220	B2	6/2006	Coffinan et al.	7,177,817	B1	2/2007	Khosla et al.
7,069,560	B1	6/2006	Cheyen et al.	7,181,386	B2	2/2007	Mohri et al.
7,072,686	B1	7/2006	Schrager	7,181,388	B2	2/2007	Tian
7,072,941	B2	7/2006	Griffin et al.	7,184,064	B2	2/2007	Zimmerman et al.
7,076,527	B2	7/2006	Bellegarda et al.	7,185,276	B2	2/2007	Keswa
7,079,713	B2	7/2006	Simmons	7,188,085	B2	3/2007	Pelletier
7,082,322	B2	7/2006	Harano	7,190,351	B1	3/2007	Goren
7,084,758	B1	8/2006	Cole	7,190,794	B2	3/2007	Hinde
7,084,856	B2	8/2006	Huppi	7,191,118	B2	3/2007	Bellegarda
7,085,716	B1	8/2006	Even et al.	7,191,131	B1	3/2007	Nagao
7,085,723	B2	8/2006	Ross et al.	7,193,615	B2	3/2007	Kim et al.
7,085,960	B2	8/2006	Bouat et al.	7,194,186	B1	3/2007	Strub et al.
7,088,345	B2	8/2006	Robinson et al.	7,194,413	B2	3/2007	Mahoney et al.
7,089,292	B1	8/2006	Roderick et al.	7,194,471	B1	3/2007	Nagatsuka et al.
7,092,370	B2	8/2006	Jiang et al.	7,194,611	B2	3/2007	Bear et al.
7,092,887	B2	8/2006	Mozer et al.	7,194,699	B2	3/2007	Thomson et al.
7,092,928	B1	8/2006	Elad et al.	7,197,120	B2	3/2007	Luehrig et al.
7,092,950	B2	8/2006	Wong et al.	7,197,460	B1	3/2007	Gupta et al.
7,093,693	B1	8/2006	Gazdzinski	7,200,550	B2	4/2007	Menezes et al.
7,095,733	B1	8/2006	Yarlagadda et al.	7,200,558	B2	4/2007	Kato et al.
7,096,183	B2	8/2006	Junqua	7,200,559	B2	4/2007	Wang
7,100,117	B1	8/2006	Chwa et al.	7,203,297	B2	4/2007	Vitikainen et al.
7,103,548	B2	9/2006	Squibbs et al.	7,203,646	B2	4/2007	Bennett
7,107,204	B1	9/2006	Liu et al.	7,206,809	B2	4/2007	Ludwig et al.
7,110,998	B1	9/2006	Bhandari et al.	7,212,827	B1	5/2007	Veschl
7,111,248	B2	9/2006	Mulvey et al.	7,216,008	B2	5/2007	Sakata
7,111,774	B2	9/2006	Song	7,216,066	B2	5/2007	Di et al.
7,112,827	B2	9/2006	Hayakawa et al.	7,216,073	B2	5/2007	Lavi et al.
7,113,803	B2	9/2006	Dehlin	7,216,080	B2	5/2007	Tsiao et al.
7,113,943	B2	9/2006	Bradford et al.	7,218,920	B2	5/2007	Hyon
7,115,035	B2	10/2006	Tanaka	7,218,943	B2	5/2007	Klassen et al.
7,117,231	B2	10/2006	Fischer et al.	7,219,063	B2	5/2007	Schalk et al.
7,120,865	B1	10/2006	Horvitz et al.	7,219,123	B1	5/2007	Fiechter et al.
7,123,696	B2	10/2006	Lowe	7,225,125	B2	5/2007	Bennett et al.
7,124,081	B1	10/2006	Bellegarda	7,228,278	B2	6/2007	Nguyen et al.
7,124,082	B2	10/2006	Freedman	7,231,343	B1	6/2007	Treadgold et al.
7,124,164	B1	10/2006	Chemtob	7,231,597	B1	6/2007	Braun et al.
7,127,046	B1	10/2006	Smith et al.	7,233,790	B2	6/2007	Kjellberg et al.
7,127,394	B2	10/2006	Strong et al.	7,233,904	B2	6/2007	Luisi
7,127,396	B2	10/2006	Chu et al.	7,234,026	B2	6/2007	Robbin et al.
				7,236,932	B1	6/2007	Grajski
				7,240,002	B2	7/2007	Minamino et al.
				7,243,130	B2	7/2007	Horvitz et al.
				7,243,305	B2	7/2007	Schabes et al.

(56)

## References Cited

## U.S. PATENT DOCUMENTS

7,246,118	B2	7/2007	Chastain et al.	7,386,449	B2	6/2008	Sun et al.
7,246,151	B2	7/2007	Isaacs et al.	7,386,799	B1	6/2008	Clanton et al.
7,248,900	B2	7/2007	Deeds et al.	7,389,224	B1	6/2008	Elworthy
7,251,313	B1	7/2007	Miller et al.	7,389,225	B1	6/2008	Jensen et al.
7,251,454	B2	7/2007	White	7,392,185	B2	6/2008	Bennett
7,254,773	B2	8/2007	Bates et al.	7,394,947	B2	7/2008	Li et al.
7,257,537	B2	8/2007	Ross et al.	7,398,209	B2	7/2008	Kennewick et al.
7,259,752	B1	8/2007	Simmons	7,401,300	B2	7/2008	Nurmi
7,260,529	B1	8/2007	Lengen	7,403,938	B2	7/2008	Harrison et al.
7,260,567	B2	8/2007	Parikh et al.	7,403,941	B2	7/2008	Bedworth et al.
7,263,373	B2	8/2007	Mattisson	7,404,143	B2	7/2008	Frelander et al.
7,266,189	B1	9/2007	Day	7,409,337	B1	8/2008	Potter et al.
7,266,495	B1	9/2007	Beaufays et al.	7,409,347	B1	8/2008	Bellegarda
7,266,496	B2	9/2007	Wang et al.	7,412,389	B2	8/2008	Yang
7,266,499	B2	9/2007	Surace et al.	7,412,470	B2	8/2008	Masuno et al.
7,269,544	B2	9/2007	Simske	7,415,100	B2	8/2008	Cooper et al.
7,269,556	B2	9/2007	Kiss et al.	7,415,469	B2	8/2008	Singh et al.
7,272,224	B1	9/2007	Normile et al.	7,418,389	B2	8/2008	Chu et al.
7,275,063	B2	9/2007	Horn	7,418,392	B1	8/2008	Mozer et al.
7,277,088	B2	10/2007	Robinson et al.	7,426,467	B2	9/2008	Nashida et al.
7,277,854	B2	10/2007	Bennett et al.	7,426,468	B2	9/2008	Coifman et al.
7,277,855	B1	10/2007	Acker et al.	7,427,024	B1	9/2008	Gazdzinski et al.
7,280,958	B2	10/2007	Pavlov et al.	7,428,541	B2	9/2008	Houle
7,283,072	B1	10/2007	Plachta et al.	7,433,869	B2	10/2008	Gollapudi, Sr.
7,289,102	B2	10/2007	Hinckley et al.	7,433,921	B2	10/2008	Ludwig et al.
7,290,039	B1	10/2007	Lisitsa et al.	7,436,947	B2	10/2008	Wadler et al.
7,292,579	B2	11/2007	Morris	7,441,184	B2	10/2008	Frerebeau et al.
7,292,979	B2	11/2007	Karas et al.	7,443,316	B2	10/2008	Lim
7,292,980	B1	11/2007	August et al.	7,444,589	B2	10/2008	Zellner
7,293,015	B2	11/2007	Zhou	7,447,360	B2	11/2008	Li et al.
7,296,019	B1	11/2007	Chandrasekar et al.	7,447,624	B2	11/2008	Fuhrmann et al.
7,296,230	B2	11/2007	Fukatsu et al.	7,447,635	B1	11/2008	Konopka et al.
7,299,033	B2	11/2007	Kjellberg et al.	7,447,637	B1	11/2008	Grant et al.
7,302,392	B1	11/2007	Theenthiruperai et al.	7,451,081	B1	11/2008	Gajic et al.
7,302,394	B1	11/2007	Baray et al.	7,454,351	B2	11/2008	Jeschke et al.
7,302,686	B2	11/2007	Togawa	7,460,652	B2	12/2008	Chang
7,308,404	B2	12/2007	Venkataraman et al.	7,461,043	B2	12/2008	Hess
7,308,408	B1	12/2007	Stifelman et al.	7,467,087	B1	12/2008	Gillick et al.
7,310,329	B2	12/2007	Vieri et al.	7,467,164	B2	12/2008	Marsh
7,310,600	B1	12/2007	Garner et al.	7,472,061	B1	12/2008	Alewine et al.
7,310,605	B2	12/2007	Janakiraman et al.	7,472,065	B2	12/2008	Aaron et al.
7,313,523	B1	12/2007	Bellegarda et al.	7,475,010	B2	1/2009	Chao
7,315,809	B2	1/2008	Xun	7,475,015	B2	1/2009	Epstein et al.
7,315,818	B2	1/2008	Stevens et al.	7,475,063	B2	1/2009	Datta et al.
7,318,020	B1	1/2008	Kim	7,477,238	B2	1/2009	Fux et al.
7,319,957	B2	1/2008	Robinson et al.	7,477,240	B2	1/2009	Yanagisawa
7,321,783	B2	1/2008	Kim, II	7,478,037	B2	1/2009	Strong
7,322,023	B2	1/2008	Shulman et al.	7,478,091	B2	1/2009	Mojsilovic et al.
7,324,833	B2	1/2008	White et al.	7,478,129	B1	1/2009	Chemtob
7,324,947	B2	1/2008	Jordan et al.	7,479,948	B2	1/2009	Kim et al.
7,328,155	B2	2/2008	Endo et al.	7,479,949	B2	1/2009	Jobs et al.
7,328,250	B2	2/2008	Wang et al.	7,483,832	B2	1/2009	Tischer
7,345,670	B2	3/2008	Armstrong	7,483,894	B2	1/2009	Cao
7,345,671	B2	3/2008	Robbin et al.	7,487,089	B2	2/2009	Mozer
7,349,953	B2	3/2008	Lisitsa et al.	7,487,093	B2	2/2009	Mutsuno et al.
7,353,139	B1	4/2008	Burrell et al.	7,490,034	B2	2/2009	Finnigan et al.
7,359,493	B1	4/2008	Wang et al.	7,490,039	B1	2/2009	Shaffer et al.
7,359,671	B2	4/2008	Richenstein et al.	7,493,560	B1	2/2009	Kipnes et al.
7,359,851	B2	4/2008	Tong et al.	7,496,498	B2	2/2009	Chu et al.
7,360,158	B1	4/2008	Beeman	7,496,512	B2	2/2009	Zhao et al.
7,362,738	B2	4/2008	Taube et al.	7,499,923	B2	3/2009	Kawatani
7,363,227	B2	4/2008	Mapes-Riordan et al.	7,502,738	B2	3/2009	Kennewick et al.
7,363,586	B1	4/2008	Briggs et al.	7,505,795	B1	3/2009	Lim et al.
7,365,260	B2	4/2008	Kawashima	7,508,324	B2	3/2009	Suraqui
7,366,461	B1	4/2008	Brown	7,508,373	B2	3/2009	Lin et al.
7,373,291	B2	5/2008	Garst	7,516,123	B2	4/2009	Betz et al.
7,373,612	B2	5/2008	Risch et al.	7,519,327	B2	4/2009	White
7,376,556	B2	5/2008	Bennett	7,519,398	B2	4/2009	Hirose
7,376,632	B1	5/2008	Sadek et al.	7,522,927	B2	4/2009	Fitch et al.
7,376,645	B2	5/2008	Bernard	7,523,036	B2	4/2009	Akabane et al.
7,378,963	B1	5/2008	Begault et al.	7,523,108	B2	4/2009	Cao
7,379,874	B2	5/2008	Schmid et al.	7,526,466	B2	4/2009	Au
7,380,203	B2	5/2008	Keely et al.	7,526,738	B2	4/2009	Ording et al.
7,383,170	B2	6/2008	Mills et al.	7,528,713	B2	5/2009	Singh et al.
7,386,438	B1	6/2008	Franz et al.	7,529,671	B2	5/2009	Rockenbeck et al.
				7,529,676	B2	5/2009	Koyama
				7,535,997	B1	5/2009	McQuaide, Jr. et al.
				7,536,029	B2	5/2009	Choi et al.
				7,536,565	B2	5/2009	Girish et al.

(56)

## References Cited

## U.S. PATENT DOCUMENTS

7,538,685	B1	5/2009	Cooper et al.	7,664,558	B2	2/2010	Lindahl et al.
7,539,619	B1	5/2009	Seligman et al.	7,664,638	B2	2/2010	Cooper et al.
7,539,656	B2	5/2009	Fratkina et al.	7,668,710	B2	2/2010	Doyle
7,541,940	B2	6/2009	Upton	7,669,134	B1	2/2010	Christie et al.
7,542,967	B2	6/2009	Hurst-Hiller et al.	7,672,841	B2	3/2010	Bennett
7,542,971	B2	6/2009	Thione et al.	7,672,952	B2	3/2010	Isaacson et al.
7,543,232	B2	6/2009	Easton, Jr. et al.	7,673,238	B2	3/2010	Girish et al.
7,546,382	B2	6/2009	Healey et al.	7,673,251	B1	3/2010	Wibisono
7,546,529	B2	6/2009	Reynar et al.	7,673,340	B1	3/2010	Cohen et al.
7,548,895	B2	6/2009	Pulsipher	7,676,026	B1	3/2010	Baxter, Jr.
7,552,045	B2	6/2009	Barliga et al.	7,676,365	B2	3/2010	Hwang et al.
7,552,055	B2	6/2009	Lecoecuche	7,676,463	B2	3/2010	Thompson et al.
7,555,431	B2	6/2009	Bennett	7,679,534	B2	3/2010	Kay et al.
7,555,496	B1	6/2009	Lantrip et al.	7,680,649	B2	3/2010	Park
7,558,381	B1	7/2009	Ali et al.	7,681,126	B2	3/2010	Roose
7,558,730	B2	7/2009	Davis et al.	7,683,886	B2	3/2010	Willey
7,559,026	B2	7/2009	Girish et al.	7,683,893	B2	3/2010	Kim
7,561,069	B2	7/2009	Horstemeyer	7,684,985	B2	3/2010	Dominach et al.
7,562,007	B2	7/2009	Hwang	7,684,990	B2	3/2010	Caskey et al.
7,562,032	B2	7/2009	Abbosh et al.	7,684,991	B2	3/2010	Stohr et al.
7,562,082	B2	7/2009	Zhou	7,689,245	B2	3/2010	Cox et al.
7,565,104	B1	7/2009	Brown et al.	7,689,408	B2	3/2010	Chen et al.
7,565,380	B1	7/2009	Venkatachary	7,689,409	B2	3/2010	Heinecke
7,571,092	B1	8/2009	Nieh	7,689,412	B2	3/2010	Wu et al.
7,571,106	B2	8/2009	Cao et al.	7,689,421	B2	3/2010	Li et al.
7,577,522	B2	8/2009	Rosenberg	7,689,916	B1	3/2010	Goel et al.
7,580,551	B1	8/2009	Srihari et al.	7,693,715	B2	4/2010	Hwang et al.
7,580,576	B2	8/2009	Wang et al.	7,693,717	B2	4/2010	Kahn et al.
7,580,839	B2	8/2009	Tamura et al.	7,693,719	B2	4/2010	Chu et al.
7,584,093	B2	9/2009	Potter et al.	7,693,720	B2	4/2010	Kennewick et al.
7,584,278	B2	9/2009	Rajarajan et al.	7,698,131	B2	4/2010	Bennett
7,584,429	B2	9/2009	Fabritius	7,698,136	B1	4/2010	Nguyen et al.
7,593,868	B2	9/2009	Margiloff et al.	7,702,500	B2	4/2010	Blaedow
7,596,269	B2	9/2009	King et al.	7,702,508	B2	4/2010	Bennett
7,596,499	B2	9/2009	Anguera et al.	7,703,091	B1	4/2010	Martin et al.
7,596,606	B2	9/2009	Codignotto	7,706,510	B2	4/2010	Ng
7,596,765	B2	9/2009	Almas	7,707,026	B2	4/2010	Liu
7,599,918	B2	10/2009	Shen et al.	7,707,027	B2	4/2010	Balchandran et al.
7,603,349	B1	10/2009	Kraft et al.	7,707,032	B2	4/2010	Wang et al.
7,603,381	B2	10/2009	Burke et al.	7,707,221	B1	4/2010	Dunning et al.
7,606,444	B1	10/2009	Erol et al.	7,707,226	B1	4/2010	Tonse
7,609,179	B2	10/2009	Diaz-Gutierrez et al.	7,707,267	B2	4/2010	Lisitsa et al.
7,610,258	B2	10/2009	Yuknewicz et al.	7,710,262	B2	5/2010	Ruha
7,613,264	B2	11/2009	Wells et al.	7,711,129	B2	5/2010	Lindahl et al.
7,614,008	B2	11/2009	Ording	7,711,550	B1	5/2010	Feinberg et al.
7,617,094	B2	11/2009	Aoki et al.	7,711,565	B1	5/2010	Gazdzinski
7,620,407	B1	11/2009	Donald et al.	7,711,672	B2	5/2010	Au
7,620,549	B2	11/2009	Di Cristo et al.	7,712,053	B2	5/2010	Bradford et al.
7,620,894	B1	11/2009	Kahn	7,716,056	B2	5/2010	Weng et al.
7,623,119	B2	11/2009	Autio et al.	7,716,077	B1	5/2010	Mikurak
7,624,007	B2	11/2009	Bennett	7,716,216	B1	5/2010	Harik et al.
7,627,481	B1	12/2009	Kuo et al.	7,720,674	B2	5/2010	Kaiser et al.
7,630,901	B2	12/2009	Omi	7,720,683	B1	5/2010	Vermeulen et al.
7,633,076	B2	12/2009	Huppi et al.	7,721,226	B2	5/2010	Barabe et al.
7,634,409	B2	12/2009	Kennewick et al.	7,721,301	B2	5/2010	Wong et al.
7,634,413	B1	12/2009	Kuo et al.	7,724,242	B2	5/2010	Hillis et al.
7,634,718	B2	12/2009	Nakajima	7,724,696	B1	5/2010	Parekh
7,634,732	B1	12/2009	Blagsvedt et al.	7,725,307	B2	5/2010	Bennett
7,636,657	B2	12/2009	Ju et al.	7,725,318	B2	5/2010	Gavalda et al.
7,640,158	B2	12/2009	Detlef et al.	7,725,320	B2	5/2010	Bennett
7,640,160	B2	12/2009	Di Cristo et al.	7,725,321	B2	5/2010	Bennett
7,643,990	B1	1/2010	Bellegarda	7,725,419	B2	5/2010	Lee et al.
7,647,225	B2	1/2010	Bennett et al.	7,725,838	B2	5/2010	Williams
7,649,454	B2	1/2010	Singh et al.	7,729,904	B2	6/2010	Bennett
7,649,877	B2	1/2010	Vieri et al.	7,729,916	B2	6/2010	Coffman et al.
7,653,883	B2	1/2010	Hotelling et al.	7,734,461	B2	6/2010	Kwak et al.
7,656,393	B2	2/2010	King et al.	7,735,012	B2	6/2010	Naik
7,657,424	B2	2/2010	Bennett	7,739,588	B2	6/2010	Reynar et al.
7,657,430	B2	2/2010	Ogawa	7,742,953	B2	6/2010	King et al.
7,657,828	B2*	2/2010	Lucas ..... H04M 3/4938 715/201	7,743,188	B2	6/2010	Haitani et al.
7,657,844	B2	2/2010	Gibson et al.	7,747,616	B2	6/2010	Yamada et al.
7,657,849	B2	2/2010	Chaudhri et al.	7,752,152	B2	7/2010	Paek et al.
7,660,715	B1	2/2010	Thambiratnam	7,756,707	B2	7/2010	Garner et al.
7,663,607	B2	2/2010	Hotelling et al.	7,756,708	B2	7/2010	Cohen et al.
				7,756,868	B2	7/2010	Lee
				7,756,871	B2	7/2010	Yacoub et al.
				7,757,173	B2	7/2010	Beaman
				7,757,176	B2	7/2010	Vakil et al.
				7,757,182	B2	7/2010	Elliott et al.

(56)

## References Cited

## U.S. PATENT DOCUMENTS

7,761,296	B1	7/2010	Bakis et al.	7,873,654	B2	1/2011	Bernard
7,763,842	B2	7/2010	Hsu et al.	7,877,705	B2	1/2011	Chambers et al.
7,770,104	B2	8/2010	Scopes	7,880,730	B2	2/2011	Robinson et al.
7,774,202	B2	8/2010	Spengler et al.	7,881,283	B2	2/2011	Cormier et al.
7,774,204	B2	8/2010	Mozer et al.	7,881,936	B2	2/2011	Longe et al.
7,774,388	B1	8/2010	Runchey	7,885,390	B2	2/2011	Chaudhuri et al.
7,774,753	B1	8/2010	Reilly et al.	7,885,844	B1	2/2011	Cohen et al.
7,777,717	B2	8/2010	Fux et al.	7,886,233	B2	2/2011	Rainisto et al.
7,778,432	B2	8/2010	Larsen	7,889,101	B2	2/2011	Yokota
7,778,595	B2	8/2010	White et al.	7,889,184	B2	2/2011	Blumenberg et al.
7,778,632	B2	8/2010	Kurlander et al.	7,889,185	B2	2/2011	Blumenberg et al.
7,778,830	B2	8/2010	Davis et al.	7,890,329	B2	2/2011	Wu et al.
7,779,069	B2	8/2010	Frid-Nielsen et al.	7,890,330	B2	2/2011	Ozkaragoz et al.
7,779,353	B2	8/2010	Grigoriu et al.	7,890,652	B2	2/2011	Bull et al.
7,779,356	B2	8/2010	Griesmer	7,895,039	B2	2/2011	Braho et al.
7,779,357	B2	8/2010	Naik	7,895,531	B2	2/2011	Radtke et al.
7,783,283	B2	8/2010	Kuusinen et al.	7,899,666	B2	3/2011	Varone
7,783,486	B2	8/2010	Rosser et al.	7,904,297	B2	3/2011	Mirkovic et al.
7,788,590	B2	8/2010	Taboada et al.	7,908,287	B1	3/2011	Katragadda
7,788,663	B2	8/2010	Illowsky et al.	7,912,289	B2	3/2011	Kansal et al.
7,796,980	B1	9/2010	McKinney et al.	7,912,699	B1	3/2011	Saraclar et al.
7,797,265	B2	9/2010	Brinker et al.	7,912,702	B2	3/2011	Bennett
7,797,269	B2	9/2010	Rieman et al.	7,912,720	B1	3/2011	Hakkani-Tur et al.
7,797,331	B2	9/2010	Theimer et al.	7,912,828	B2	3/2011	Bonnet et al.
7,797,338	B2	9/2010	Feng et al.	7,913,185	B1	3/2011	Benson et al.
7,797,629	B2	9/2010	Fux et al.	7,916,979	B2	3/2011	Simmons
7,801,721	B2	9/2010	Rosart et al.	7,917,364	B2	3/2011	Yacoub
7,801,728	B2	9/2010	Ben-David et al.	7,917,367	B2	3/2011	Di Cristo et al.
7,801,729	B2	9/2010	Mozer	7,917,497	B2	3/2011	Harrison et al.
7,805,299	B2	9/2010	Coifman	7,920,678	B2	4/2011	Cooper et al.
7,809,550	B1	10/2010	Barrows	7,920,682	B2	4/2011	Byrne et al.
7,809,565	B2	10/2010	Coifman	7,920,857	B2	4/2011	Lau et al.
7,809,569	B2	10/2010	Attwater et al.	7,925,525	B2	4/2011	Chin
7,809,570	B2	10/2010	Kennewick et al.	7,925,610	B2	4/2011	Elbaz et al.
7,809,610	B2	10/2010	Cao	7,929,805	B2	4/2011	Wang et al.
7,809,744	B2	10/2010	Nevidomski et al.	7,930,168	B2	4/2011	Weng et al.
7,813,729	B2	10/2010	Lee et al.	7,930,183	B2	4/2011	Odell et al.
7,818,165	B2	10/2010	Carlgren et al.	7,930,197	B2	4/2011	Ozzie et al.
7,818,176	B2	10/2010	Freeman et al.	7,933,399	B2	4/2011	Knott et al.
7,818,215	B2	10/2010	King et al.	7,936,339	B2	5/2011	Marggraff et al.
7,818,291	B2	10/2010	Ferguson et al.	7,936,861	B2	5/2011	Martin et al.
7,818,672	B2	10/2010	Mccormack et al.	7,936,863	B2	5/2011	John et al.
7,822,608	B2	10/2010	Cross, Jr. et al.	7,937,075	B2	5/2011	Zellner
7,823,123	B2	10/2010	Sabbouh	7,941,009	B2	5/2011	Li et al.
7,826,945	B2	11/2010	Zhang et al.	7,945,294	B2	5/2011	Zhang et al.
7,827,047	B2	11/2010	Anderson et al.	7,945,470	B1	5/2011	Cohen et al.
7,831,246	B1	11/2010	Smith et al.	7,949,529	B2	5/2011	Weider et al.
7,831,423	B2	11/2010	Schubert	7,949,534	B2	5/2011	Davis et al.
7,831,426	B2	11/2010	Bennett	7,949,752	B2	5/2011	White et al.
7,831,432	B2	11/2010	Bodin et al.	7,953,679	B2	5/2011	Chidlovskii et al.
7,835,504	B1	11/2010	Donald et al.	7,957,975	B2	6/2011	Burns et al.
7,836,437	B2	11/2010	Kacmarcik et al.	7,958,136	B1	6/2011	Curtis et al.
7,840,348	B2	11/2010	Kim et al.	7,962,179	B2	6/2011	Huang
7,840,400	B2	11/2010	Lavi et al.	7,974,835	B2	7/2011	Balchandran et al.
7,840,447	B2	11/2010	Kleinrock et al.	7,974,844	B2	7/2011	Sumita
7,840,581	B2	11/2010	Ross et al.	7,974,972	B2	7/2011	Cao
7,840,912	B2	11/2010	Elias et al.	7,975,216	B2	7/2011	Woolf et al.
7,844,394	B2	11/2010	Kim	7,983,478	B2	7/2011	Liu et al.
7,848,924	B2	12/2010	Nurminen et al.	7,983,915	B2	7/2011	Knight et al.
7,848,926	B2	12/2010	Goto et al.	7,983,917	B2	7/2011	Kennewick et al.
7,853,444	B2	12/2010	Wang et al.	7,983,919	B2	7/2011	Conkie
7,853,445	B2	12/2010	Bachenko et al.	7,983,997	B2	7/2011	Allen et al.
7,853,574	B2	12/2010	Kraenzel et al.	7,984,062	B2	7/2011	Dunning et al.
7,853,577	B2	12/2010	Sundaresan et al.	7,986,431	B2	7/2011	Emori et al.
7,853,664	B1	12/2010	Wang et al.	7,987,151	B2	7/2011	Schott et al.
7,853,900	B2	12/2010	Nguyen et al.	7,987,176	B2	7/2011	Latzina et al.
7,861,164	B2	12/2010	Qin	7,987,244	B1	7/2011	Lewis et al.
7,865,817	B2	1/2011	Ryan et al.	7,991,614	B2	8/2011	Washio et al.
7,869,998	B1	1/2011	Fabbrizio et al.	7,992,085	B2	8/2011	Wang-Aryattanwanich et al.
7,869,999	B2	1/2011	Amato et al.	7,996,228	B2	8/2011	Miller et al.
7,870,118	B2	1/2011	Jiang et al.	7,996,589	B2	8/2011	Schultz et al.
7,870,133	B2	1/2011	Krishnamoorthy et al.	7,996,769	B2	8/2011	Fux et al.
7,873,149	B2	1/2011	Schultz et al.	7,996,792	B2	8/2011	Anzures et al.
7,873,519	B2	1/2011	Bennett	7,999,669	B2	8/2011	Singh et al.
7,873,523	B2	1/2011	Potter et al.	8,000,453	B2	8/2011	Cooper et al.
				8,001,125	B1	8/2011	Magdalin et al.
				8,005,664	B2	8/2011	Hanumanthappa
				8,005,679	B2	8/2011	Jordan et al.
				8,006,180	B2	8/2011	Tunning et al.

(56)

## References Cited

## U.S. PATENT DOCUMENTS

8,010,367	B2	8/2011	Muschett et al.	8,150,700	B2	4/2012	Shin et al.
8,010,614	B1	8/2011	Musat et al.	8,155,956	B2	4/2012	Cho et al.
8,014,308	B2	9/2011	Gates et al.	8,156,005	B2	4/2012	Vieri
8,015,006	B2	9/2011	Kennewick et al.	8,160,877	B1	4/2012	Nucci et al.
8,015,011	B2	9/2011	Nagano et al.	8,160,883	B2	4/2012	Lecoecuche
8,015,144	B2	9/2011	Zheng et al.	8,165,321	B2	4/2012	Paquier et al.
8,018,431	B1	9/2011	Zehr et al.	8,165,886	B1	4/2012	Gagnon et al.
8,019,271	B1	9/2011	Izdepski	8,166,019	B1	4/2012	Lee et al.
8,019,604	B2	9/2011	Ma	8,166,032	B2	4/2012	Sommer et al.
8,020,104	B2	9/2011	Robarts et al.	8,170,790	B2	5/2012	Lee et al.
8,024,195	B2	9/2011	Mozer et al.	8,170,966	B1	5/2012	Musat et al.
8,024,415	B2	9/2011	Horvitz et al.	8,171,137	B1	5/2012	Parks et al.
8,027,836	B2	9/2011	Baker et al.	8,175,872	B2	5/2012	Kristjansson et al.
8,031,943	B2	10/2011	Chen et al.	8,175,876	B2	5/2012	Bou-ghazale et al.
8,032,383	B1	10/2011	Bhardwaj et al.	8,179,370	B1	5/2012	Yamasani et al.
8,032,409	B1	10/2011	Mikurak	8,188,856	B2	5/2012	Singh et al.
8,036,901	B2	10/2011	Mozer	8,190,359	B2	5/2012	Bourne
8,037,034	B2	10/2011	Plachta et al.	8,190,596	B2	5/2012	Nambiar et al.
8,041,557	B2	10/2011	Liu	8,194,827	B2	5/2012	Jaiswal et al.
8,041,570	B2	10/2011	Mirkovic et al.	8,195,460	B2	6/2012	Degani et al.
8,041,611	B2	10/2011	Kleinrock et al.	8,195,467	B2	6/2012	Mozer et al.
8,042,053	B2	10/2011	Darwish et al.	8,195,468	B2	6/2012	Kennewick et al.
8,046,231	B2	10/2011	Hirota et al.	8,200,489	B1	6/2012	Baggenstoss
8,046,363	B2	10/2011	Cha et al.	8,200,495	B2	6/2012	Braho et al.
8,046,374	B1	10/2011	Bromwich et al.	8,201,109	B2	6/2012	Van Os et al.
8,050,500	B1	11/2011	Batty et al.	8,204,238	B2	6/2012	Mozer
8,050,919	B2	11/2011	Das	8,205,788	B1	6/2012	Gazdzinski et al.
8,054,180	B1	11/2011	Scotfield et al.	8,209,183	B1	6/2012	Patel et al.
8,055,296	B1	11/2011	Persson et al.	8,213,911	B2	7/2012	Williams et al.
8,055,502	B2	11/2011	Clark et al.	8,219,115	B1	7/2012	Nelissen
8,055,708	B2	11/2011	Chitsaz et al.	8,219,406	B2	7/2012	Yu et al.
8,056,070	B2*	11/2011	Goller ..... G06F 8/65 704/231	8,219,407	B1	7/2012	Roy et al.
8,060,824	B2	11/2011	Brownrigg, Jr. et al.	8,219,555	B1	7/2012	Mianji
8,064,753	B2	11/2011	Freeman	8,219,608	B2	7/2012	alsafadi et al.
8,065,143	B2	11/2011	Yanagihara	8,224,649	B2	7/2012	Chaudhari et al.
8,065,155	B1	11/2011	Gazdzinski	8,224,757	B2	7/2012	Bohle
8,065,156	B2	11/2011	Gazdzinski	8,228,299	B1	7/2012	Maloney et al.
8,068,604	B2	11/2011	Leeds et al.	8,233,919	B2	7/2012	Haag et al.
8,069,046	B2	11/2011	Kennewick et al.	8,234,111	B2	7/2012	Lloyd et al.
8,069,422	B2	11/2011	Sheshagiri et al.	8,239,206	B1	8/2012	LeBeau et al.
8,073,681	B2	12/2011	Baldwin et al.	8,239,207	B2	8/2012	Seligman et al.
8,073,695	B1	12/2011	Hendricks et al.	8,244,545	B2	8/2012	Paek et al.
8,077,153	B2	12/2011	Benko et al.	8,244,712	B2	8/2012	Serlet et al.
8,078,473	B1	12/2011	Gazdzinski	8,250,071	B1	8/2012	Killalea et al.
8,078,978	B2	12/2011	Perry et al.	8,254,829	B1	8/2012	Kindred et al.
8,082,153	B2	12/2011	Coffman et al.	8,255,216	B2	8/2012	White
8,082,498	B2	12/2011	Salamon et al.	8,255,217	B2	8/2012	Stent et al.
8,090,571	B2	1/2012	Elshishiny et al.	8,260,117	B1	9/2012	Xu et al.
8,095,364	B2	1/2012	Longe et al.	8,260,247	B2	9/2012	Lazaridis et al.
8,099,289	B2	1/2012	Mozer et al.	8,260,617	B2	9/2012	Dhanakshirur et al.
8,099,395	B2	1/2012	Pabla et al.	8,260,619	B1	9/2012	Bansal et al.
8,099,418	B2	1/2012	Inoue et al.	8,270,933	B2	9/2012	Riemer et al.
8,103,510	B2	1/2012	Sato	8,271,287	B1	9/2012	Kermani
8,103,947	B2	1/2012	Lunt et al.	8,275,621	B2	9/2012	Alewine et al.
8,107,401	B2	1/2012	John et al.	8,275,736	B2	9/2012	Guo et al.
8,112,275	B2	2/2012	Kennewick et al.	8,279,171	B2	10/2012	Hirai et al.
8,112,280	B2	2/2012	Lu	8,280,438	B2	10/2012	Barbera
8,117,026	B2	2/2012	Lee et al.	8,285,546	B2	10/2012	Reich
8,117,037	B2	2/2012	Gazdzinski	8,285,551	B2	10/2012	Gazdzinski
8,117,542	B2	2/2012	Radtke et al.	8,285,553	B2	10/2012	Gazdzinski
8,121,413	B2	2/2012	Hwang et al.	8,285,737	B1	10/2012	Lynn et al.
8,121,837	B2	2/2012	Agapi et al.	8,290,777	B1	10/2012	Nguyen et al.
8,122,094	B1	2/2012	Kotab	8,290,778	B2	10/2012	Gazdzinski
8,122,353	B2	2/2012	Bouta	8,290,781	B2	10/2012	Gazdzinski
8,130,929	B2	3/2012	Wilkes et al.	8,296,124	B1	10/2012	Holsztynska et al.
8,131,557	B2	3/2012	Davis et al.	8,296,145	B2	10/2012	Clark et al.
8,135,115	B1	3/2012	Hogg, Jr. et al.	8,296,146	B2	10/2012	Gazdzinski
8,138,912	B2	3/2012	Singh et al.	8,296,153	B2	10/2012	Gazdzinski
8,140,330	B2	3/2012	Cevik et al.	8,296,380	B1	10/2012	Kelly et al.
8,140,335	B2	3/2012	Kennewick et al.	8,296,383	B2	10/2012	Lindahl
8,140,368	B2	3/2012	Eggenberger et al.	8,300,776	B2	10/2012	Davies et al.
8,140,567	B2	3/2012	Padovitz et al.	8,300,801	B2	10/2012	Sweeney et al.
8,145,489	B2	3/2012	Freeman et al.	8,301,456	B2	10/2012	Gazdzinski
8,150,694	B2	4/2012	Kennewick et al.	8,311,189	B2	11/2012	Champlin et al.
				8,311,834	B1	11/2012	Gazdzinski
				8,311,835	B2*	11/2012	Lecoecuche ..... H04M 1/72561 704/270
				8,311,838	B2	11/2012	Lindahl et al.
				8,312,017	B2	11/2012	Martin et al.

(56)

## References Cited

## U.S. PATENT DOCUMENTS

8,321,786	B2	11/2012	Lunati et al.	8,583,638	B2	11/2013	Donelli
8,326,627	B2	12/2012	Kennewick et al.	8,589,156	B2	11/2013	Burke et al.
8,332,205	B2	12/2012	Krishnan et al.	8,589,161	B2	11/2013	Kennewick et al.
8,332,218	B2*	12/2012	Cross, Jr. .... 704/231	8,589,374	B2	11/2013	Chaudhari
8,332,224	B2	12/2012	Di Cristo et al.	8,589,869	B2	11/2013	Wolfram
8,332,748	B1	12/2012	Karam	8,589,911	B1	11/2013	Sharkey et al.
8,335,689	B2	12/2012	Wittenstein et al.	8,595,004	B2	11/2013	Koshinaka
8,340,975	B1	12/2012	Rosenberger	8,595,642	B1	11/2013	Lagassey
8,345,665	B2	1/2013	Vieri et al.	8,600,743	B2	12/2013	Lindahl et al.
8,346,563	B1	1/2013	Hjelm et al.	8,600,746	B1	12/2013	Lei et al.
8,346,757	B1	1/2013	Lamping et al.	8,600,930	B2	12/2013	Sata et al.
8,352,183	B2	1/2013	Thota et al.	8,606,090	B2	12/2013	Eyer
8,352,268	B2	1/2013	Naik et al.	8,606,568	B1	12/2013	Tickner et al.
8,352,272	B2	1/2013	Rogers et al.	8,606,576	B1	12/2013	Barr et al.
8,355,919	B2	1/2013	Silverman et al.	8,606,577	B1	12/2013	Stewart et al.
8,359,234	B2	1/2013	Vieri	8,615,221	B1	12/2013	Cosenza et al.
8,370,145	B2	2/2013	Endo et al.	8,620,659	B2	12/2013	Di Cristo et al.
8,370,158	B2	2/2013	Gazdzinski	8,620,662	B2	12/2013	Bellegarda
8,371,503	B2	2/2013	Gazdzinski	8,626,681	B1	1/2014	Jurca et al.
8,374,871	B2	2/2013	Ehsani et al.	8,630,841	B2	1/2014	Van Caldwell et al.
8,375,320	B2	2/2013	Kotler et al.	8,635,073	B2	1/2014	Chang
8,380,504	B1	2/2013	Peden et al.	8,638,363	B2	1/2014	King et al.
8,380,507	B2	2/2013	Herman et al.	8,639,516	B2	1/2014	Lindahl et al.
8,381,107	B2	2/2013	Rottler et al.	8,645,128	B1	2/2014	Agiomyrgiannakis
8,381,135	B2	2/2013	Hotelling et al.	8,645,137	B2	2/2014	Bellegarda et al.
8,386,485	B2	2/2013	Kerschberg et al.	8,645,138	B1	2/2014	Weinstein et al.
8,386,926	B1	2/2013	Matsuoka	8,654,936	B1	2/2014	Tofighbakhsh et al.
8,391,844	B2	3/2013	Lamiroux et al.	8,655,646	B2	2/2014	Lee et al.
8,396,714	B2	3/2013	Rogers et al.	8,655,901	B1	2/2014	Li et al.
8,396,715	B2	3/2013	Odell et al.	8,660,843	B2	2/2014	Falcon et al.
8,401,163	B1	3/2013	Kirchhoff et al.	8,660,849	B2	2/2014	Gruber et al.
8,406,745	B1	3/2013	Upadhyay et al.	8,660,924	B2	2/2014	Hoch et al.
8,407,239	B2	3/2013	Dean et al.	8,660,970	B1	2/2014	Fiedorowicz
8,423,288	B2	4/2013	Stahl et al.	8,661,112	B2	2/2014	Creamer et al.
8,428,758	B2	4/2013	Naik et al.	8,661,340	B2	2/2014	Goldsmith et al.
8,433,572	B2	4/2013	Caskey et al.	8,670,979	B2	3/2014	Gruber et al.
8,433,778	B1	4/2013	Shreesha et al.	8,675,084	B2	3/2014	Bolton et al.
8,434,133	B2	4/2013	Kulkarni et al.	8,676,904	B2	3/2014	Lindahl et al.
8,442,821	B1	5/2013	Vanhoucke	8,677,377	B2	3/2014	Cheyser et al.
8,447,612	B2	5/2013	Gazdzinski	8,681,950	B2	3/2014	Vlack et al.
8,452,597	B2	5/2013	Bringert et al.	8,682,667	B2	3/2014	Haughay et al.
8,452,602	B1	5/2013	Bringert et al.	8,687,777	B1	4/2014	Lavian et al.
8,453,058	B1	5/2013	Coccaro et al.	8,688,446	B2	4/2014	Yanagihara et al.
8,457,959	B2	6/2013	Kaiser	8,688,453	B1	4/2014	Joshi et al.
8,458,115	B2	6/2013	Cai et al.	8,689,135	B2	4/2014	Portele et al.
8,458,278	B2	6/2013	Christie et al.	8,694,322	B2	4/2014	Snitkovskiy et al.
8,463,592	B2	6/2013	Lu et al.	8,695,074	B2	4/2014	Saraf et al.
8,464,150	B2	6/2013	Davidson et al.	8,696,364	B2	4/2014	Cohen
8,473,289	B2	6/2013	Jitkoff et al.	8,706,472	B2	4/2014	Ramerth et al.
8,477,323	B2	7/2013	Low et al.	8,706,474	B2	4/2014	Blume et al.
8,478,816	B2	7/2013	Parks et al.	8,706,503	B2	4/2014	Cheyser et al.
8,479,122	B2	7/2013	Hotelling et al.	8,707,195	B2	4/2014	Fleizach et al.
8,484,027	B1	7/2013	Murphy	8,712,778	B1	4/2014	Thenthiruperai
8,489,599	B2	7/2013	Bellotti	8,713,119	B2	4/2014	Lindahl et al.
8,498,857	B2	7/2013	Kopparapu et al.	8,713,418	B2	4/2014	King et al.
8,514,197	B2	8/2013	Shahraray et al.	8,719,006	B2	5/2014	Bellegarda et al.
8,515,736	B1	8/2013	Duta	8,719,014	B2	5/2014	Wagner et al.
8,515,750	B1	8/2013	Lei et al.	8,719,039	B1	5/2014	Sharifi
8,521,513	B2	8/2013	Millett et al.	8,731,610	B2	5/2014	Appaji
8,521,526	B1	8/2013	Lloyd et al.	8,731,912	B1	5/2014	Tickner et al.
8,521,531	B1	8/2013	Kim	8,731,942	B2	5/2014	Cheyser et al.
8,527,276	B1	9/2013	Senior et al.	8,739,208	B2	5/2014	Rodriguez et al.
8,533,266	B2	9/2013	Koulomzin et al.	8,744,852	B1	6/2014	Seymour et al.
8,537,033	B2	9/2013	Gueziec	8,751,971	B2	6/2014	Fleizach et al.
8,539,342	B1	9/2013	Lewis	8,760,537	B2	6/2014	Johnson et al.
8,543,375	B2	9/2013	Hong	8,762,145	B2	6/2014	Ouchi et al.
8,543,397	B1	9/2013	Nguyen	8,762,156	B2	6/2014	Chen et al.
8,543,398	B1	9/2013	Strope et al.	8,762,469	B2	6/2014	Lindahl et al.
8,560,229	B1	10/2013	Park et al.	8,768,693	B2	7/2014	Lempel et al.
8,560,366	B2	10/2013	Mikurak	8,768,702	B2	7/2014	Boettcher et al.
8,571,528	B1	10/2013	Channakeshava	8,775,154	B2	7/2014	Clinchant et al.
8,571,851	B1	10/2013	Tickner et al.	8,775,177	B1	7/2014	Heigold et al.
8,577,683	B2	11/2013	Dewitt	8,775,931	B2	7/2014	Fux et al.
8,583,416	B2	11/2013	Huang et al.	8,781,456	B2	7/2014	Prociw
8,583,511	B2	11/2013	Hendrickson	8,781,841	B1	7/2014	Wang
				8,793,301	B2	7/2014	Wegenkittl et al.
				8,798,255	B2	8/2014	Lubowich et al.
				8,798,995	B1	8/2014	Edara et al.
				8,799,000	B2	8/2014	Guzzoni et al.



(56)

## References Cited

## U.S. PATENT DOCUMENTS

8,805,690	B1	8/2014	LeBeau et al.	9,071,701	B2	6/2015	Donaldson et al.
8,812,299	B1	8/2014	Su	9,075,435	B1	7/2015	Noble et al.
8,812,302	B2	8/2014	Xiao et al.	9,076,448	B2	7/2015	Bennett et al.
8,812,321	B2	8/2014	Gilbert et al.	9,076,450	B1	7/2015	Sadek et al.
8,823,507	B1	9/2014	Touloumtzis	9,081,411	B2	7/2015	Kalns et al.
8,831,947	B2	9/2014	Wasserblat et al.	9,081,482	B1	7/2015	Zhai et al.
8,831,949	B1	9/2014	Smith et al.	9,082,402	B2	7/2015	Yadgar et al.
8,838,457	B2	9/2014	Cerra et al.	9,083,581	B1	7/2015	Addepalli et al.
8,855,915	B2	10/2014	Furuhata et al.	9,094,636	B1	7/2015	Sanders et al.
8,861,925	B1	10/2014	Ohme	9,098,467	B1	8/2015	Blanksteen et al.
8,862,252	B2	10/2014	Rottier et al.	9,101,279	B2	8/2015	Ritchey et al.
8,868,111	B1	10/2014	Kahn et al.	9,112,984	B2	8/2015	Sejnoha et al.
8,868,409	B1	10/2014	Mengibar et al.	9,117,447	B2	8/2015	Gruber et al.
8,868,469	B2	10/2014	Xu et al.	9,123,338	B1	9/2015	Sanders et al.
8,868,529	B2	10/2014	Lerenc	9,143,907	B1	9/2015	Caidwell et al.
8,880,405	B2	11/2014	Cerra et al.	9,159,319	B1	10/2015	Hoffmeister
8,886,534	B2	11/2014	Nakano et al.	9,164,983	B2	10/2015	Liu et al.
8,886,540	B2	11/2014	Cerra et al.	9,171,541	B2	10/2015	Kennewick et al.
8,886,541	B2	11/2014	Friedlander	9,171,546	B1	10/2015	Pike
8,892,446	B2*	11/2014	Cheyer ..... G10L 15/22	9,183,845	B1	11/2015	Gopalakrishnan et al.
			704/275	9,190,062	B2	11/2015	Haughay
8,893,023	B2	11/2014	Perry et al.	9,208,153	B1	12/2015	Zaveri et al.
8,897,822	B2	11/2014	Martin	9,213,754	B1	12/2015	Zhan et al.
8,898,064	B1	11/2014	Thomas et al.	9,218,122	B2	12/2015	Thoma et al.
8,898,568	B2	11/2014	Bull et al.	9,218,809	B2	12/2015	Bellegarda
8,903,716	B2	12/2014	Chen et al.	9,218,819	B1	12/2015	Stekkelpa et al.
8,909,693	B2	12/2014	Frissora et al.	9,223,537	B2	12/2015	Brown et al.
8,918,321	B2	12/2014	Czahor	9,236,047	B2	1/2016	Rasmussen
8,922,485	B1	12/2014	Lloyd	9,241,073	B1	1/2016	Rensburg et al.
8,930,176	B2	1/2015	Li et al.	9,251,713	B1	2/2016	Giovanniello et al.
8,930,191	B2	1/2015	Gruber et al.	9,255,812	B2	2/2016	Maeoka et al.
8,938,394	B1	1/2015	Faaborg et al.	9,258,604	B1	2/2016	Bilobrov et al.
8,938,450	B2	1/2015	Spivack et al.	9,262,412	B2	2/2016	Yang et al.
8,938,688	B2	1/2015	Bradford et al.	9,262,612	B2	2/2016	Cheyer
8,942,986	B2	1/2015	Cheyer et al.	9,263,058	B2	2/2016	Huang et al.
8,943,423	B2	1/2015	Merrill et al.	9,280,535	B2	3/2016	Varma et al.
8,964,947	B1	2/2015	Noolu et al.	9,282,211	B2	3/2016	Osawa
8,972,240	B2	3/2015	Brockett et al.	9,286,910	B1	3/2016	Li et al.
8,972,432	B2	3/2015	Shaw et al.	9,292,487	B1	3/2016	Weber
8,972,878	B2	3/2015	Mohler et al.	9,292,489	B1	3/2016	Sak et al.
8,976,063	B1	3/2015	Hawkins et al.	9,292,492	B2	3/2016	Sarikaya et al.
8,976,108	B2	3/2015	Hawkins et al.	9,299,344	B2	3/2016	Braho et al.
8,977,255	B2	3/2015	Freeman et al.	9,300,718	B2	3/2016	Khanna
8,983,383	B1	3/2015	Haskin	9,301,256	B2	3/2016	Mohan et al.
8,989,713	B2	3/2015	Doulton	9,305,543	B2	4/2016	Fleizach et al.
8,990,235	B2	3/2015	King et al.	9,305,548	B2	4/2016	Kennewick et al.
8,994,660	B2	3/2015	Neels et al.	9,311,308	B2	4/2016	Sankarasubramaniam et al.
8,995,972	B1	3/2015	Cronin	9,311,912	B1	4/2016	Swietlinski et al.
8,996,350	B1	3/2015	Dub et al.	9,313,317	B1	4/2016	LeBeau et al.
8,996,376	B2	3/2015	Fleizach et al.	9,318,108	B2*	4/2016	Gruber ..... G10L 15/22
8,996,381	B2	3/2015	Mozer et al.	9,325,809	B1	4/2016	Barros et al.
8,996,639	B1	3/2015	Faaborg et al.	9,325,842	B1	4/2016	Siddiqi et al.
9,002,714	B2	4/2015	Kim et al.	9,330,659	B2	5/2016	Ju et al.
9,009,046	B1	4/2015	Stewart	9,330,668	B2	5/2016	Nanavati et al.
9,015,036	B2	4/2015	Karov Zangvil et al.	9,330,720	B2	5/2016	Lee
9,020,804	B2	4/2015	Barbaiani et al.	9,335,983	B2	5/2016	Breiner et al.
9,026,425	B2	5/2015	Nikoulina et al.	9,338,493	B2	5/2016	Van Os et al.
9,026,426	B2	5/2015	Wu et al.	9,349,368	B1	5/2016	LeBeau et al.
9,031,834	B2	5/2015	Coorman et al.	9,355,472	B2	5/2016	Kocienda et al.
9,031,970	B1	5/2015	Das et al.	9,361,084	B1	6/2016	Costa
9,037,967	B1	5/2015	Al-Jefri et al.	9,367,541	B1	6/2016	Servan et al.
9,043,208	B2	5/2015	Koch et al.	9,368,114	B2	6/2016	Larson et al.
9,043,211	B2	5/2015	Haiut et al.	9,377,871	B2	6/2016	Waddell et al.
9,046,932	B2	6/2015	Medlock et al.	9,378,456	B2	6/2016	White et al.
9,049,255	B2	6/2015	MacFarlane et al.	9,378,740	B1	6/2016	Rosen et al.
9,049,295	B1	6/2015	Cooper et al.	9,380,155	B1	6/2016	Reding et al.
9,053,706	B2	6/2015	Jitkoff et al.	9,383,827	B1	7/2016	Faaborg et al.
9,058,105	B2	6/2015	Drory et al.	9,384,185	B2	7/2016	Medlock et al.
9,058,332	B1	6/2015	Darby et al.	9,390,726	B1	7/2016	Smus et al.
9,058,811	B2	6/2015	Wang et al.	9,396,722	B2	7/2016	Chung et al.
9,063,979	B2	6/2015	Chiu et al.	9,401,147	B2	7/2016	Jitkoff et al.
9,064,495	B1	6/2015	Torok et al.	9,406,224	B1	8/2016	Sanders et al.
9,065,660	B2	6/2015	Ellis et al.	9,406,299	B2	8/2016	Gollan et al.
9,070,247	B2	6/2015	Kuhn et al.	9,408,182	B1	8/2016	Hurley et al.
9,070,366	B1	6/2015	Mathias et al.	9,412,392	B2	8/2016	Lindahl
				9,418,650	B2	8/2016	Bharadwaj et al.
				9,423,266	B2	8/2016	Clark et al.
				9,424,246	B2	8/2016	Spencer et al.
				9,424,840	B1	8/2016	Hart et al.

(56)

## References Cited

## U.S. PATENT DOCUMENTS

9,431,021	B1	8/2016	Scalise et al.	9,818,400	B2	11/2017	Paulik et al.
9,432,499	B2	8/2016	Hajdu et al.	9,823,811	B2	11/2017	Brown et al.
9,436,918	B2	9/2016	Pantel et al.	9,823,828	B2	11/2017	Zambetti et al.
9,437,186	B1	9/2016	Liu et al.	9,830,044	B2	11/2017	Brown et al.
9,437,189	B2	9/2016	Epstein et al.	9,830,449	B1	11/2017	Wagner
9,442,687	B2	9/2016	Park et al.	9,842,168	B2	12/2017	Heck et al.
9,443,527	B1	9/2016	Watanabe et al.	9,842,584	B1	12/2017	Hart et al.
9,454,599	B2	9/2016	Golden et al.	9,846,685	B2	12/2017	Li
9,454,957	B1	9/2016	Mathias et al.	9,858,925	B2	1/2018	Gruber et al.
9,465,798	B2	10/2016	Lin	9,858,927	B2	1/2018	Williams et al.
9,465,833	B2	10/2016	Aravamudan et al.	9,886,953	B2	2/2018	Lemay et al.
9,465,864	B2	10/2016	Hu et al.	9,887,949	B2	2/2018	Shepherd et al.
9,466,027	B2	10/2016	Byrne et al.	9,916,839	B1	3/2018	Scalise et al.
9,466,294	B1	10/2016	Tunstall-pedoe et al.	9,922,642	B2	3/2018	Pitschel et al.
9,471,566	B1	10/2016	Zhang et al.	9,934,777	B1	4/2018	Joseph et al.
9,472,196	B1	10/2016	Wang et al.	9,934,785	B1	4/2018	Hulaud
9,483,388	B2	11/2016	Sankaranarasimhan et al.	9,946,862	B2	4/2018	Yun et al.
9,483,461	B2	11/2016	Fleizach et al.	9,948,728	B2	4/2018	Linn et al.
9,484,021	B1	11/2016	Mairesse et al.	9,959,129	B2	5/2018	Kannan et al.
9,495,129	B2	11/2016	Fleizach et al.	9,966,065	B2	5/2018	Gruber et al.
9,501,741	B2	11/2016	Cheyser et al.	9,966,068	B2	5/2018	Cash et al.
9,502,025	B2	11/2016	Kennewick et al.	9,967,381	B1	5/2018	Kashimba et al.
9,508,028	B2	11/2016	Bannister et al.	9,971,495	B2	5/2018	Shetty et al.
9,510,044	B1	11/2016	Pereira et al.	9,984,686	B1	5/2018	Mutagi et al.
9,514,470	B2	12/2016	Topatan et al.	9,986,419	B2	5/2018	Naik et al.
9,516,014	B2	12/2016	Zafiroglu et al.	9,990,129	B2	6/2018	Yang et al.
9,519,453	B2	12/2016	Perkuhn et al.	9,990,176	B1	6/2018	Gray
9,524,355	B2	12/2016	Forbes et al.	9,998,552	B1	6/2018	Ledet
9,531,862	B1	12/2016	Vadodaria	10,001,817	B2	6/2018	Zambetti et al.
9,535,906	B2	1/2017	Lee et al.	10,013,416	B1	7/2018	Bhardwaj et al.
9,536,527	B1	1/2017	Carlson	10,013,654	B1	7/2018	Levy et al.
9,547,647	B2	1/2017	Badaskar	10,013,979	B1	7/2018	Roma et al.
9,548,050	B2*	1/2017	Gruber ..... G10L 15/22	10,019,436	B2	7/2018	Huang
9,548,979	B1	1/2017	Johnson et al.	10,032,451	B1	7/2018	Mamkina et al.
9,569,549	B1	2/2017	Jenkins et al.	10,032,455	B2	7/2018	Newman et al.
9,575,964	B2	2/2017	Yadgar et al.	10,037,758	B2	7/2018	Jing et al.
9,578,173	B2	2/2017	Sanghavi et al.	10,043,516	B2	8/2018	Saddler et al.
9,607,612	B2	3/2017	Deleeuw	10,049,161	B2	8/2018	Kaneko
9,619,200	B2	4/2017	Chakladar et al.	10,049,663	B2	8/2018	Orr et al.
9,620,113	B2	4/2017	Kennewick et al.	10,049,668	B2	8/2018	Huang et al.
9,620,126	B2	4/2017	Chiba	10,055,390	B2	8/2018	Sharifi et al.
9,626,955	B2	4/2017	Fleizach et al.	10,055,681	B2	8/2018	Brown et al.
9,633,004	B2	4/2017	Giuli et al.	10,074,360	B2	9/2018	Kim
9,633,191	B2	4/2017	Fleizach et al.	10,074,371	B1	9/2018	Wang et al.
9,633,660	B2	4/2017	Haughay	10,083,213	B1	9/2018	Podgorny et al.
9,652,453	B2	5/2017	Mathur et al.	10,083,690	B2	9/2018	Giuli et al.
9,658,746	B2	5/2017	Cohn et al.	10,088,972	B2	10/2018	Brown et al.
9,659,002	B2	5/2017	Medlock et al.	10,089,072	B2	10/2018	Piersol et al.
9,659,298	B2	5/2017	Lynch et al.	10,096,319	B1	10/2018	Jin et al.
9,665,567	B2	5/2017	Li et al.	10,101,887	B2	10/2018	Bernstein et al.
9,665,662	B1	5/2017	Gautam et al.	10,102,359	B2	10/2018	Cheyser
9,668,121	B2	5/2017	Naik et al.	10,127,901	B2	11/2018	Zhao et al.
9,672,725	B2	6/2017	Dotan-Cohen et al.	10,127,908	B1	11/2018	Deller et al.
9,691,378	B1	6/2017	Meyers et al.	10,134,425	B1	11/2018	Johnson, Jr.
9,697,822	B1	7/2017	Naik et al.	10,169,329	B2	1/2019	Futrell et al.
9,697,827	B1	7/2017	Lilly et al.	10,170,123	B2	1/2019	Orr et al.
9,698,999	B2	7/2017	Mutagi	10,170,135	B1	1/2019	Pearce et al.
9,720,907	B2	8/2017	Bangalore et al.	10,175,879	B2	1/2019	Missig et al.
9,721,566	B2	8/2017	Newendorp et al.	10,176,167	B2	1/2019	Evermann
9,721,570	B1	8/2017	Beal et al.	10,176,802	B1	1/2019	Ladhak et al.
9,723,130	B2	8/2017	Rand	10,185,542	B2	1/2019	Carson et al.
9,734,817	B1	8/2017	Putrycz	10,186,254	B2	1/2019	Williams et al.
9,734,839	B1	8/2017	Adams	10,186,266	B1	1/2019	Raj et al.
9,741,343	B1	8/2017	Miles et al.	10,191,627	B2	1/2019	Cieplinski et al.
9,747,083	B1	8/2017	Roman et al.	10,191,646	B2	1/2019	Zambetti et al.
9,747,093	B2	8/2017	Latino et al.	10,191,718	B2	1/2019	Rhee et al.
9,755,605	B1	9/2017	Li et al.	10,192,546	B1	1/2019	Piersol et al.
9,760,566	B2	9/2017	Heck et al.	10,192,552	B2	1/2019	Raitio et al.
9,767,710	B2	9/2017	Lee et al.	10,192,557	B2	1/2019	Lee et al.
9,772,994	B2	9/2017	Karov et al.	10,199,051	B2	2/2019	Binder et al.
9,786,271	B1	10/2017	Combs et al.	10,200,824	B2	2/2019	Gross et al.
9,792,907	B2	10/2017	Bocklet et al.	10,216,351	B2	2/2019	Yang
9,798,719	B2	10/2017	Karov et al.	10,216,832	B2	2/2019	Bangalore et al.
9,812,128	B2	11/2017	Mixter et al.	10,223,066	B2	3/2019	Martel et al.
9,813,882	B1	11/2017	Masterman	10,225,711	B2	3/2019	Parks et al.
				10,229,356	B1	3/2019	Liu et al.
				10,237,711	B2	3/2019	Linn et al.
				10,248,308	B2	4/2019	Karunamuni et al.
				10,255,922	B1	4/2019	Sharifi et al.

(56)

## References Cited

## U.S. PATENT DOCUMENTS

10,269,345	B2	4/2019	Castillo Sanchez et al.	2002/0010726	A1	1/2002	Rogson
10,296,160	B2	5/2019	Shah et al.	2002/0010798	A1	1/2002	Ben-Shaul et al.
10,297,253	B2	5/2019	Walker, II et al.	2002/0013707	A1	1/2002	Shaw et al.
10,303,772	B2	5/2019	Hosn et al.	2002/0013784	A1	1/2002	Swanson
10,304,463	B2	5/2019	Mixter et al.	2002/0013852	A1	1/2002	Janik
10,311,482	B2	6/2019	Baldwin	2002/0015024	A1	2/2002	Westerman et al.
10,311,871	B2	6/2019	Newendorp et al.	2002/0015064	A1	2/2002	Robotham et al.
10,325,598	B2	6/2019	Basye et al.	2002/0021278	A1	2/2002	Hinckley et al.
10,332,513	B1	6/2019	D'souza et al.	2002/0026315	A1	2/2002	Miranda
10,332,518	B2	6/2019	Garg et al.	2002/0026456	A1	2/2002	Bradford
10,346,540	B2	7/2019	Karov et al.	2002/0031254	A1	3/2002	Lantrip et al.
10,346,753	B2	7/2019	Soon-Shiong et al.	2002/0031262	A1	3/2002	Imagawa et al.
10,353,975	B2	7/2019	Oh et al.	2002/0032048	A1	3/2002	Kitao et al.
10,354,677	B2	7/2019	Mohamed et al.	2002/0032564	A1	3/2002	Ehsani et al.
10,356,243	B2	7/2019	Sanghavi et al.	2002/0032591	A1	3/2002	Mahaffy et al.
10,366,692	B1	7/2019	Adams et al.	2002/0032751	A1	3/2002	Bharadwaj
10,372,814	B2	8/2019	Gliozzo et al.	2002/0035467	A1	3/2002	Morimoto et al.
10,389,876	B2	8/2019	Engelke et al.	2002/0035469	A1	3/2002	Holzzapfel
10,402,066	B2	9/2019	Kawana	2002/0035474	A1	3/2002	Alpdemir
10,403,283	B1	9/2019	Schramm et al.	2002/0040297	A1	4/2002	Tsiao et al.
10,409,454	B2	9/2019	Kagan et al.	2002/0040359	A1	4/2002	Green et al.
10,410,637	B2	9/2019	Paulik et al.	2002/0042707	A1	4/2002	Zhao et al.
10,417,037	B2	9/2019	Gruber et al.	2002/0045438	A1	4/2002	Tagawa et al.
10,417,344	B2	9/2019	Futrell et al.	2002/0045961	A1	4/2002	Gibbs et al.
10,417,554	B2	9/2019	Scheffler	2002/0046025	A1	4/2002	Hain
10,446,142	B2	10/2019	Lim et al.	2002/0046032	A1	4/2002	Wutte
10,469,665	B1	11/2019	Bell et al.	2002/0046315	A1	4/2002	Miller et al.
10,474,961	B2	11/2019	Brigham et al.	2002/0049587	A1	4/2002	Miyazawa
10,496,364	B2	12/2019	Yao	2002/0052730	A1	5/2002	Nakao
10,496,705	B1	12/2019	Irani et al.	2002/0052740	A1	5/2002	Charlesworth et al.
10,497,365	B2	12/2019	Gruber et al.	2002/0052746	A1	5/2002	Handelman
10,504,518	B1	12/2019	Irani et al.	2002/0052747	A1	5/2002	Sarukkai
10,521,946	B1	12/2019	Roche et al.	2002/0052913	A1	5/2002	Yamada et al.
10,528,386	B2	1/2020	Yu	2002/0054094	A1	5/2002	Matsuda
10,568,032	B2	2/2020	Freeman et al.	2002/0055844	A1	5/2002	L'Esperance et al.
10,585,957	B2	3/2020	Heck et al.	2002/0055934	A1	5/2002	Lipscomb et al.
10,630,795	B2	4/2020	Aoki et al.	2002/0057293	A1	5/2002	Liao
10,659,851	B2	5/2020	Lister et al.	2002/0059066	A1	5/2002	O'hagan
10,706,841	B2	7/2020	Gruber et al.	2002/0059068	A1	5/2002	Rose et al.
10,757,499	B1	8/2020	Vautrin et al.	2002/0065659	A1	5/2002	Isono et al.
10,769,385	B2	9/2020	Evermann	2002/0065797	A1	5/2002	Meidan et al.
10,795,944	B2	10/2020	Brown et al.	2002/0067308	A1	6/2002	Robertson
10,796,100	B2	10/2020	Bangalore et al.	2002/0069063	A1	6/2002	Buchner et al.
10,803,255	B2	10/2020	Dubyak et al.	2002/0069071	A1	6/2002	Knockeart et al.
10,811,013	B1	10/2020	Seeker-walker et al.	2002/0069220	A1	6/2002	Tran
10,957,311	B2	3/2021	Solomon et al.	2002/0072816	A1	6/2002	Shdema et al.
2001/0005859	A1	6/2001	Okuyama et al.	2002/0072908	A1	6/2002	Case et al.
2001/0020259	A1	9/2001	Sekiguchi et al.	2002/0072914	A1	6/2002	Alshawi et al.
2001/0027394	A1	10/2001	Theimer	2002/0072915	A1	6/2002	Bower
2001/0027396	A1	10/2001	Sato	2002/0073177	A1	6/2002	Clark et al.
2001/0029455	A1	10/2001	Chin et al.	2002/0077082	A1	6/2002	Cruickshank
2001/0030660	A1	10/2001	Zainoulline	2002/0077817	A1	6/2002	Atal
2001/0032080	A1	10/2001	Fukada	2002/0078041	A1	6/2002	Wu
2001/0041021	A1	11/2001	Boyle et al.	2002/0080163	A1	6/2002	Morey
2001/0042107	A1	11/2001	Palm	2002/0083068	A1	6/2002	Quass et al.
2001/0044724	A1	11/2001	Hon et al.	2002/0085037	A1	7/2002	Leavitt et al.
2001/0047264	A1	11/2001	Roundtree	2002/0086680	A1	7/2002	Hunzinger
2001/0049275	A1	12/2001	Piery et al.	2002/0087306	A1	7/2002	Lee et al.
2001/0049277	A1	12/2001	Meyer et al.	2002/0087508	A1	7/2002	Hull et al.
2001/0055963	A1	12/2001	Cloutier	2002/0087974	A1	7/2002	Sprague et al.
2001/0056342	A1	12/2001	Piehn et al.	2002/0091511	A1	7/2002	Hellwig et al.
2001/0056347	A1	12/2001	Chazan et al.	2002/0091529	A1	7/2002	Whitham
2002/0001395	A1	1/2002	Davis et al.	2002/0095286	A1	7/2002	Ross et al.
2002/0002039	A1	1/2002	Qureshey et al.	2002/0095290	A1	7/2002	Kahn et al.
2002/0002413	A1	1/2002	Tokue	2002/0099547	A1	7/2002	Chu et al.
2002/0002461	A1	1/2002	Tetsumoto	2002/0099552	A1	7/2002	Rubin et al.
2002/0002465	A1	1/2002	Maes	2002/0101447	A1	8/2002	Carro
2002/0002548	A1	1/2002	Roundtree et al.	2002/0103641	A1	8/2002	Kuo et al.
2002/0002575	A1	1/2002	Eisler et al.	2002/0103644	A1	8/2002	Brocious et al.
2002/0002594	A1	1/2002	Roundtree et al.	2002/0103646	A1	8/2002	Kochanski et al.
2002/0004703	A1	1/2002	Gaspard, II	2002/0107684	A1	8/2002	Gao
2002/0004736	A1	1/2002	Roundtree et al.	2002/0109709	A1	8/2002	Sagar
2002/0010581	A1	1/2002	Euler et al.	2002/0110248	A1	8/2002	Kovales et al.
2002/0010584	A1	1/2002	Schultz et al.	2002/0111198	A1	8/2002	Heie et al.
2002/0010589	A1	1/2002	Nashida et al.	2002/0111810	A1	8/2002	Khan et al.
				2002/0116082	A1	8/2002	Gudorf
				2002/0116171	A1	8/2002	Russell
				2002/0116185	A1	8/2002	Cooper et al.
				2002/0116189	A1	8/2002	Yeh et al.

(56)	<b>References Cited</b>						
	U.S. PATENT DOCUMENTS						
2002/0116420	A1	8/2002	Allam et al.	2003/0026402	A1	2/2003	Clapper
2002/0117384	A1	8/2002	Marchant	2003/0028380	A1	2/2003	Freeland et al.
2002/0120697	A1	8/2002	Generous et al.	2003/0030645	A1	2/2003	Ribak et al.
2002/0120925	A1	8/2002	Logan	2003/0033148	A1	2/2003	Silverman et al.
2002/0122053	A1	9/2002	Dutta et al.	2003/0033152	A1	2/2003	Cameron
2002/0123804	A1	9/2002	Gwon et al.	2003/0033153	A1	2/2003	Olson et al.
2002/0123891	A1	9/2002	Epstein et al.	2003/0033214	A1	2/2003	Mikkelsen et al.
2002/0123894	A1	9/2002	Woodward	2003/0036909	A1	2/2003	Kato
2002/0126097	A1	9/2002	Savolainen	2003/0037073	A1	2/2003	Tokuda et al.
2002/0128821	A1	9/2002	Ehsani et al.	2003/0037077	A1	2/2003	Brill et al.
2002/0128827	A1	9/2002	Bu et al.	2003/0037254	A1	2/2003	Fischer et al.
2002/0128840	A1	9/2002	Hinde et al.	2003/0038786	A1	2/2003	Nguyen et al.
2002/0129057	A1	9/2002	Spielberg	2003/0040908	A1	2/2003	Yang et al.
2002/0133341	A1	9/2002	Gillick et al.	2003/0046075	A1	3/2003	Stone
2002/0133347	A1	9/2002	Schoneburg et al.	2003/0046401	A1	3/2003	Abbott et al.
2002/0133348	A1	9/2002	Pearson et al.	2003/0046434	A1	3/2003	Flanagin et al.
2002/0133355	A1	9/2002	Ross et al.	2003/0048881	A1	3/2003	Trajkovic et al.
2002/0135565	A1	9/2002	Gordon et al.	2003/0050781	A1	3/2003	Tamura et al.
2002/0135618	A1	9/2002	Maes et al.	2003/0051136	A1	3/2003	Curtis et al.
2002/0137505	A1	9/2002	Eiche et al.	2003/0055537	A1	3/2003	Odinak et al.
2002/0138254	A1	9/2002	Isaka et al.	2003/0055623	A1	3/2003	Epstein et al.
2002/0138265	A1	9/2002	Stevens et al.	2003/0061317	A1	3/2003	Brown et al.
2002/0138270	A1	9/2002	Bellegarda et al.	2003/0061570	A1	3/2003	Hatori et al.
2002/0138616	A1	9/2002	Basson et al.	2003/0063073	A1	4/2003	Geaghan et al.
2002/0140679	A1	10/2002	Wen	2003/0069893	A1	4/2003	Kanai et al.
2002/0143533	A1	10/2002	Lucas et al.	2003/0074195	A1	4/2003	Bartosik et al.
2002/0143542	A1	10/2002	Eide	2003/0074198	A1	4/2003	Sussman
2002/0143551	A1	10/2002	Sharma et al.	2003/0074457	A1	4/2003	Kluth
2002/0143826	A1	10/2002	Day et al.	2003/0076301	A1	4/2003	Tsuk et al.
2002/0151297	A1	10/2002	Remboski et al.	2003/0078766	A1	4/2003	Appelt et al.
2002/0152045	A1	10/2002	Dowling et al.	2003/0078778	A1	4/2003	Emam et al.
2002/0152255	A1	10/2002	Smith et al.	2003/0078779	A1	4/2003	Desai et al.
2002/0154160	A1	10/2002	Hosokawa	2003/0078780	A1	4/2003	Kochanski et al.
2002/0156771	A1	10/2002	Frieder et al.	2003/0078969	A1	4/2003	Sprague et al.
2002/0161865	A1	10/2002	Nguyen	2003/0079024	A1	4/2003	Hough et al.
2002/0163544	A1	11/2002	Baker et al.	2003/0079038	A1	4/2003	Robbin et al.
2002/0164000	A1	11/2002	Cohen et al.	2003/0080991	A1	5/2003	Crow et al.
2002/0165918	A1	11/2002	Bettis	2003/0083113	A1	5/2003	Chua et al.
2002/0166123	A1	11/2002	Schrader et al.	2003/0083878	A1	5/2003	Lee et al.
2002/0167534	A1	11/2002	Burke	2003/0083884	A1	5/2003	Odinak et al.
2002/0169592	A1	11/2002	Aityan	2003/0084350	A1	5/2003	Eibach et al.
2002/0169605	A1	11/2002	Damiba et al.	2003/0085870	A1	5/2003	Hinckley
2002/0173273	A1	11/2002	Spurgat et al.	2003/0086699	A1	5/2003	Benyamin et al.
2002/0173889	A1	11/2002	Odinak et al.	2003/0088414	A1	5/2003	Huang et al.
2002/0173955	A1	11/2002	Reich	2003/0088421	A1	5/2003	Maes et al.
2002/0173961	A1	11/2002	Guerra	2003/0090467	A1	5/2003	Hohl et al.
2002/0173962	A1	11/2002	Tang et al.	2003/0090474	A1	5/2003	Schaefer
2002/0173966	A1	11/2002	Henton	2003/0095096	A1	5/2003	Robbin et al.
2002/0177993	A1	11/2002	Veditz et al.	2003/0097210	A1	5/2003	Horst et al.
2002/0184003	A1	12/2002	Hakkinen et al.	2003/0097379	A1	5/2003	Ireton
2002/0184015	A1	12/2002	Li et al.	2003/0097407	A1	5/2003	Litwin et al.
2002/0184027	A1	12/2002	Brittan et al.	2003/0097408	A1	5/2003	Kageyama et al.
2002/0184189	A1	12/2002	Hay et al.	2003/0098892	A1	5/2003	Hiiipakka
2002/0188454	A1	12/2002	Sauber	2003/0099335	A1	5/2003	Tanaka et al.
2002/0189426	A1	12/2002	Hirade et al.	2003/0101045	A1	5/2003	Moffatt et al.
2002/0191029	A1	12/2002	Gillespie et al.	2003/0101054	A1*	5/2003	Davis ..... G10L 15/26
2002/0193996	A1	12/2002	Squibbs et al.				704/235
2002/0196911	A1	12/2002	Gao et al.	2003/0115060	A1	6/2003	Junqua et al.
2002/0198714	A1	12/2002	Zhou	2003/0115064	A1	6/2003	Gusler et al.
2002/0198715	A1	12/2002	Belrose	2003/0115186	A1	6/2003	Wilkinson et al.
2003/0001881	A1	1/2003	Mannheimer et al.	2003/0115289	A1	6/2003	Chinn et al.
2003/0002632	A1	1/2003	Bhagal et al.	2003/0115552	A1	6/2003	Jahnke et al.
2003/0003609	A1	1/2003	Sauer et al.	2003/0117365	A1	6/2003	Shteyn
2003/0003897	A1	1/2003	Hyon	2003/0120494	A1	6/2003	Jost et al.
2003/0004968	A1	1/2003	Romer et al.	2003/0122652	A1	7/2003	Himmelstein et al.
2003/0005174	A1	1/2003	Coffman et al.	2003/0122787	A1	7/2003	Zimmerman et al.
2003/0009459	A1	1/2003	Chastain et al.	2003/0125927	A1	7/2003	Seme
2003/0013483	A1	1/2003	Ausems et al.	2003/0125945	A1	7/2003	Doyle
2003/0016770	A1	1/2003	Trans et al.	2003/0125955	A1	7/2003	Arnold et al.
2003/0018475	A1	1/2003	Basu et al.	2003/0126559	A1	7/2003	Fuhrmann
2003/0020760	A1	1/2003	Takatsu et al.	2003/0128819	A1	7/2003	Lee et al.
2003/0023420	A1	1/2003	Goodman et al.	2003/0130847	A1	7/2003	Case et al.
2003/0023426	A1	1/2003	Pun et al.	2003/0131320	A1	7/2003	Kumhyr et al.
2003/0025676	A1	2/2003	Cappendijk	2003/0133694	A1	7/2003	Yeo
2003/0026392	A1	2/2003	Brown et al.	2003/0134678	A1	7/2003	Tanaka
				2003/0135501	A1	7/2003	Frerebeau et al.
				2003/0135740	A1	7/2003	Talmor et al.
				2003/0140088	A1	7/2003	Robinson et al.
				2003/0144846	A1	7/2003	Denenberg et al.

(56)		References Cited	
U.S. PATENT DOCUMENTS			
2003/0145285	A1	7/2003	Miyahira et al.
2003/0147512	A1	8/2003	Abhuri
2003/0149557	A1	8/2003	Cox et al.
2003/0149567	A1	8/2003	Schmitz et al.
2003/0149978	A1	8/2003	Plotnick
2003/0152203	A1	8/2003	Berger et al.
2003/0152894	A1	8/2003	Townshend
2003/0154079	A1	8/2003	Ota et al.
2003/0154081	A1	8/2003	Chu et al.
2003/0154116	A1	8/2003	Lofton
2003/0157968	A1	8/2003	Boman et al.
2003/0158732	A1	8/2003	Pi et al.
2003/0158735	A1	8/2003	Yamada et al.
2003/0158737	A1	8/2003	Csicsatka
2003/0160702	A1	8/2003	Tanaka
2003/0160830	A1	8/2003	Degross
2003/0163316	A1	8/2003	Addison et al.
2003/0164848	A1	9/2003	Dutta et al.
2003/0167167	A1	9/2003	Gong
2003/0167318	A1	9/2003	Robbin et al.
2003/0167335	A1	9/2003	Alexander
2003/0171928	A1	9/2003	Falcon et al.
2003/0171936	A1	9/2003	Sall et al.
2003/0174830	A1	9/2003	Boyer et al.
2003/0177046	A1	9/2003	Socha-Leialoha et al.
2003/0179222	A1	9/2003	Noma et al.
2003/0182115	A1	9/2003	Malayath et al.
2003/0182131	A1	9/2003	Arnold et al.
2003/0187655	A1	10/2003	Dunsmuir
2003/0187659	A1	10/2003	Cho et al.
2003/0187775	A1	10/2003	Du et al.
2003/0187844	A1	10/2003	Li et al.
2003/0187925	A1	10/2003	Inala et al.
2003/0188005	A1	10/2003	Yoneda et al.
2003/0188192	A1	10/2003	Tang et al.
2003/0190074	A1	10/2003	Loudon et al.
2003/0191625	A1	10/2003	Gorin et al.
2003/0191645	A1	10/2003	Zhou
2003/0193481	A1	10/2003	Sokolsky
2003/0194080	A1	10/2003	Michaelis et al.
2003/0195741	A1	10/2003	Mani et al.
2003/0197736	A1	10/2003	Murphy
2003/0197744	A1	10/2003	Irvine
2003/0200085	A1	10/2003	Nguyen et al.
2003/0200452	A1	10/2003	Tagawa et al.
2003/0200858	A1	10/2003	Xie
2003/0202697	A1	10/2003	Simard et al.
2003/0204392	A1	10/2003	Finnigan et al.
2003/0204492	A1	10/2003	Wolf et al.
2003/0206199	A1	11/2003	Pusa et al.
2003/0208756	A1	11/2003	Macrae et al.
2003/0210266	A1	11/2003	Cragun et al.
2003/0212543	A1	11/2003	Epstein et al.
2003/0212961	A1	11/2003	Soin et al.
2003/0214519	A1	11/2003	Smith et al.
2003/0216919	A1	11/2003	Roushar
2003/0221198	A1	11/2003	Sloo et al.
2003/0224760	A1	12/2003	Day
2003/0228863	A1	12/2003	Vander Veen et al.
2003/0228909	A1	12/2003	Tanaka et al.
2003/0229490	A1	12/2003	Etter
2003/0229616	A1	12/2003	Wong
2003/0233230	A1	12/2003	Ammicht et al.
2003/0233237	A1	12/2003	Garside et al.
2003/0233240	A1	12/2003	Kaatrasalo
2003/0234824	A1	12/2003	Litwiller
2003/0236663	A1	12/2003	Dimitrova et al.
2004/0001396	A1	1/2004	Keller et al.
2004/0006467	A1	1/2004	Anisimovich et al.
2004/0008277	A1	1/2004	Nagaishi et al.
2004/0010484	A1	1/2004	Foulger et al.
2004/0012556	A1	1/2004	Yong et al.
2004/0013252	A1	1/2004	Craner
2004/0015342	A1	1/2004	Garst et al.
2004/0021676	A1	2/2004	Chen et al.
2004/0022369	A1	2/2004	Vitikainen et al.
2004/0022373	A1	2/2004	Suder et al.
2004/0023643	A1	2/2004	Vander Veen et al.
2004/0024834	A1	2/2004	Alegria et al.
2004/0030551	A1	2/2004	Marcu et al.
2004/0030554	A1	2/2004	Boxberger-Oberoi et al.
2004/0030556	A1	2/2004	Bennett
2004/0030559	A1	2/2004	Payne et al.
2004/0030996	A1	2/2004	Van Liempd et al.
2004/0036715	A1	2/2004	Warren
2004/0044516	A1	3/2004	Kennewick et al.
2004/0048627	A1	3/2004	Olvera-Hernandez
2004/0049388	A1	3/2004	Roth et al.
2004/0049391	A1	3/2004	Polanyi et al.
2004/0051729	A1	3/2004	Borden, IV
2004/0052338	A1	3/2004	Celi, Jr. et al.
2004/0054530	A1	3/2004	Davis et al.
2004/0054533	A1	3/2004	Bellegarda
2004/0054534	A1	3/2004	Junqua
2004/0054535	A1	3/2004	Mackie et al.
2004/0054541	A1	3/2004	Kryze et al.
2004/0054690	A1	3/2004	Hillerbrand et al.
2004/0055446	A1	3/2004	Robbin et al.
2004/0056899	A1	3/2004	Sinclair, II et al.
2004/0059577	A1	3/2004	Pickering
2004/0059790	A1	3/2004	Austin-Lane et al.
2004/0061717	A1	4/2004	Menon et al.
2004/0062367	A1	4/2004	Fellenstein et al.
2004/0064593	A1	4/2004	Sinclair et al.
2004/0069122	A1	4/2004	Wilson
2004/0070567	A1	4/2004	Longe et al.
2004/0070612	A1	4/2004	Sinclair et al.
2004/0073427	A1	4/2004	Moore
2004/0073428	A1	4/2004	Zlokarnik et al.
2004/0076086	A1	4/2004	Keller et al.
2004/0078382	A1	4/2004	Mercer et al.
2004/0085162	A1	5/2004	Agarwal et al.
2004/0085368	A1	5/2004	Johnson, Jr. et al.
2004/0086120	A1	5/2004	Akins, III et al.
2004/0093213	A1	5/2004	Conkie
2004/0093215	A1	5/2004	Gupta et al.
2004/0093328	A1	5/2004	Damle
2004/0094018	A1	5/2004	Ueshima et al.
2004/0096105	A1	5/2004	Holtsberg
2004/0098250	A1	5/2004	Kimchi et al.
2004/0100479	A1	5/2004	Nakano et al.
2004/0106432	A1	6/2004	Kanamori et al.
2004/0107169	A1	6/2004	Lowe
2004/0111266	A1	6/2004	Corman et al.
2004/0111332	A1	6/2004	Baar et al.
2004/0114731	A1	6/2004	Gillett et al.
2004/0120476	A1	6/2004	Harrison et al.
2004/0122656	A1	6/2004	Abir
2004/0122664	A1	6/2004	Lorenzo et al.
2004/0122673	A1	6/2004	Park et al.
2004/0124583	A1	7/2004	Landis
2004/0125088	A1	7/2004	Zimmerman et al.
2004/0125922	A1	7/2004	Specht
2004/0127198	A1	7/2004	Roskind et al.
2004/0127241	A1	7/2004	Shostak
2004/0128137	A1	7/2004	Bush et al.
2004/0128614	A1	7/2004	Andrews et al.
2004/0133817	A1	7/2004	Choi
2004/0135701	A1	7/2004	Yasuda et al.
2004/0135774	A1	7/2004	La Monica
2004/0136510	A1	7/2004	Vander Veen
2004/0138869	A1	7/2004	Heinecke
2004/0138890	A1	7/2004	Ferrans et al.
2004/0145607	A1	7/2004	Alderson
2004/0148154	A1	7/2004	Acerio et al.
2004/0152054	A1	8/2004	Gleissner et al.
2004/0153306	A1	8/2004	Tanner et al.
2004/0155869	A1	8/2004	Robinson et al.
2004/0160419	A1	8/2004	Padgitt
2004/0162741	A1	8/2004	Flaxer et al.
2004/0170379	A1	9/2004	Yao et al.
2004/0174399	A1	9/2004	Wu et al.
2004/0174434	A1	9/2004	Walker et al.
2004/0176958	A1	9/2004	Salmenkaita et al.

(56)

## References Cited

## U.S. PATENT DOCUMENTS

2004/0177319	A1	9/2004	Horn	2005/0030175	A1	2/2005	Wolfe
2004/0178994	A1	9/2004	Kairls, Jr.	2005/0031106	A1	2/2005	Henderson
2004/0181392	A1	9/2004	Parikh et al.	2005/0033582	A1	2/2005	Gadd et al.
2004/0183833	A1	9/2004	Chua	2005/0033771	A1	2/2005	Schmitter et al.
2004/0186713	A1	9/2004	Gomas et al.	2005/0034164	A1	2/2005	Sano et al.
2004/0186714	A1	9/2004	Baker	2005/0038657	A1	2/2005	Roth et al.
2004/0186777	A1	9/2004	Margiloff et al.	2005/0039141	A1	2/2005	Burke et al.
2004/0186857	A1	9/2004	Serlet et al.	2005/0042591	A1	2/2005	Bloom et al.
2004/0193398	A1	9/2004	Chu et al.	2005/0043946	A1	2/2005	Ueyama et al.
2004/0193420	A1	9/2004	Kennewick et al.	2005/0043949	A1	2/2005	Roth et al.
2004/0193421	A1	9/2004	Blass	2005/0043974	A1	2/2005	Vassilev et al.
2004/0193426	A1	9/2004	Maddux et al.	2005/0044569	A1	2/2005	Marcus
2004/0196256	A1	10/2004	Wobbrock et al.	2005/0045373	A1	3/2005	Born
2004/0198436	A1	10/2004	Alden	2005/0049862	A1	3/2005	Choi et al.
2004/0199375	A1	10/2004	Ehsani et al.	2005/0049870	A1	3/2005	Zhang et al.
2004/0199387	A1	10/2004	Wang et al.	2005/0049880	A1	3/2005	Roth et al.
2004/0199663	A1	10/2004	Horvitz et al.	2005/0055212	A1	3/2005	Nagao
2004/0203520	A1	10/2004	Schirtzinger et al.	2005/0055403	A1	3/2005	Brittan
2004/0205151	A1	10/2004	Sprigg et al.	2005/0058438	A1	3/2005	Hayashi
2004/0205671	A1	10/2004	Sukehiro et al.	2005/0060155	A1	3/2005	Chu et al.
2004/0208302	A1	10/2004	Urban et al.	2005/0071165	A1	3/2005	Hofstader et al.
2004/0210442	A1	10/2004	Glynn et al.	2005/0071332	A1	3/2005	Ortega et al.
2004/0210634	A1	10/2004	Ferrer et al.	2005/0071437	A1	3/2005	Bear et al.
2004/0213419	A1	10/2004	Varma et al.	2005/0074113	A1	4/2005	Mathew et al.
2004/0215731	A1	10/2004	Tzann-en Szeto	2005/0075881	A1	4/2005	Rigazio et al.
2004/0216049	A1	10/2004	Lewis et al.	2005/0080613	A1	4/2005	Colledge et al.
2004/0218451	A1	11/2004	Said et al.	2005/0080620	A1	4/2005	Rao et al.
2004/0220798	A1	11/2004	Chi et al.	2005/0080625	A1	4/2005	Bennett et al.
2004/0220809	A1	11/2004	Wang et al.	2005/0080632	A1	4/2005	Endo et al.
2004/0221235	A1	11/2004	Marchisio et al.	2005/0080780	A1	4/2005	Colledge et al.
2004/0223485	A1	11/2004	Arellano et al.	2005/0086059	A1	4/2005	Bennett
2004/0223599	A1	11/2004	Bear et al.	2005/0086255	A1	4/2005	Schran et al.
2004/0224638	A1	11/2004	Fadell et al.	2005/0086605	A1	4/2005	Ferrer et al.
2004/0225501	A1	11/2004	Cutaia et al.	2005/0091118	A1	4/2005	Fano
2004/0225504	A1	11/2004	Junqua et al.	2005/0094475	A1	5/2005	Naoi
2004/0225650	A1	11/2004	Cooper et al.	2005/0099398	A1	5/2005	Garside et al.
2004/0225746	A1	11/2004	Niell et al.	2005/0100214	A1	5/2005	Zhang et al.
2004/0230420	A1	11/2004	Kadambe et al.	2005/0102144	A1	5/2005	Rapoport
2004/0230637	A1	11/2004	Lecoueuhe et al.	2005/0102614	A1	5/2005	Brockett et al.
2004/0236778	A1	11/2004	Junqua et al.	2005/0102625	A1	5/2005	Lee et al.
2004/0242286	A1	12/2004	Benco et al.	2005/0105712	A1	5/2005	Williams et al.
2004/0243412	A1	12/2004	Gupta et al.	2005/0108001	A1	5/2005	Aarskog
2004/0243415	A1	12/2004	Commarford et al.	2005/0108017	A1	5/2005	Esser et al.
2004/0243419	A1	12/2004	Wang	2005/0108074	A1	5/2005	Bloechl et al.
2004/0249629	A1	12/2004	Webster	2005/0108338	A1	5/2005	Simske et al.
2004/0249637	A1	12/2004	Baker et al.	2005/0108344	A1	5/2005	Tafoya et al.
2004/0249667	A1	12/2004	Oon	2005/0108642	A1	5/2005	Sinclair et al.
2004/0252119	A1	12/2004	Hunleth et al.	2005/0114124	A1	5/2005	Liu et al.
2004/0252604	A1	12/2004	Johnson et al.	2005/0114140	A1	5/2005	Brackett et al.
2004/0252966	A1	12/2004	Holloway et al.	2005/0114306	A1	5/2005	Shu et al.
2004/0254791	A1	12/2004	Coifman et al.	2005/0114791	A1	5/2005	Bollenbacher et al.
2004/0254792	A1	12/2004	Busayapongchai et al.	2005/0119890	A1	6/2005	Hirose
2004/0257432	A1	12/2004	Girish et al.	2005/0119897	A1	6/2005	Bennett et al.
2004/0259536	A1	12/2004	Keskar et al.	2005/0125216	A1	6/2005	Chitrapura et al.
2004/0260438	A1	12/2004	Chernetsky et al.	2005/0125226	A1	6/2005	Magee
2004/0260547	A1	12/2004	Cohen et al.	2005/0125235	A1	6/2005	Lazay et al.
2004/0260718	A1	12/2004	Fedorov et al.	2005/0131951	A1	6/2005	Zhang et al.
2004/0261023	A1	12/2004	Bier	2005/0132301	A1	6/2005	Ikeda
2004/0262051	A1	12/2004	Carro	2005/0136949	A1	6/2005	Barnes, Jr.
2004/0263636	A1	12/2004	Cutler et al.	2005/0138305	A1	6/2005	Zellner
2004/0267825	A1	12/2004	Novak et al.	2005/0140504	A1	6/2005	Marshall et al.
2004/0268253	A1	12/2004	Demello et al.	2005/0143972	A1	6/2005	Gopalakrishnan et al.
2004/0268262	A1	12/2004	Gupta et al.	2005/0144003	A1	6/2005	Iso-Sipila
2005/0002507	A1	1/2005	Timmins et al.	2005/0144070	A1	6/2005	Cheshire
2005/0010409	A1	1/2005	Hull et al.	2005/0144568	A1	6/2005	Gruen et al.
2005/0012723	A1	1/2005	Pallakoff	2005/0148356	A1	7/2005	Ferguson et al.
2005/0015254	A1	1/2005	Beaman	2005/0149214	A1	7/2005	Yoo et al.
2005/0015751	A1	1/2005	Grassens	2005/0149330	A1	7/2005	Katae
2005/0015772	A1	1/2005	Saare et al.	2005/0149332	A1	7/2005	Kuzunuki et al.
2005/0021330	A1	1/2005	Mano et al.	2005/0149510	A1	7/2005	Shafir
2005/0021424	A1	1/2005	Lewis et al.	2005/0152558	A1	7/2005	Van Tassel
2005/0022114	A1	1/2005	Shanahan et al.	2005/0152602	A1	7/2005	Chen et al.
2005/0024341	A1	2/2005	Gillespie et al.	2005/0154578	A1	7/2005	Tong et al.
2005/0024345	A1	2/2005	Easty et al.	2005/0154580	A1	7/2005	Horowitz et al.
2005/0027385	A1	2/2005	Yueh	2005/0154591	A1	7/2005	Lecoeuche
				2005/0159939	A1	7/2005	Mohler et al.
				2005/0159957	A1	7/2005	Roth et al.
				2005/0162395	A1	7/2005	Unruh
				2005/0165015	A1	7/2005	Ncube et al.

(56)		References Cited					
		U.S. PATENT DOCUMENTS					
2005/0165607	A1	7/2005	Di Fabbri et al.	2006/0025999	A1	2/2006	Feng et al.
2005/0166153	A1	7/2005	Eytchison et al.	2006/0026233	A1	2/2006	Tenembaum et al.
2005/0171779	A1	8/2005	Joublin	2006/0026521	A1	2/2006	Hotelling et al.
2005/0177445	A1	8/2005	Church	2006/0026535	A1	2/2006	Hotelling et al.
2005/0181770	A1	8/2005	Helferich	2006/0026536	A1	2/2006	Hotelling et al.
2005/0182616	A1	8/2005	Kotipalli	2006/0033724	A1	2/2006	Chaudhri et al.
2005/0182627	A1	8/2005	Tanaka et al.	2006/0035632	A1	2/2006	Sorvari et al.
2005/0182628	A1	8/2005	Choi	2006/0036946	A1	2/2006	Radtke et al.
2005/0182629	A1	8/2005	Coorman et al.	2006/0041424	A1	2/2006	Todhunter et al.
2005/0182630	A1	8/2005	Miro et al.	2006/0041431	A1	2/2006	Maes
2005/0182765	A1	8/2005	Liddy	2006/0041590	A1	2/2006	King et al.
2005/0184958	A1	8/2005	Gnanamgari et al.	2006/0047632	A1	3/2006	Zhang
2005/0187770	A1	8/2005	Kompe et al.	2006/0050865	A1	3/2006	Kortum et al.
2005/0187773	A1	8/2005	Filoché et al.	2006/0052141	A1	3/2006	Suzuki
2005/0190970	A1	9/2005	Griffin	2006/0053007	A1	3/2006	Niemisto et al.
2005/0192801	A1	9/2005	Lewis et al.	2006/0053014	A1	3/2006	Yoshizawa
2005/0192807	A1	9/2005	Emam et al.	2006/0053365	A1	3/2006	Hollander et al.
2005/0192812	A1	9/2005	Buchholz et al.	2006/0053379	A1	3/2006	Henderson et al.
2005/0195077	A1	9/2005	Mcculloch et al.	2006/0053387	A1	3/2006	Ording
2005/0195429	A1	9/2005	Archbold	2006/0058999	A1	3/2006	Barker et al.
2005/0196733	A1	9/2005	Budra et al.	2006/0059424	A1	3/2006	Petri et al.
2005/0201572	A1	9/2005	Lindahl et al.	2006/0059437	A1	3/2006	Conklin
2005/0202854	A1	9/2005	Kortum et al.	2006/0060762	A1	3/2006	Chan et al.
2005/0203738	A1	9/2005	Hwang	2006/0061488	A1	3/2006	Dunton
2005/0203747	A1	9/2005	Lecoecuche	2006/0064693	A1	3/2006	Messer et al.
2005/0203782	A1	9/2005	Smith	2006/0067535	A1	3/2006	Culbert et al.
2005/0203991	A1	9/2005	Kawamura et al.	2006/0067536	A1	3/2006	Culbert et al.
2005/0209848	A1	9/2005	Ishii	2006/0069567	A1	3/2006	Tischer et al.
2005/0210394	A1	9/2005	Crandall et al.	2006/0069664	A1	3/2006	Ling et al.
2005/0216331	A1	9/2005	Ahrens et al.	2006/0072248	A1	4/2006	Watanabe et al.
2005/0222843	A1	10/2005	Kahn et al.	2006/0072716	A1	4/2006	Pham
2005/0222973	A1	10/2005	Kaiser	2006/0074628	A1	4/2006	Elbaz et al.
2005/0228665	A1	10/2005	Kobayashi et al.	2006/0074651	A1	4/2006	Arun et al.
2005/0245243	A1	11/2005	Zuniga	2006/0074660	A1	4/2006	Waters et al.
2005/0246350	A1	11/2005	Canaran	2006/0074674	A1	4/2006	Zhang et al.
2005/0246365	A1	11/2005	Lowles et al.	2006/0074750	A1	4/2006	Clark et al.
2005/0246686	A1	11/2005	Seshadri et al.	2006/0074898	A1	4/2006	Gavalda et al.
2005/0246726	A1	11/2005	Labrou et al.	2006/0075429	A1	4/2006	Istvan et al.
2005/0251572	A1	11/2005	McMahan et al.	2006/0077055	A1	4/2006	Basir
2005/0254481	A1	11/2005	Vishik et al.	2006/0080098	A1	4/2006	Campbell
2005/0261901	A1	11/2005	Davis et al.	2006/0085187	A1	4/2006	Barquilla
2005/0262440	A1	11/2005	Stanciu et al.	2006/0085465	A1	4/2006	Nori et al.
2005/0267738	A1	12/2005	Wilkinson et al.	2006/0085757	A1	4/2006	Andre et al.
2005/0267757	A1	12/2005	Iso-Sipila et al.	2006/0093998	A1	5/2006	Vertegaal
2005/0268247	A1	12/2005	Baneth	2006/0095265	A1	5/2006	Chu et al.
2005/0271216	A1	12/2005	Lashkari	2006/0095790	A1	5/2006	Nguyen et al.
2005/0273332	A1	12/2005	Scott et al.	2006/0095846	A1	5/2006	Nurmi
2005/0273337	A1	12/2005	Erell et al.	2006/0095848	A1	5/2006	Naik
2005/0273626	A1	12/2005	Pearson et al.	2006/0097991	A1	5/2006	Hotelling et al.
2005/0278297	A1	12/2005	Nelson	2006/0100848	A1	5/2006	Cozzi et al.
2005/0278643	A1	12/2005	Ukai et al.	2006/0100849	A1	5/2006	Chan
2005/0278647	A1	12/2005	Leavitt et al.	2006/0100876	A1	5/2006	Nishizaki et al.
2005/0283363	A1	12/2005	Weng et al.	2006/0101354	A1	5/2006	Hashimoto et al.
2005/0283364	A1	12/2005	Longe et al.	2006/0103633	A1	5/2006	Gioeli
2005/0283726	A1	12/2005	Lunati	2006/0106592	A1	5/2006	Brockett et al.
2005/0283729	A1	12/2005	Morris et al.	2006/0106594	A1	5/2006	Brockett et al.
2005/0288934	A1	12/2005	Omi	2006/0106595	A1	5/2006	Brockett et al.
2005/0288936	A1	12/2005	Busayapongchai et al.	2006/0111906	A1	5/2006	Cross et al.
2005/0289458	A1	12/2005	Kylmanen	2006/0111909	A1	5/2006	Maes et al.
2005/0289463	A1	12/2005	Wu et al.	2006/0116874	A1	6/2006	Samuelsson et al.
2006/0001652	A1	1/2006	Chiu et al.	2006/0116877	A1	6/2006	Pickering et al.
2006/0004570	A1	1/2006	Ju et al.	2006/0117002	A1	6/2006	Swen
2006/0004640	A1	1/2006	Swierczek	2006/0119582	A1	6/2006	Ng et al.
2006/0004744	A1	1/2006	Nevidomski et al.	2006/0122834	A1	6/2006	Bennett
2006/0007174	A1	1/2006	Shen	2006/0122836	A1	6/2006	Cross et al.
2006/0009973	A1	1/2006	Nguyen et al.	2006/0129379	A1	6/2006	Ramsey et al.
2006/0013414	A1	1/2006	Shih	2006/0129929	A1	6/2006	Weber et al.
2006/0013446	A1	1/2006	Stephens	2006/0130006	A1	6/2006	Chitale
2006/0015326	A1	1/2006	Mori et al.	2006/0132812	A1	6/2006	Barnes et al.
2006/0015341	A1	1/2006	Baker	2006/0135214	A1	6/2006	Zhang et al.
2006/0015484	A1	1/2006	Weng et al.	2006/0136213	A1	6/2006	Hirose et al.
2006/0015819	A1	1/2006	Hawkins et al.	2006/0136280	A1	6/2006	Cho et al.
2006/0018446	A1	1/2006	Schmandt et al.	2006/0136352	A1	6/2006	Brun et al.
2006/0018492	A1	1/2006	Chiu et al.	2006/0141990	A1	6/2006	Zak et al.
2006/0020890	A1	1/2006	Kroll et al.	2006/0142576	A1	6/2006	Meng et al.
				2006/0142993	A1	6/2006	Menendez-Pidal et al.
				2006/0143007	A1	6/2006	Koh et al.
				2006/0143559	A1	6/2006	Spielberg et al.
				2006/0143576	A1	6/2006	Gupta et al.

(56)

## References Cited

## U.S. PATENT DOCUMENTS

2006/0148520	A1	7/2006	Baker et al.	2006/0265648	A1	11/2006	Rainisto et al.
2006/0149557	A1	7/2006	Kaneko et al.	2006/0271627	A1	11/2006	Szczepanek
2006/0149558	A1	7/2006	Kahn et al.	2006/0274051	A1	12/2006	Longe et al.
2006/0150087	A1	7/2006	Cronenberger et al.	2006/0274905	A1	12/2006	Lindahl et al.
2006/0152496	A1	7/2006	Knaven	2006/0277031	A1	12/2006	Ramsey et al.
2006/0153040	A1	7/2006	Girish et al.	2006/0277058	A1	12/2006	J'maev et al.
2006/0156252	A1	7/2006	Sheshagiri et al.	2006/0282264	A1	12/2006	Denny et al.
2006/0156307	A1	7/2006	Kunjithapatham et al.	2006/0282415	A1	12/2006	Shibata et al.
2006/0161870	A1	7/2006	Hotelling et al.	2006/0282455	A1	12/2006	Lee et al.
2006/0161871	A1	7/2006	Hotelling et al.	2006/0286527	A1	12/2006	Morel
2006/0161872	A1	7/2006	Rytivaara et al.	2006/0287864	A1	12/2006	Pusa et al.
2006/0165105	A1	7/2006	Shenfield et al.	2006/0288024	A1	12/2006	Braica
2006/0167676	A1	7/2006	Plumb	2006/0291666	A1	12/2006	Ball et al.
2006/0168150	A1	7/2006	Naik et al.	2006/0293876	A1	12/2006	Kamatani et al.
2006/0168507	A1	7/2006	Hansen	2006/0293880	A1	12/2006	Elshishiny et al.
2006/0168539	A1	7/2006	Hawkins et al.	2006/0293886	A1	12/2006	Odell et al.
2006/0172720	A1	8/2006	Islam et al.	2006/0293889	A1	12/2006	Kiss et al.
2006/0173683	A1	8/2006	Roth et al.	2007/0003026	A1	1/2007	Hodge et al.
2006/0173684	A1	8/2006	Fischer et al.	2007/0004451	A1	1/2007	C. Anderson
2006/0174207	A1	8/2006	Deshpande	2007/0005849	A1	1/2007	Oliver
2006/0178868	A1	8/2006	Billerey-Mosier	2007/0006098	A1	1/2007	Krumm et al.
2006/0181519	A1	8/2006	Vernier et al.	2007/0011154	A1	1/2007	Musgrove et al.
2006/0183466	A1	8/2006	Lee et al.	2007/0014280	A1	1/2007	Cormier et al.
2006/0184886	A1	8/2006	Chung et al.	2007/0016563	A1	1/2007	Omoigui
2006/0187073	A1	8/2006	Lin et al.	2007/0016865	A1	1/2007	Johnson et al.
2006/0190169	A1	8/2006	Kawai	2007/0021956	A1	1/2007	Qu et al.
2006/0190269	A1	8/2006	Tessel et al.	2007/0022380	A1	1/2007	Swartz et al.
2006/0190436	A1	8/2006	Richardson et al.	2007/0025704	A1	2/2007	Tsukazaki et al.
2006/0190577	A1	8/2006	Yamada	2007/0026852	A1	2/2007	Logan et al.
2006/0193518	A1	8/2006	Dong	2007/0027732	A1	2/2007	Hudgens
2006/0194181	A1	8/2006	Rosenberg	2007/0028009	A1	2/2007	Robbin et al.
2006/0195206	A1	8/2006	Moon et al.	2007/0030824	A1	2/2007	Ribauda et al.
2006/0195323	A1	8/2006	Monne et al.	2007/0032247	A1	2/2007	Shaffer et al.
2006/0195516	A1	8/2006	Beaupre	2007/0033003	A1	2/2007	Morris
2006/0197753	A1	9/2006	Hotelling	2007/0033005	A1	2/2007	Cristo et al.
2006/0197755	A1	9/2006	Bawany	2007/0033026	A1	2/2007	Bartosik et al.
2006/0200253	A1	9/2006	Hoffberg et al.	2007/0033054	A1	2/2007	Snitkovskiy et al.
2006/0200342	A1	9/2006	Corston-Oliver et al.	2007/0036117	A1	2/2007	Taube et al.
2006/0200347	A1	9/2006	Kim et al.	2007/0036286	A1	2/2007	Champlin et al.
2006/0205432	A1	9/2006	Hawkins et al.	2007/0036294	A1	2/2007	Chaudhuri et al.
2006/0206313	A1	9/2006	Xu et al.	2007/0038436	A1	2/2007	Cristo et al.
2006/0206454	A1	9/2006	Forstall et al.	2007/0038609	A1	2/2007	Wu
2006/0206724	A1	9/2006	Schaufele et al.	2007/0040813	A1	2/2007	Kushler et al.
2006/0212415	A1	9/2006	Backer et al.	2007/0041361	A1	2/2007	Iso-Sipila
2006/0217967	A1	9/2006	Goertzen et al.	2007/0042812	A1	2/2007	Basir et al.
2006/0218244	A1	9/2006	Rasmussen et al.	2007/0043568	A1	2/2007	Dhanakshirur et al.
2006/0221738	A1	10/2006	Park et al.	2007/0043687	A1	2/2007	Bodart et al.
2006/0221788	A1	10/2006	Lindahl et al.	2007/0043820	A1	2/2007	George et al.
2006/0224570	A1	10/2006	Quiroga et al.	2007/0044038	A1	2/2007	Horentrup et al.
2006/0229802	A1	10/2006	Vertelney et al.	2007/0046641	A1	3/2007	Lim
2006/0229870	A1	10/2006	Kobal	2007/0047719	A1	3/2007	Dhawan et al.
2006/0229876	A1	10/2006	Aaron et al.	2007/0050184	A1	3/2007	Drucker et al.
2006/0230350	A1	10/2006	Baluja	2007/0050191	A1	3/2007	Weider et al.
2006/0230410	A1	10/2006	Kurganov et al.	2007/0050393	A1	3/2007	Vogel et al.
2006/0234680	A1	10/2006	Doulton	2007/0050712	A1	3/2007	Hull et al.
2006/0235550	A1	10/2006	Csicsatka et al.	2007/0052586	A1	3/2007	Horstemeyer
2006/0235690	A1	10/2006	Tomasic et al.	2007/0055493	A1	3/2007	Lee
2006/0235700	A1	10/2006	Wong et al.	2007/0055508	A1	3/2007	Zhao et al.
2006/0235841	A1	10/2006	Betz et al.	2007/0055514	A1	3/2007	Beattie et al.
2006/0236262	A1	10/2006	Bathiche et al.	2007/0055525	A1	3/2007	Kennewick et al.
2006/0239419	A1	10/2006	Joseph et al.	2007/0055529	A1	3/2007	Kanevsky et al.
2006/0239471	A1	10/2006	Mao et al.	2007/0058832	A1	3/2007	Hug et al.
2006/0240866	A1	10/2006	Eilts et al.	2007/0060107	A1	3/2007	Day
2006/0241948	A1	10/2006	Abrash et al.	2007/0060118	A1	3/2007	Guyette
2006/0242190	A1	10/2006	Wnek	2007/0061152	A1	3/2007	Doi
2006/0246955	A1	11/2006	Nirhamo et al.	2007/0061487	A1	3/2007	Moore et al.
2006/0247931	A1	11/2006	Caskey et al.	2007/0061712	A1	3/2007	Bodin et al.
2006/0252457	A1	11/2006	Schrager	2007/0061754	A1	3/2007	Ardhanari et al.
2006/0253210	A1	11/2006	Rosenberg	2007/0067173	A1	3/2007	Bellegarda
2006/0253787	A1	11/2006	Fogg	2007/0067272	A1	3/2007	Flynt et al.
2006/0256934	A1	11/2006	Mazor	2007/0073540	A1	3/2007	Hirakawa et al.
2006/0258376	A1	11/2006	Ewell et al.	2007/0073541	A1	3/2007	Tian
2006/0262876	A1	11/2006	LaDue	2007/0073745	A1	3/2007	Scott et al.
2006/0265208	A1	11/2006	Assadollahi	2007/0074131	A1	3/2007	Assadollahi et al.
2006/0265503	A1	11/2006	Jones et al.	2007/0075965	A1	4/2007	Huppi et al.
				2007/0079027	A1	4/2007	Marriott et al.
				2007/0080936	A1	4/2007	Tsuk et al.
				2007/0083366	A1	4/2007	Peters
				2007/0083467	A1	4/2007	Lindahl et al.



(56)		References Cited					
		U.S. PATENT DOCUMENTS					
2007/0083623	A1	4/2007	Nishimura et al.	2007/0185551	A1	8/2007	Meadows et al.
2007/0088556	A1	4/2007	Andrew	2007/0185754	A1	8/2007	Schmidt
2007/0089132	A1	4/2007	Qureshey et al.	2007/0185831	A1	8/2007	Churcher
2007/0089135	A1	4/2007	Qureshey et al.	2007/0185917	A1	8/2007	Prahlad et al.
2007/0093277	A1	4/2007	Cavacuiti et al.	2007/0188901	A1	8/2007	Heckerman et al.
2007/0094026	A1	4/2007	Ativanichayaphong et al.	2007/0192026	A1	8/2007	Lee et al.
2007/0098195	A1	5/2007	Holmes	2007/0192027	A1	8/2007	Lee et al.
2007/0100206	A1	5/2007	Lin et al.	2007/0192105	A1	8/2007	Neeracher et al.
2007/0100602	A1	5/2007	Kim	2007/0192179	A1	8/2007	Van et al.
2007/0100619	A1	5/2007	Purho et al.	2007/0192293	A1	8/2007	Swen
2007/0100624	A1	5/2007	Weng et al.	2007/0192403	A1	8/2007	Heine et al.
2007/0100635	A1	5/2007	Mahajan et al.	2007/0192744	A1	8/2007	Reponen
2007/0100709	A1	5/2007	Lee et al.	2007/0198267	A1	8/2007	Jones et al.
2007/0100790	A1	5/2007	Cheyser et al.	2007/0198269	A1	8/2007	Braho et al.
2007/0100814	A1	5/2007	Lee et al.	2007/0198273	A1	8/2007	Hennecke
2007/0100883	A1	5/2007	Rose et al.	2007/0198566	A1	8/2007	Sustik
2007/0106491	A1	5/2007	Carter et al.	2007/0203955	A1	8/2007	Pomerantz
2007/0106497	A1	5/2007	Ramsey et al.	2007/0207785	A1	9/2007	Chatterjee et al.
2007/0106512	A1	5/2007	Acerro et al.	2007/0208555	A1	9/2007	Blass et al.
2007/0106513	A1	5/2007	Boillot et al.	2007/0208569	A1	9/2007	Subramanian et al.
2007/0106657	A1	5/2007	Brzeski et al.	2007/0208579	A1	9/2007	Peterson
2007/0106674	A1	5/2007	Agrawal et al.	2007/0208726	A1	9/2007	Krishnaprasad et al.
2007/0106685	A1	5/2007	Houh et al.	2007/0211071	A1	9/2007	Slotznick et al.
2007/0112562	A1	5/2007	Vainio et al.	2007/0213099	A1	9/2007	Bast
2007/0116195	A1	5/2007	Thompson et al.	2007/0213857	A1	9/2007	Bodin et al.
2007/0118351	A1	5/2007	Sumita	2007/0213984	A1	9/2007	Ativanichayaphong et al.
2007/0118377	A1	5/2007	Badino et al.	2007/0213986	A1	9/2007	Bodin et al.
2007/0118378	A1	5/2007	Skuratovsky	2007/0214122	A1*	9/2007	Bala ..... G06F 16/9535
2007/0121846	A1	5/2007	Altberg et al.	2007/0217693	A1	9/2007	Kretzschmar, Jr.
2007/0124131	A1	5/2007	Chino et al.	2007/0219645	A1	9/2007	Thomas et al.
2007/0124132	A1	5/2007	Takeuchi et al.	2007/0219777	A1	9/2007	Chu et al.
2007/0124149	A1	5/2007	Shen et al.	2007/0219801	A1	9/2007	Sundaram et al.
2007/0124289	A1	5/2007	Imielinski	2007/0219803	A1	9/2007	Chiu et al.
2007/0124291	A1	5/2007	Hassan et al.	2007/0219983	A1	9/2007	Fish
2007/0124676	A1	5/2007	Amundsen et al.	2007/0225980	A1	9/2007	Sumita
2007/0127888	A1	6/2007	Hayashi et al.	2007/0225984	A1	9/2007	Milstein et al.
2007/0128777	A1	6/2007	Yin et al.	2007/0226652	A1	9/2007	Kikuchi et al.
2007/0129059	A1	6/2007	Nadarajah et al.	2007/0229323	A1	10/2007	Plachta et al.
2007/0130014	A1	6/2007	Altberg et al.	2007/0230729	A1	10/2007	Naylor et al.
2007/0130128	A1	6/2007	Garg et al.	2007/0233484	A1	10/2007	Coelho et al.
2007/0132738	A1	6/2007	Lowles et al.	2007/0233487	A1	10/2007	Cohen et al.
2007/0133771	A1	6/2007	Stifelman et al.	2007/0233490	A1	10/2007	Yao
2007/0135187	A1	6/2007	Kreiner et al.	2007/0233497	A1	10/2007	Paek et al.
2007/0135949	A1	6/2007	Snover et al.	2007/0233692	A1	10/2007	Lisa et al.
2007/0136064	A1	6/2007	Carroll	2007/0233725	A1	10/2007	Michmerhuizen et al.
2007/0136778	A1	6/2007	Birger et al.	2007/0238488	A1	10/2007	Scott
2007/0143163	A1	6/2007	Weiss et al.	2007/0238489	A1	10/2007	Scott
2007/0143376	A1	6/2007	McIntosh	2007/0238520	A1	10/2007	Kacmarcik
2007/0149252	A1	6/2007	Jobs et al.	2007/0239429	A1	10/2007	Johnson et al.
2007/0150403	A1	6/2007	Mock et al.	2007/0239453	A1	10/2007	Paek et al.
2007/0150444	A1	6/2007	Chesnais et al.	2007/0240043	A1	10/2007	Fux et al.
2007/0150842	A1	6/2007	Chaudhri et al.	2007/0240044	A1	10/2007	Fux et al.
2007/0152978	A1	7/2007	Kocienda et al.	2007/0240045	A1	10/2007	Fux et al.
2007/0152980	A1	7/2007	Kocienda et al.	2007/0241885	A1	10/2007	Clipsham et al.
2007/0155346	A1	7/2007	Mijatovic et al.	2007/0244702	A1	10/2007	Kahn et al.
2007/0156410	A1	7/2007	Stohr et al.	2007/0244976	A1	10/2007	Carroll et al.
2007/0156627	A1	7/2007	D'Alicandro	2007/0247441	A1	10/2007	Kim et al.
2007/0157089	A1	7/2007	Van Os et al.	2007/0255435	A1	11/2007	Cohen et al.
2007/0157268	A1	7/2007	Girish et al.	2007/0255979	A1	11/2007	Deily et al.
2007/0162274	A1	7/2007	Ruiz et al.	2007/0257890	A1	11/2007	Hotelling et al.
2007/0162296	A1	7/2007	Altberg et al.	2007/0258642	A1	11/2007	Thota
2007/0162414	A1	7/2007	Horowitz et al.	2007/0260460	A1	11/2007	Hyatt
2007/0165003	A1	7/2007	Fux et al.	2007/0260595	A1	11/2007	Beatty et al.
2007/0167136	A1	7/2007	Groth	2007/0260822	A1	11/2007	Adams
2007/0168922	A1	7/2007	Kaiser et al.	2007/0261080	A1	11/2007	Saetti
2007/0173233	A1	7/2007	Vander Veen et al.	2007/0265831	A1	11/2007	Dinur et al.
2007/0173267	A1	7/2007	Klassen et al.	2007/0265847	A1	11/2007	Ross et al.
2007/0174057	A1	7/2007	Genly	2007/0265850	A1	11/2007	Kennewick et al.
2007/0174188	A1	7/2007	Fish	2007/0271104	A1	11/2007	McKay
2007/0174350	A1	7/2007	Pell et al.	2007/0271510	A1	11/2007	Grigoriu et al.
2007/0174396	A1	7/2007	Kumar et al.	2007/0274468	A1	11/2007	Cai
2007/0179776	A1	8/2007	Segond et al.	2007/0276651	A1	11/2007	Bliss et al.
2007/0179778	A1	8/2007	Gong et al.	2007/0276714	A1	11/2007	Beringer
2007/0180383	A1	8/2007	Naik	2007/0276810	A1	11/2007	Rosen
2007/0182595	A1	8/2007	Ghasabian	2007/0277088	A1	11/2007	Bodin et al.
				2007/0282595	A1	12/2007	Tunning et al.
				2007/0285958	A1	12/2007	Plachta et al.
				2007/0286363	A1	12/2007	Burg et al.
				2007/0286399	A1	12/2007	Ramamoorthy et al.

(56)

## References Cited

## U.S. PATENT DOCUMENTS

2007/0288238	A1	12/2007	Hetherington et al.	2008/0091426	A1	4/2008	Rempel et al.
2007/0288241	A1	12/2007	Cross et al.	2008/0091428	A1	4/2008	Bellegarda
2007/0288449	A1	12/2007	Datta et al.	2008/0091443	A1	4/2008	Strope et al.
2007/0291108	A1	12/2007	Huber et al.	2008/0096531	A1	4/2008	McQuaide et al.
2007/0294077	A1	12/2007	Narayanan et al.	2008/0096726	A1	4/2008	Riley et al.
2007/0294083	A1	12/2007	Bellegarda et al.	2008/0097937	A1	4/2008	Hadjarian
2007/0294199	A1	12/2007	Nelken et al.	2008/0098302	A1	4/2008	Roose
2007/0294263	A1	12/2007	Punj et al.	2008/0098480	A1	4/2008	Henry et al.
2007/0299664	A1	12/2007	Peters et al.	2008/0100579	A1	5/2008	Robinson et al.
2007/0299831	A1	12/2007	Williams et al.	2008/0101584	A1	5/2008	Gray et al.
2007/0300140	A1	12/2007	Makela et al.	2008/0103774	A1	5/2008	White
2008/0001785	A1	1/2008	Elizarov et al.	2008/0109222	A1	5/2008	Liu
2008/0010355	A1	1/2008	Vieri et al.	2008/0109402	A1	5/2008	Wang et al.
2008/0010605	A1	1/2008	Frank et al.	2008/0114480	A1	5/2008	Harb
2008/0012950	A1	1/2008	Lee et al.	2008/0114598	A1	5/2008	Prieto et al.
2008/0013751	A1	1/2008	Hiselius	2008/0114604	A1	5/2008	Wei et al.
2008/0015863	A1	1/2008	Agapi et al.	2008/0114841	A1	5/2008	Lambert
2008/0015864	A1*	1/2008	Ross ..... G10L 15/1822 704/275	2008/0115084	A1	5/2008	Scott et al.
2008/0016575	A1	1/2008	Vincent et al.	2008/0118143	A1	5/2008	Gordon et al.
2008/0021708	A1	1/2008	Bennett et al.	2008/0119953	A1	5/2008	Reed
2008/0021886	A1	1/2008	Wang-Aryattanwanich et al.	2008/0120102	A1	5/2008	Rao
2008/0022208	A1	1/2008	Morse	2008/0120112	A1	5/2008	Jordan et al.
2008/0027726	A1	1/2008	Hansen et al.	2008/0120196	A1	5/2008	Reed et al.
2008/0031475	A1	2/2008	Goldstein	2008/0120311	A1	5/2008	Reed
2008/0033719	A1	2/2008	Hall et al.	2008/0120312	A1	5/2008	Reed
2008/0034032	A1	2/2008	Healey et al.	2008/0120330	A1	5/2008	Reed
2008/0034044	A1	2/2008	Bhakta et al.	2008/0120342	A1	5/2008	Reed et al.
2008/0036743	A1	2/2008	Westerman et al.	2008/0122796	A1	5/2008	Jobs et al.
2008/0040339	A1	2/2008	Zhou et al.	2008/0124695	A1	5/2008	Myers et al.
2008/0042970	A1	2/2008	Liang et al.	2008/0126075	A1	5/2008	Thorn et al.
2008/0043936	A1	2/2008	Liebermann	2008/0126077	A1	5/2008	Thorn
2008/0043943	A1	2/2008	Sipher et al.	2008/0126091	A1	5/2008	Clark et al.
2008/0046239	A1	2/2008	Boo	2008/0126093	A1	5/2008	Sivadas
2008/0046250	A1	2/2008	Agapi et al.	2008/0126100	A1	5/2008	Grost et al.
2008/0046422	A1	2/2008	Lee et al.	2008/0126491	A1	5/2008	Portele et al.
2008/0046820	A1	2/2008	Lee et al.	2008/0129520	A1	6/2008	Lee
2008/0046948	A1	2/2008	Verosub	2008/0130867	A1	6/2008	Bowen
2008/0048908	A1	2/2008	Sato	2008/0131006	A1	6/2008	Oliver
2008/0052063	A1	2/2008	Bennett et al.	2008/0132221	A1	6/2008	Willey et al.
2008/0052073	A1	2/2008	Goto et al.	2008/0132295	A1	6/2008	Horowitz
2008/0052077	A1	2/2008	Bennett et al.	2008/0133215	A1	6/2008	Sarukkai
2008/0052080	A1	2/2008	Narayanan et al.	2008/0133228	A1	6/2008	Rao
2008/0052262	A1	2/2008	Kosinov et al.	2008/0133230	A1	6/2008	Herforth et al.
2008/0055194	A1	3/2008	Baudino et al.	2008/0133241	A1	6/2008	Baker et al.
2008/0056459	A1	3/2008	Vallier et al.	2008/0133956	A1	6/2008	Fadell
2008/0056579	A1	3/2008	Guha	2008/0140413	A1	6/2008	Millman et al.
2008/0057922	A1	3/2008	Kokes et al.	2008/0140416	A1	6/2008	Shostak
2008/0059190	A1	3/2008	Chu et al.	2008/0140652	A1	6/2008	Millman et al.
2008/0059200	A1	3/2008	Puli	2008/0140657	A1	6/2008	Azvine et al.
2008/0059876	A1	3/2008	Hantler et al.	2008/0140702	A1	6/2008	Reed et al.
2008/0062141	A1	3/2008	Chaudhri	2008/0141125	A1	6/2008	Ghassabian et al.
2008/0065382	A1	3/2008	Gerl et al.	2008/0141180	A1	6/2008	Reed et al.
2008/0065387	A1	3/2008	Cross et al.	2008/0141182	A1	6/2008	Barness et al.
2008/0071529	A1	3/2008	Silverman et al.	2008/0146245	A1	6/2008	Appaji
2008/0071544	A1	3/2008	Beaufays et al.	2008/0146290	A1	6/2008	Sreeram et al.
2008/0072143	A1	3/2008	Assadollahi	2008/0147408	A1	6/2008	Da Palma et al.
2008/0075296	A1	3/2008	Lindahl et al.	2008/0147411	A1	6/2008	Dames et al.
2008/0076972	A1	3/2008	Dorogusker et al.	2008/0147874	A1	6/2008	Yoneda et al.
2008/0077310	A1	3/2008	Murlidar et al.	2008/0150900	A1	6/2008	Han
2008/0077384	A1	3/2008	Agapi et al.	2008/0154577	A1	6/2008	Kim et al.
2008/0077386	A1	3/2008	Gao et al.	2008/0154600	A1	6/2008	Tian et al.
2008/0077391	A1	3/2008	Chino et al.	2008/0154612	A1	6/2008	Evermann et al.
2008/0077393	A1	3/2008	Gao et al.	2008/0154828	A1	6/2008	Antebi et al.
2008/0077406	A1	3/2008	Ganong, III	2008/0157867	A1	7/2008	Krah
2008/0077859	A1	3/2008	Schabes et al.	2008/0161113	A1	7/2008	Hansen et al.
2008/0079566	A1	4/2008	Singh et al.	2008/0162120	A1	7/2008	Mactavish et al.
2008/0080411	A1	4/2008	Cole	2008/0163119	A1	7/2008	Kim et al.
2008/0082332	A1	4/2008	Mallett et al.	2008/0163131	A1	7/2008	Hirai et al.
2008/0082338	A1	4/2008	O'Neil et al.	2008/0165144	A1	7/2008	Forstall et al.
2008/0082390	A1	4/2008	Hawkins et al.	2008/0165980	A1	7/2008	Pavlovic et al.
2008/0082576	A1	4/2008	Bodin et al.	2008/0165994	A1	7/2008	Caren et al.
2008/0082651	A1	4/2008	Singh et al.	2008/0167013	A1	7/2008	Novick et al.
2008/0084974	A1	4/2008	Dhanakshirur	2008/0167858	A1	7/2008	Christie et al.
2008/0091406	A1	4/2008	Baldwin et al.	2008/0167876	A1	7/2008	Bakis et al.
				2008/0168052	A1	7/2008	Ott et al.
				2008/0168366	A1	7/2008	Kocienda et al.
				2008/0183473	A1	7/2008	Nagano et al.
				2008/0186960	A1	8/2008	Kocheisen et al.
				2008/0189099	A1	8/2008	Friedman et al.

(56)

References Cited

U.S. PATENT DOCUMENTS

2008/0189106	A1	8/2008	Low et al.	2008/0294418	A1	11/2008	Cleary et al.
2008/0189110	A1	8/2008	Freeman et al.	2008/0294517	A1	11/2008	Hill
2008/0189114	A1	8/2008	Fail et al.	2008/0294651	A1	11/2008	Masuyama et al.
2008/0189606	A1	8/2008	Rybak	2008/0294981	A1	11/2008	Balzano et al.
2008/0195312	A1	8/2008	Aaron et al.	2008/0298563	A1	12/2008	Rondeau et al.
2008/0195388	A1	8/2008	Bower et al.	2008/0298766	A1	12/2008	Wen et al.
2008/0195391	A1	8/2008	Marple et al.	2008/0299523	A1	12/2008	Chai et al.
2008/0195601	A1	8/2008	Ntoulas et al.	2008/0300871	A1	12/2008	Gilbert
2008/0195630	A1	8/2008	Exartier et al.	2008/0300878	A1	12/2008	Bennett
2008/0195940	A1	8/2008	Gail et al.	2008/0303645	A1	12/2008	Seymour et al.
2008/0200142	A1	8/2008	Abdel-Kader et al.	2008/0306727	A1	12/2008	Thurmair et al.
2008/0201306	A1	8/2008	Cooper et al.	2008/0312909	A1	12/2008	Hermansen et al.
2008/0201375	A1	8/2008	Khedouri et al.	2008/0312928	A1	12/2008	Goebel et al.
2008/0204379	A1	8/2008	Perez-Noguera	2008/0313335	A1	12/2008	Jung et al.
2008/0207176	A1	8/2008	Brackbill et al.	2008/0316183	A1	12/2008	Westerman et al.
2008/0208585	A1	8/2008	Ativanichayaphong et al.	2008/0319738	A1	12/2008	Liu et al.
2008/0208587	A1	8/2008	Ben-David et al.	2008/0319753	A1	12/2008	Hancock
2008/0208864	A1	8/2008	Cucerzan et al.	2008/0319763	A1	12/2008	Di Fabbriozio et al.
2008/0212796	A1	9/2008	Denda	2008/0319783	A1	12/2008	Yao et al.
2008/0219641	A1	9/2008	Sandrew et al.	2009/0003115	A1	1/2009	Lindahl et al.
2008/0221866	A1	9/2008	Katragadda et al.	2009/0005012	A1	1/2009	Van Heugten
2008/0221879	A1	9/2008	Cerra et al.	2009/0005891	A1	1/2009	Batson et al.
2008/0221880	A1	9/2008	Cerra et al.	2009/0006097	A1	1/2009	Etezadi et al.
2008/0221887	A1	9/2008	Rose et al.	2009/0006099	A1	1/2009	Sharpe et al.
2008/0221889	A1	9/2008	Cerra et al.	2009/0006100	A1	1/2009	Badger et al.
2008/0221903	A1	9/2008	Kanevsky et al.	2009/0006343	A1	1/2009	Platt et al.
2008/0222118	A1	9/2008	Scian et al.	2009/0006345	A1	1/2009	Platt et al.
2008/0226130	A1	9/2008	Kansal et al.	2009/0006488	A1	1/2009	Lindahl et al.
2008/0228463	A1	9/2008	Mori et al.	2009/0006671	A1	1/2009	Batson et al.
2008/0228485	A1	9/2008	Owen	2009/0007001	A1	1/2009	Morin et al.
2008/0228490	A1	9/2008	Fischer et al.	2009/0011709	A1	1/2009	Akasaka et al.
2008/0228495	A1	9/2008	Cross et al.	2009/0012748	A1	1/2009	Beish et al.
2008/0228496	A1	9/2008	Yu et al.	2009/0012775	A1	1/2009	El Hady et al.
2008/0228928	A1	9/2008	Donelli et al.	2009/0018828	A1	1/2009	Nakadai et al.
2008/0229185	A1	9/2008	Lynch	2009/0018829	A1	1/2009	Kuperstein
2008/0229218	A1	9/2008	Maeng	2009/0018834	A1	1/2009	Cooper et al.
2008/0235017	A1	9/2008	Satomura et al.	2009/0018835	A1	1/2009	Cooper et al.
2008/0235024	A1	9/2008	Goldberg et al.	2009/0018839	A1	1/2009	Cooper et al.
2008/0235027	A1	9/2008	Cross	2009/0018840	A1	1/2009	Lutz et al.
2008/0240569	A1	10/2008	Tonouchi	2009/0022329	A1	1/2009	Mahowald
2008/0242280	A1	10/2008	Shapiro et al.	2009/0024595	A1	1/2009	Chen
2008/0242322	A1	10/2008	Scott et al.	2009/0028435	A1	1/2009	Wu et al.
2008/0243834	A1	10/2008	Rieman et al.	2009/0030800	A1	1/2009	Grois
2008/0244390	A1	10/2008	Fux et al.	2009/0030978	A1	1/2009	Johnson et al.
2008/0244446	A1	10/2008	Lefevre et al.	2009/0043580	A1	2/2009	Mozzer et al.
2008/0247519	A1	10/2008	Abella et al.	2009/0043583	A1	2/2009	Agapi et al.
2008/0247529	A1	10/2008	Barton et al.	2009/0043763	A1	2/2009	Peng
2008/0248797	A1	10/2008	Freeman et al.	2009/0044094	A1	2/2009	Rapp et al.
2008/0249770	A1	10/2008	Kim et al.	2009/0048821	A1	2/2009	Yam et al.
2008/0249778	A1	10/2008	Barton et al.	2009/0048845	A1	2/2009	Burckart et al.
2008/0253577	A1	10/2008	Eppolito	2009/0049067	A1	2/2009	Murray
2008/0254425	A1	10/2008	Cohen et al.	2009/0055168	A1	2/2009	Wu et al.
2008/0255837	A1	10/2008	Kahn et al.	2009/0055175	A1	2/2009	Terrell et al.
2008/0255842	A1	10/2008	Simhi et al.	2009/0055179	A1	2/2009	Cho et al.
2008/0255845	A1	10/2008	Bennett	2009/0055186	A1	2/2009	Lance et al.
2008/0255972	A1*	10/2008	Ulrich ..... G06Q 30/04 705/34	2009/0055381	A1	2/2009	Wu et al.
2008/0256613	A1	10/2008	Grover	2009/0055648	A1	2/2009	Kim et al.
2008/0259022	A1	10/2008	Mansfield et al.	2009/0058823	A1	3/2009	Kocienda
2008/0262828	A1	10/2008	Och et al.	2009/0058860	A1	3/2009	Fong et al.
2008/0262838	A1	10/2008	Nurminen et al.	2009/0060351	A1	3/2009	Li et al.
2008/0262846	A1	10/2008	Burns et al.	2009/0060472	A1	3/2009	Bull et al.
2008/0263139	A1	10/2008	Martin	2009/0063974	A1	3/2009	Bull et al.
2008/0270118	A1	10/2008	Kuo et al.	2009/0064031	A1	3/2009	Bull et al.
2008/0270138	A1	10/2008	Knight et al.	2009/0070097	A1	3/2009	Wu et al.
2008/0270139	A1	10/2008	Shi et al.	2009/0070102	A1	3/2009	Maegawa
2008/0270140	A1	10/2008	Hertz et al.	2009/0070109	A1	3/2009	Didcock et al.
2008/0270151	A1	10/2008	Mahoney et al.	2009/0070114	A1	3/2009	Staszak
2008/0273672	A1	11/2008	Didcock et al.	2009/0074214	A1	3/2009	Bradford et al.
2008/0277473	A1	11/2008	Kotlarsky et al.	2009/0076792	A1	3/2009	Lawson-Tancred
2008/0281510	A1	11/2008	Shahine	2009/0076796	A1	3/2009	Daraselia
2008/0281582	A1	11/2008	Hsu et al.	2009/0076819	A1	3/2009	Wouters et al.
2008/0288259	A1	11/2008	Chambers et al.	2009/0076821	A1	3/2009	Brenner et al.
2008/0288460	A1	11/2008	Poniatowski et al.	2009/0076825	A1	3/2009	Bradford et al.
2008/0292112	A1	11/2008	Valenzuela et al.	2009/0077165	A1	3/2009	Rhodes et al.
				2009/0079622	A1	3/2009	Seshadri et al.
				2009/0083034	A1	3/2009	Hernandez et al.
				2009/0083035	A1	3/2009	Huang et al.
				2009/0083036	A1	3/2009	Zhao et al.
				2009/0083037	A1	3/2009	Gleason et al.

(56)

## References Cited

## U.S. PATENT DOCUMENTS

2009/0083047	A1	3/2009	Lindahl et al.	2009/0204601	A1	8/2009	Grasset
2009/0089058	A1	4/2009	Bellegarda	2009/0204620	A1	8/2009	Thione et al.
2009/0092239	A1	4/2009	Macwan et al.	2009/0210230	A1	8/2009	Schwarz et al.
2009/0092260	A1	4/2009	Powers	2009/0210232	A1	8/2009	Sanchez et al.
2009/0092261	A1	4/2009	Bard	2009/0213134	A1	8/2009	Stephanick et al.
2009/0092262	A1	4/2009	Costa et al.	2009/0215503	A1	8/2009	Zhang et al.
2009/0094029	A1	4/2009	Koch et al.	2009/0216396	A1	8/2009	Yamagata
2009/0094033	A1	4/2009	Mozer et al.	2009/0216540	A1	8/2009	Tessel et al.
2009/0097634	A1	4/2009	Nambiar et al.	2009/0216704	A1	8/2009	Zheng et al.
2009/0097637	A1	4/2009	Boscher et al.	2009/0219166	A1	9/2009	MacFarlane et al.
2009/0100049	A1	4/2009	Cao	2009/0221274	A1	9/2009	Venkatakrishnan et al.
2009/0100454	A1	4/2009	Weber	2009/0222257	A1	9/2009	Sumita et al.
2009/0104898	A1	4/2009	Harris	2009/0222270	A2	9/2009	Likens et al.
2009/0106026	A1	4/2009	Ferrieux	2009/0222488	A1	9/2009	Boerries et al.
2009/0106376	A1	4/2009	Tom et al.	2009/0228126	A1	9/2009	Spielberg et al.
2009/0106397	A1	4/2009	O'Keefe	2009/0228273	A1	9/2009	Wang et al.
2009/0112572	A1	4/2009	Thorn	2009/0228277	A1	9/2009	Bonforte et al.
2009/0112576	A1	4/2009	Jackson et al.	2009/0228281	A1	9/2009	Singleton et al.
2009/0112592	A1	4/2009	Candelore et al.	2009/0228439	A1	9/2009	Manolescu et al.
2009/0112677	A1	4/2009	Rhett	2009/0228792	A1	9/2009	Van Os et al.
2009/0112892	A1	4/2009	Cardie et al.	2009/0228842	A1	9/2009	Westerman et al.
2009/0119587	A1	5/2009	Allen et al.	2009/0234638	A1	9/2009	Ranjan et al.
2009/0123021	A1	5/2009	Jung et al.	2009/0234655	A1	9/2009	Kwon
2009/0123071	A1	5/2009	Iwasaki	2009/0235280	A1	9/2009	Tannier et al.
2009/0125477	A1	5/2009	Lu et al.	2009/0239202	A1	9/2009	Stone
2009/0128505	A1	5/2009	Partridge et al.	2009/0239552	A1	9/2009	Churchill et al.
2009/0132253	A1	5/2009	Bellegarda	2009/0240485	A1	9/2009	Dalal et al.
2009/0132255	A1	5/2009	Lu	2009/0241054	A1	9/2009	Hendricks
2009/0137286	A1	5/2009	Luke et al.	2009/0241760	A1	10/2009	Georges
2009/0138736	A1	5/2009	Chin	2009/0247237	A1	10/2009	Mittleman et al.
2009/0138828	A1	5/2009	Schultz et al.	2009/0248182	A1	10/2009	Logan et al.
2009/0144049	A1	6/2009	Haddad et al.	2009/0248395	A1	10/2009	Alewine et al.
2009/0144428	A1	6/2009	Bowater et al.	2009/0248402	A1	10/2009	Ito et al.
2009/0144609	A1	6/2009	Liang et al.	2009/0248420	A1	10/2009	Basir et al.
2009/0146848	A1	6/2009	Ghassabian	2009/0248422	A1	10/2009	Li et al.
2009/0150147	A1	6/2009	Jacoby et al.	2009/0248456	A1	10/2009	Fahmy et al.
2009/0150156	A1	6/2009	Kennewick et al.	2009/0249198	A1	10/2009	Davis et al.
2009/0152349	A1	6/2009	Bonev et al.	2009/0249247	A1	10/2009	Tseng et al.
2009/0153288	A1	6/2009	Hope et al.	2009/0252350	A1	10/2009	Seguin
2009/0154669	A1	6/2009	Wood et al.	2009/0253457	A1	10/2009	Seguin
2009/0157382	A1	6/2009	Bar	2009/0253463	A1	10/2009	Shin et al.
2009/0157384	A1	6/2009	Toutanova et al.	2009/0254339	A1	10/2009	Seguin
2009/0157401	A1	6/2009	Bennett	2009/0254345	A1	10/2009	Fleizach et al.
2009/0158200	A1	6/2009	Palahnuik et al.	2009/0254819	A1	10/2009	Song et al.
2009/0158323	A1	6/2009	Bober et al.	2009/0254823	A1	10/2009	Barrett
2009/0158423	A1	6/2009	Orlassino et al.	2009/0259969	A1	10/2009	Pallakoff
2009/0160803	A1	6/2009	Hashimoto	2009/0265368	A1	10/2009	Crider et al.
2009/0164301	A1	6/2009	O'Sullivan et al.	2009/0271109	A1	10/2009	Lee et al.
2009/0164441	A1	6/2009	Cheyser	2009/0271175	A1	10/2009	Bodin et al.
2009/0164655	A1	6/2009	Pettersson et al.	2009/0271176	A1	10/2009	Bodin et al.
2009/0164937	A1	6/2009	Alviar et al.	2009/0271178	A1	10/2009	Bodin et al.
2009/0167508	A1	7/2009	Fadell et al.	2009/0271188	A1	10/2009	Agapi et al.
2009/0167509	A1	7/2009	Fadell et al.	2009/0271189	A1	10/2009	Agapi et al.
2009/0171578	A1	7/2009	Kim et al.	2009/0274315	A1	11/2009	Carnes et al.
2009/0171662	A1	7/2009	Huang et al.	2009/0281789	A1	11/2009	Waibel et al.
2009/0171664	A1	7/2009	Kennewick et al.	2009/0284482	A1	11/2009	Chin
2009/0172108	A1	7/2009	Singh	2009/0286514	A1	11/2009	Lichorowic et al.
2009/0172542	A1	7/2009	Girish et al.	2009/0287583	A1	11/2009	Holmes
2009/0174667	A1	7/2009	Kocienda et al.	2009/0290718	A1	11/2009	Kahn et al.
2009/0174677	A1	7/2009	Gehani et al.	2009/0292987	A1	11/2009	Sorenson
2009/0177300	A1	7/2009	Lee	2009/0296552	A1	12/2009	Hicks et al.
2009/0177461	A1	7/2009	Ehsani et al.	2009/0298474	A1	12/2009	George
2009/0177966	A1	7/2009	Chaudhri	2009/0298529	A1	12/2009	Mahajan
2009/0182445	A1	7/2009	Girish et al.	2009/0299745	A1	12/2009	Kennewick et al.
2009/0183070	A1	7/2009	Robbins	2009/0299849	A1	12/2009	Cao et al.
2009/0187402	A1	7/2009	Scholl	2009/0300391	A1	12/2009	Jessup et al.
2009/0187577	A1	7/2009	Reznik et al.	2009/0300488	A1	12/2009	Salamon et al.
2009/0187950	A1	7/2009	Nicas et al.	2009/0304198	A1	12/2009	Herre et al.
2009/0191895	A1	7/2009	Singh et al.	2009/0306967	A1	12/2009	Nicolov et al.
2009/0192782	A1	7/2009	Drewes	2009/0306969	A1	12/2009	Goud et al.
2009/0192787	A1	7/2009	Roon	2009/0306979	A1	12/2009	Jaiswal et al.
2009/0198497	A1	8/2009	Kwon	2009/0306980	A1	12/2009	Shin
2009/0204409	A1	8/2009	Mozer et al.	2009/0306981	A1	12/2009	Cromack et al.
2009/0204478	A1	8/2009	Kaib et al.	2009/0306985	A1	12/2009	Roberts et al.
2009/0204596	A1	8/2009	Brun et al.	2009/0306988	A1	12/2009	Chen et al.
				2009/0306989	A1	12/2009	Kaji
				2009/0307162	A1	12/2009	Bui et al.
				2009/0307201	A1	12/2009	Dunning et al.
				2009/0307584	A1	12/2009	Davidson et al.

(56)

## References Cited

## U.S. PATENT DOCUMENTS

2009/0313014	A1	12/2009	Shin et al.	2010/0070521	A1	3/2010	Clinchant et al.
2009/0313023	A1	12/2009	Jones	2010/0070899	A1	3/2010	Hunt et al.
2009/0313026	A1	12/2009	Coffman et al.	2010/0071003	A1	3/2010	Bychkov et al.
2009/0313544	A1	12/2009	Wood et al.	2010/0073201	A1	3/2010	Holcomb et al.
2009/0313564	A1	12/2009	Rottier et al.	2010/0076760	A1	3/2010	Kraenzel et al.
2009/0316943	A1	12/2009	Frigola Munoz et al.	2010/0076968	A1	3/2010	Boyns et al.
2009/0318119	A1	12/2009	Basir et al.	2010/0076993	A1	3/2010	Klawitter et al.
2009/0318198	A1	12/2009	Carroll	2010/0077350	A1	3/2010	Lim et al.
2009/0319266	A1	12/2009	Brown et al.	2010/0077469	A1	3/2010	Furman et al.
2009/0326923	A1	12/2009	Yan et al.	2010/0079501	A1	4/2010	Ikeda et al.
2009/0326936	A1	12/2009	Nagashima	2010/0079508	A1	4/2010	Hodge et al.
2009/0326938	A1	12/2009	Marila et al.	2010/0080398	A1	4/2010	Waldmann
2009/0326949	A1	12/2009	Douthitt et al.	2010/0080470	A1	4/2010	Deluca et al.
2009/0327263	A1	12/2009	Maghoul	2010/0081456	A1	4/2010	Singh et al.
2009/0327977	A1	12/2009	Bachfischer et al.	2010/0081487	A1	4/2010	Chen et al.
2010/0004918	A1	1/2010	Lee et al.	2010/0082239	A1	4/2010	Hardy
2010/0004930	A1	1/2010	Strope et al.	2010/0082286	A1	4/2010	Leung
2010/0004931	A1	1/2010	Ma et al.	2010/0082327	A1	4/2010	Rogers et al.
2010/0005081	A1	1/2010	Bennett	2010/0082328	A1	4/2010	Rogers et al.
2010/0007569	A1	1/2010	Sim et al.	2010/0082329	A1	4/2010	Silverman et al.
2010/0010803	A1	1/2010	Ishikawa et al.	2010/0082333	A1	4/2010	Al-Shammari
2010/0010814	A1	1/2010	Patel	2010/0082343	A1	4/2010	Levit et al.
2010/0010948	A1	1/2010	Ito et al.	2010/0082345	A1	4/2010	Wang et al.
2010/0013760	A1	1/2010	Hirai et al.	2010/0082346	A1	4/2010	Rogers et al.
2010/0013796	A1	1/2010	Abileah et al.	2010/0082347	A1	4/2010	Rogers et al.
2010/0017212	A1	1/2010	Attwater et al.	2010/0082348	A1	4/2010	Silverman et al.
2010/0017382	A1	1/2010	Katragadda et al.	2010/0082349	A1	4/2010	Bellegarda et al.
2010/0017741	A1	1/2010	Karp et al.	2010/0082376	A1	4/2010	Levitt
2010/0019834	A1	1/2010	Zerbe et al.	2010/0082567	A1	4/2010	Rosenblatt et al.
2010/0020035	A1	1/2010	Ryu et al.	2010/0082653	A1	4/2010	Nair
2010/0023318	A1	1/2010	Lemoine	2010/0082970	A1	4/2010	Lindahl et al.
2010/0023320	A1	1/2010	Di Cristo et al.	2010/0086152	A1	4/2010	Rank et al.
2010/0023331	A1	1/2010	Duta et al.	2010/0086153	A1	4/2010	Hagen et al.
2010/0026526	A1	2/2010	Yokota	2010/0086156	A1	4/2010	Rank et al.
2010/0030549	A1	2/2010	Lee et al.	2010/0088020	A1	4/2010	Sano et al.
2010/0030562	A1	2/2010	Yoshizawa et al.	2010/0088093	A1	4/2010	Lee et al.
2010/0030928	A1	2/2010	Conroy et al.	2010/0088100	A1	4/2010	Lindahl
2010/0031143	A1	2/2010	Rao et al.	2010/0094632	A1	4/2010	Davis et al.
2010/0031150	A1	2/2010	Andrew	2010/0098231	A1	4/2010	Wohlert et al.
2010/0036653	A1	2/2010	Kim et al.	2010/0099354	A1	4/2010	Johnson
2010/0036655	A1	2/2010	Cecil et al.	2010/0100080	A1	4/2010	Huculak et al.
2010/0036660	A1	2/2010	Bennett	2010/0100212	A1	4/2010	Lindahl et al.
2010/0036829	A1	2/2010	Leyba	2010/0100371	A1	4/2010	Yuezhong et al.
2010/0036928	A1	2/2010	Granito et al.	2010/0100384	A1	4/2010	Ju et al.
2010/0037183	A1	2/2010	Miyashita et al.	2010/0100385	A1	4/2010	Davis et al.
2010/0037187	A1	2/2010	Kondziela	2010/0100515	A1	4/2010	Bangalore et al.
2010/0039495	A1	2/2010	Rahman et al.	2010/0100816	A1	4/2010	Mccloskey et al.
2010/0042400	A1	2/2010	Block et al.	2010/0103776	A1	4/2010	Chan
2010/0042576	A1	2/2010	Roettger et al.	2010/0106486	A1	4/2010	Hua et al.
2010/0046842	A1	2/2010	Conwell et al.	2010/0106498	A1	4/2010	Morrison et al.
2010/0049498	A1	2/2010	Cao et al.	2010/0106500	A1	4/2010	McKee et al.
2010/0049514	A1	2/2010	Kennewick et al.	2010/0106503	A1	4/2010	Farrell et al.
2010/0050064	A1	2/2010	Liu et al.	2010/0106975	A1	4/2010	Vandervort
2010/0050074	A1	2/2010	Nachmani et al.	2010/0114856	A1	5/2010	Kuboyama
2010/0054512	A1	3/2010	Solum	2010/0114887	A1	5/2010	Conway et al.
2010/0054601	A1	3/2010	Anbalagan et al.	2010/0121637	A1	5/2010	Roy et al.
2010/0057435	A1	3/2010	Kent	2010/0122306	A1	5/2010	Pratt et al.
2010/0057443	A1	3/2010	Di Cristo et al.	2010/0125456	A1	5/2010	Weng et al.
2010/0057457	A1	3/2010	Ogata et al.	2010/0125458	A1	5/2010	Franco et al.
2010/0057461	A1	3/2010	Neubacher et al.	2010/0125460	A1	5/2010	Mellott et al.
2010/0057643	A1	3/2010	Yang	2010/0125811	A1	5/2010	Moore et al.
2010/0058200	A1	3/2010	Jablokov et al.	2010/0127854	A1	5/2010	Helvick et al.
2010/0060646	A1	3/2010	Unsal et al.	2010/0128701	A1	5/2010	Nagaraja
2010/0063804	A1	3/2010	Sato et al.	2010/0131265	A1	5/2010	Liu et al.
2010/0063825	A1	3/2010	Williams et al.	2010/0131269	A1	5/2010	Park et al.
2010/0063961	A1	3/2010	Guiheneuf et al.	2010/0131273	A1	5/2010	Aley-Raz et al.
2010/0064113	A1	3/2010	Lindahl et al.	2010/0131498	A1	5/2010	Linthicum et al.
2010/0064218	A1	3/2010	Bull et al.	2010/0131899	A1	5/2010	Hubert
2010/0064226	A1	3/2010	Stefaniak et al.	2010/0138215	A1	6/2010	Williams
2010/0066546	A1	3/2010	Aaron	2010/0138224	A1	6/2010	Bedingfield, Sr.
2010/0066684	A1	3/2010	Shahraray et al.	2010/0138416	A1	6/2010	Bellotti
2010/0067723	A1	3/2010	Bergmann et al.	2010/0138680	A1	6/2010	Brisebois et al.
2010/0067867	A1	3/2010	Lin et al.	2010/0138759	A1	6/2010	Roy
2010/0070281	A1	3/2010	Conkie et al.	2010/0138798	A1	6/2010	Wilson et al.
2010/0070517	A1	3/2010	Ghosh et al.	2010/0142740	A1	6/2010	Roerup
				2010/0145694	A1	6/2010	Ju et al.
				2010/0145700	A1	6/2010	Kennewick et al.
				2010/0145707	A1	6/2010	Ljolje et al.
				2010/0146442	A1	6/2010	Nagasaka et al.

(56)

## References Cited

## U.S. PATENT DOCUMENTS

2010/0150321	A1	6/2010	Harris et al.	2010/0269040	A1	10/2010	Lee
2010/0153114	A1	6/2010	Shih et al.	2010/0274482	A1	10/2010	Feng
2010/0153115	A1	6/2010	Klee et al.	2010/0274753	A1	10/2010	Liberty et al.
2010/0153448	A1	6/2010	Harpur et al.	2010/0277579	A1	11/2010	Cho et al.
2010/0153576	A1	6/2010	Wohlert et al.	2010/0278320	A1	11/2010	Arsenault et al.
2010/0153968	A1	6/2010	Engel	2010/0278391	A1	11/2010	Hsu et al.
2010/0158207	A1	6/2010	Dhawan	2010/0278453	A1	11/2010	King
2010/0161311	A1	6/2010	Massuh	2010/0280983	A1	11/2010	Cho et al.
2010/0161313	A1	6/2010	Karttunen	2010/0281034	A1	11/2010	Petrou et al.
2010/0161337	A1	6/2010	Pulz et al.	2010/0286984	A1	11/2010	Wandinger et al.
2010/0161554	A1	6/2010	Datuashvili et al.	2010/0286985	A1	11/2010	Kennewick et al.
2010/0164897	A1	7/2010	Morin et al.	2010/0287241	A1	11/2010	Swanburg et al.
2010/0169075	A1	7/2010	Raffa et al.	2010/0287514	A1	11/2010	Cragun et al.
2010/0169093	A1	7/2010	Washio	2010/0290632	A1	11/2010	Lin
2010/0169097	A1	7/2010	Nachman et al.	2010/0293460	A1	11/2010	Budelli
2010/0169098	A1	7/2010	Patch	2010/0295645	A1	11/2010	Falldin et al.
2010/0171713	A1	7/2010	Kwok et al.	2010/0299133	A1	11/2010	Kopparapu et al.
2010/0174544	A1	7/2010	Heifets	2010/0299138	A1	11/2010	Kim
2010/0175066	A1	7/2010	Paik	2010/0299142	A1	11/2010	Freeman et al.
2010/0179932	A1	7/2010	Yoon et al.	2010/0299444	A1	11/2010	Nilo et al.
2010/0179991	A1	7/2010	Lorch et al.	2010/0302056	A1	12/2010	Dutton et al.
2010/0180218	A1	7/2010	Boston et al.	2010/0303254	A1	12/2010	Yoshizawa et al.
2010/0185434	A1	7/2010	Burvall et al.	2010/0304342	A1	12/2010	Zilber
2010/0185448	A1	7/2010	Meisel	2010/0304705	A1	12/2010	Hursey et al.
2010/0185949	A1	7/2010	Jaeger	2010/0305807	A1	12/2010	Basir et al.
2010/0191466	A1	7/2010	Deluca et al.	2010/0305947	A1	12/2010	Schwarz et al.
2010/0191520	A1	7/2010	Gruhn et al.	2010/0311395	A1	12/2010	Zheng et al.
2010/0192221	A1	7/2010	Waggoner	2010/0312547	A1	12/2010	Van Os et al.
2010/0195865	A1	8/2010	Luff	2010/0312566	A1	12/2010	Odinak et al.
2010/0197359	A1	8/2010	Harris	2010/0318293	A1	12/2010	Brush et al.
2010/0198821	A1	8/2010	Loritz et al.	2010/0318357	A1	12/2010	Istvan et al.
2010/0199180	A1	8/2010	Brichter et al.	2010/0318366	A1	12/2010	Sullivan et al.
2010/0199215	A1	8/2010	Seymour et al.	2010/0318570	A1	12/2010	Narasinghanallur et al.
2010/0199340	A1	8/2010	Jonas et al.	2010/0318576	A1	12/2010	Kim
2010/0204986	A1	8/2010	Kennewick et al.	2010/0322438	A1	12/2010	Siotis
2010/0211199	A1	8/2010	Naik et al.	2010/0324709	A1	12/2010	Starmen
2010/0211379	A1	8/2010	Gorman et al.	2010/0324895	A1	12/2010	Kurzweil et al.
2010/0211644	A1	8/2010	Lavoie et al.	2010/0324896	A1	12/2010	Attwater et al.
2010/0215195	A1	8/2010	Harma et al.	2010/0324905	A1	12/2010	Kurzweil et al.
2010/0216509	A1	8/2010	Riemer et al.	2010/0325131	A1	12/2010	Dumais et al.
2010/0217581	A1	8/2010	Hong	2010/0325158	A1	12/2010	Oral et al.
2010/0217604	A1	8/2010	Baldwin et al.	2010/0325573	A1	12/2010	Estrada et al.
2010/0222033	A1	9/2010	Scott et al.	2010/0325588	A1	12/2010	Reddy et al.
2010/0222098	A1	9/2010	Garg	2010/0330908	A1	12/2010	Maddern et al.
2010/0223055	A1	9/2010	Mclean	2010/0332003	A1	12/2010	Yaguez
2010/0223056	A1	9/2010	Kadirkamanathan et al.	2010/0332220	A1	12/2010	Hursey et al.
2010/0223131	A1	9/2010	Scott et al.	2010/0332224	A1	12/2010	Mäkelä et al.
2010/0225599	A1	9/2010	Danielsson et al.	2010/0332235	A1	12/2010	David
2010/0225809	A1	9/2010	Connors et al.	2010/0332236	A1	12/2010	Tan
2010/0227642	A1	9/2010	Kim et al.	2010/0332280	A1	12/2010	Bradley et al.
2010/0228540	A1	9/2010	Bennett	2010/0332348	A1	12/2010	Cao
2010/0228549	A1	9/2010	Herman et al.	2010/0332428	A1	12/2010	Mchenry et al.
2010/0228691	A1	9/2010	Yang et al.	2010/0332976	A1	12/2010	Fux et al.
2010/0229082	A1	9/2010	Karmarkar et al.	2010/0333030	A1	12/2010	Johns
2010/0229100	A1	9/2010	Miller et al.	2010/0333163	A1	12/2010	Daly
2010/0231474	A1	9/2010	Yamagajo et al.	2011/0002487	A1	1/2011	Panther et al.
2010/0235167	A1	9/2010	Bourdon	2011/0004475	A1	1/2011	Bellegarda
2010/0235341	A1	9/2010	Bennett	2011/0006876	A1	1/2011	Moberg et al.
2010/0235729	A1	9/2010	Kocienda et al.	2011/0009107	A1	1/2011	Guba et al.
2010/0235732	A1	9/2010	Bergman	2011/0010178	A1	1/2011	Lee et al.
2010/0235770	A1	9/2010	Ording et al.	2011/0010644	A1	1/2011	Merrill et al.
2010/0235780	A1	9/2010	Westerman et al.	2011/0015928	A1	1/2011	Odell et al.
2010/0235793	A1	9/2010	Ording et al.	2011/0016150	A1	1/2011	Engstrom et al.
2010/0241418	A1	9/2010	Maeda et al.	2011/0016421	A1	1/2011	Krupka et al.
2010/0246784	A1	9/2010	Frazier et al.	2011/0018695	A1	1/2011	Bells et al.
2010/0250542	A1	9/2010	Fujimaki	2011/0021211	A1	1/2011	Ohki
2010/0250599	A1	9/2010	Schmidt et al.	2011/0021213	A1	1/2011	Carr
2010/0255858	A1	10/2010	Juhasz	2011/0022292	A1	1/2011	Shen et al.
2010/0257160	A1	10/2010	Cao	2011/0022388	A1	1/2011	Wu et al.
2010/0257478	A1	10/2010	Longe et al.	2011/0022393	A1	1/2011	Waller et al.
2010/0257490	A1	10/2010	Lyon et al.	2011/0022394	A1	1/2011	Wide et al.
2010/0262599	A1	10/2010	Nitz	2011/0022472	A1	1/2011	Zon et al.
2010/0263015	A1	10/2010	Pandey et al.	2011/0022952	A1	1/2011	Wu et al.
2010/0268537	A1	10/2010	Al-Telmissani	2011/0028083	A1	2/2011	Soitis
2010/0268539	A1	10/2010	Xu et al.	2011/0029616	A1	2/2011	Wang et al.
				2011/0029637	A1	2/2011	Morse
				2011/0030067	A1	2/2011	Wilson
				2011/0033064	A1	2/2011	Johnson et al.
				2011/0034183	A1	2/2011	Haag et al.

(56)

## References Cited

## U.S. PATENT DOCUMENTS

2011/0035144	A1	2/2011	Okamoto et al.	2011/0125498	A1	5/2011	Pickering et al.
2011/0035434	A1	2/2011	Lockwood	2011/0125540	A1	5/2011	Jang et al.
2011/0038489	A1	2/2011	Visser et al.	2011/0125701	A1	5/2011	Nair et al.
2011/0039584	A1	2/2011	Merrett	2011/0130958	A1	6/2011	Stahl et al.
2011/0040707	A1	2/2011	Theisen et al.	2011/0131036	A1	6/2011	DiCristo et al.
2011/0045841	A1	2/2011	Kuhlke et al.	2011/0131038	A1	6/2011	Oyaizu et al.
2011/0047072	A1	2/2011	Ciurea	2011/0131045	A1	6/2011	Cristo et al.
2011/0047149	A1	2/2011	Vaananen	2011/0137636	A1	6/2011	Srihari et al.
2011/0047161	A1	2/2011	Myaeng et al.	2011/0137664	A1	6/2011	Kho et al.
2011/0047246	A1	2/2011	Frissora et al.	2011/0141141	A1	6/2011	Kankainen
2011/0047266	A1	2/2011	Yu et al.	2011/0143718	A1	6/2011	Engelhart, Sr.
2011/0047605	A1	2/2011	Sontag et al.	2011/0143726	A1	6/2011	de Silva
2011/0050591	A1	3/2011	Kim et al.	2011/0143811	A1	6/2011	Rodriguez
2011/0050592	A1	3/2011	Kim et al.	2011/0144857	A1	6/2011	Wingrove et al.
2011/0054647	A1	3/2011	Chipchase	2011/0144901	A1	6/2011	Wang
2011/0054894	A1	3/2011	Phillips et al.	2011/0144973	A1	6/2011	Bocchieri et al.
2011/0054901	A1	3/2011	Qin et al.	2011/0144999	A1	6/2011	Jang et al.
2011/0055244	A1	3/2011	Donelli	2011/0145718	A1	6/2011	Ketola et al.
2011/0055256	A1	3/2011	Phillips et al.	2011/0151415	A1	6/2011	Darling et al.
2011/0060584	A1	3/2011	Ferrucci et al.	2011/0151830	A1	6/2011	Blanda et al.
2011/0060587	A1	3/2011	Phillips et al.	2011/0153209	A1	6/2011	Geelen
2011/0060589	A1	3/2011	Weinberg et al.	2011/0153322	A1	6/2011	Kwak et al.
2011/0060807	A1	3/2011	Martin et al.	2011/0153324	A1	6/2011	Ballinger et al.
2011/0060812	A1	3/2011	Middleton	2011/0153325	A1	6/2011	Ballinger et al.
2011/0064378	A1	3/2011	Gharaat et al.	2011/0153329	A1	6/2011	Moorer
2011/0064387	A1	3/2011	Mendeloff et al.	2011/0153330	A1	6/2011	Yazdani et al.
2011/0065456	A1	3/2011	Brennan et al.	2011/0153373	A1	6/2011	Dantzig et al.
2011/0066366	A1	3/2011	Ellanti et al.	2011/0154193	A1	6/2011	Creutz et al.
2011/0066436	A1	3/2011	Bezar	2011/0157029	A1	6/2011	Tseng
2011/0066468	A1	3/2011	Huang et al.	2011/0161072	A1	6/2011	Terao et al.
2011/0066602	A1	3/2011	Studer et al.	2011/0161076	A1	6/2011	Davis et al.
2011/0066634	A1	3/2011	Phillips et al.	2011/0161079	A1	6/2011	Gruhn et al.
2011/0072033	A1	3/2011	White et al.	2011/0161309	A1	6/2011	Lung et al.
2011/0072114	A1	3/2011	Hoffert et al.	2011/0161852	A1	6/2011	Vainio et al.
2011/0072492	A1	3/2011	Mohler et al.	2011/0166851	A1	7/2011	LeBeau et al.
2011/0075818	A1	3/2011	Vance et al.	2011/0166855	A1	7/2011	Vermeulen et al.
2011/0076994	A1	3/2011	Kim et al.	2011/0166862	A1	7/2011	Eshed et al.
2011/0077943	A1	3/2011	Miki et al.	2011/0167350	A1	7/2011	Hoellwarth
2011/0080260	A1	4/2011	Wang et al.	2011/0173003	A1	7/2011	Levanon et al.
2011/0081889	A1	4/2011	Gao et al.	2011/0173537	A1	7/2011	Hemphill
2011/0082688	A1	4/2011	Kim et al.	2011/0175810	A1	7/2011	Markovic et al.
2011/0083079	A1	4/2011	Farrell et al.	2011/0178804	A1	7/2011	Inoue et al.
2011/0087491	A1	4/2011	Wittenstein et al.	2011/0179002	A1	7/2011	Dumitru et al.
2011/0087685	A1	4/2011	Lin et al.	2011/0179372	A1	7/2011	Moore et al.
2011/0090078	A1	4/2011	Kim et al.	2011/0183627	A1	7/2011	Ueda et al.
2011/0092187	A1	4/2011	Miller	2011/0183650	A1	7/2011	Mckee et al.
2011/0093261	A1	4/2011	Angott	2011/0184721	A1	7/2011	Subramanian et al.
2011/0093265	A1	4/2011	Stent et al.	2011/0184730	A1	7/2011	LeBeau et al.
2011/0093271	A1	4/2011	Bernard et al.	2011/0184736	A1	7/2011	Slotznick
2011/0093272	A1	4/2011	Isobe et al.	2011/0184737	A1	7/2011	Nakano et al.
2011/0099000	A1	4/2011	Rai et al.	2011/0184768	A1	7/2011	Norton et al.
2011/0099157	A1	4/2011	LeBeau et al.	2011/0184789	A1	7/2011	Kirsch
2011/0102161	A1	5/2011	Heubel et al.	2011/0185288	A1	7/2011	Gupta et al.
2011/0103682	A1	5/2011	Chidlovskii et al.	2011/0191108	A1	8/2011	Friedlander
2011/0105097	A1	5/2011	Tadayon et al.	2011/0191271	A1	8/2011	Baker et al.
2011/0106534	A1	5/2011	Lebeau et al.	2011/0191344	A1	8/2011	Jin et al.
2011/0106536	A1	5/2011	Klappert	2011/0195758	A1	8/2011	Damale et al.
2011/0106736	A1	5/2011	Aharonson et al.	2011/0196670	A1	8/2011	Dang et al.
2011/0106878	A1	5/2011	Cho et al.	2011/0197128	A1	8/2011	Assadollahi et al.
2011/0106892	A1	5/2011	Nelson et al.	2011/0199312	A1	8/2011	Okuta
2011/0110502	A1	5/2011	Daye et al.	2011/0201385	A1	8/2011	Higginbotham et al.
2011/0111724	A1	5/2011	Baptiste	2011/0201387	A1	8/2011	Paek et al.
2011/0112825	A1	5/2011	Bellegarda	2011/0202526	A1	8/2011	Lee et al.
2011/0112827	A1	5/2011	Kennewick et al.	2011/0202594	A1	8/2011	Ricci
2011/0112837	A1	5/2011	Kurki-Suonio et al.	2011/0202874	A1	8/2011	Ramer et al.
2011/0112838	A1	5/2011	Adibi	2011/0205149	A1	8/2011	Tom et al.
2011/0112921	A1	5/2011	Kennewick et al.	2011/0208511	A1	8/2011	Sikstrom et al.
2011/0116480	A1	5/2011	Li et al.	2011/0208524	A1	8/2011	Haughay
2011/0116610	A1	5/2011	Shaw et al.	2011/0209088	A1	8/2011	Hinckley et al.
2011/0119049	A1	5/2011	Ylonen	2011/0212717	A1	9/2011	Rhoads et al.
2011/0119051	A1	5/2011	Li et al.	2011/0216093	A1	9/2011	Griffin
2011/0119623	A1	5/2011	Kim	2011/0218806	A1	9/2011	Alewine et al.
2011/0119713	A1	5/2011	Chang et al.	2011/0218855	A1	9/2011	Cao et al.
2011/0119715	A1	5/2011	Chang et al.	2011/0219018	A1	9/2011	Bailey et al.
2011/0123004	A1	5/2011	Chang et al.	2011/0223893	A1	9/2011	Lau et al.
				2011/0224972	A1	9/2011	Millett et al.
				2011/0228913	A1	9/2011	Cochinwala et al.
				2011/0231182	A1	9/2011	Weider et al.
				2011/0231184	A1	9/2011	Kerr

(56)

## References Cited

## U.S. PATENT DOCUMENTS

2011/0231188	A1	9/2011	Kennewick et al.	2012/0022869	A1	1/2012	Lloyd et al.
2011/0231189	A1	9/2011	Anastasiadis et al.	2012/0022870	A1	1/2012	Kristjansson et al.
2011/0231218	A1	9/2011	Tovar	2012/0022872	A1	1/2012	Gruber et al.
2011/0231432	A1	9/2011	Sata et al.	2012/0022874	A1	1/2012	Lloyd et al.
2011/0231474	A1	9/2011	Locker et al.	2012/0022876	A1	1/2012	LeBeau et al.
2011/0238191	A1	9/2011	Kristjansson et al.	2012/0022967	A1	1/2012	Bachman et al.
2011/0238407	A1	9/2011	Kent	2012/0023088	A1	1/2012	Cheng et al.
2011/0238408	A1	9/2011	Larcheveque et al.	2012/0023095	A1	1/2012	Wadycki et al.
2011/0238676	A1	9/2011	Liu et al.	2012/0023462	A1	1/2012	Rosing et al.
2011/0239111	A1	9/2011	Grover	2012/0026395	A1	2/2012	Jin et al.
2011/0242007	A1	10/2011	Gray et al.	2012/0029661	A1	2/2012	Jones et al.
2011/0244888	A1	10/2011	Ohki	2012/0029910	A1	2/2012	Medlock et al.
2011/0246471	A1	10/2011	Rakib et al.	2012/0034904	A1	2/2012	LeBeau et al.
2011/0249144	A1	10/2011	Chang	2012/0035907	A1	2/2012	Lebeau et al.
2011/0250570	A1	10/2011	Mack et al.	2012/0035908	A1	2/2012	Lebeau et al.
2011/0252108	A1	10/2011	Morris et al.	2012/0035924	A1	2/2012	Jitkoff et al.
2011/0257966	A1	10/2011	Rychlik	2012/0035925	A1	2/2012	Friend et al.
2011/0258188	A1	10/2011	Abdalmageed et al.	2012/0035926	A1	2/2012	Ambler
2011/0260829	A1	10/2011	Lee	2012/0035931	A1	2/2012	LeBeau et al.
2011/0260861	A1	10/2011	Singh et al.	2012/0035932	A1	2/2012	Jitkoff et al.
2011/0264530	A1	10/2011	Santangelo et al.	2012/0035935	A1	2/2012	Park et al.
2011/0264643	A1	10/2011	Cao	2012/0036556	A1	2/2012	LeBeau et al.
2011/0264999	A1	10/2011	Bells et al.	2012/0039539	A1	2/2012	Boiman et al.
2011/0270604	A1	11/2011	Qi et al.	2012/0039578	A1	2/2012	Issa et al.
2011/0274303	A1	11/2011	Filson et al.	2012/0041752	A1	2/2012	Wang et al.
2011/0276595	A1	11/2011	Kirkland et al.	2012/0041756	A1	2/2012	Hanazawa et al.
2011/0276598	A1	11/2011	Kozempel	2012/0041759	A1	2/2012	Barker et al.
2011/0276944	A1	11/2011	Bergman et al.	2012/0042014	A1	2/2012	Desai et al.
2011/0279368	A1	11/2011	Klein et al.	2012/0042343	A1	2/2012	Laligand et al.
2011/0280143	A1	11/2011	Li et al.	2012/0052945	A1	3/2012	Miyamoto et al.
2011/0282663	A1	11/2011	Talwar et al.	2012/0053815	A1	3/2012	Montanari et al.
2011/0282888	A1	11/2011	Koperski et al.	2012/0053829	A1	3/2012	Agarwal et al.
2011/0282903	A1	11/2011	Zhang	2012/0053945	A1	3/2012	Gupta et al.
2011/0282906	A1	11/2011	Wong	2012/0056815	A1	3/2012	Mehra
2011/0283189	A1	11/2011	McCarty	2012/0059655	A1	3/2012	Cartales
2011/0283190	A1	11/2011	Poltorak	2012/0059813	A1	3/2012	Sejnoha et al.
2011/0288852	A1	11/2011	Dymetman et al.	2012/0060052	A1	3/2012	White et al.
2011/0288855	A1	11/2011	Roy	2012/0062473	A1	3/2012	Xiao et al.
2011/0288861	A1	11/2011	Kurzweil et al.	2012/0064975	A1	3/2012	Gault et al.
2011/0288863	A1	11/2011	Rasmussen	2012/0066212	A1	3/2012	Jennings
2011/0288866	A1	11/2011	Rasmussen	2012/0066581	A1	3/2012	Spalink
2011/0288917	A1	11/2011	Wanek et al.	2012/0075054	A1	3/2012	Ge et al.
2011/0289530	A1	11/2011	Dureau et al.	2012/0075184	A1	3/2012	Madhvanath
2011/0298585	A1	12/2011	Barry	2012/0077479	A1	3/2012	Sabotta et al.
2011/0301943	A1	12/2011	Patch	2012/0078611	A1	3/2012	Soltani et al.
2011/0302162	A1	12/2011	Xiao et al.	2012/0078624	A1	3/2012	Yook et al.
2011/0302645	A1	12/2011	Headley	2012/0078627	A1	3/2012	Wagner
2011/0306426	A1	12/2011	Novak et al.	2012/0078635	A1	3/2012	Rothkopf et al.
2011/0307241	A1	12/2011	Waibel et al.	2012/0078747	A1	3/2012	Chakrabarti et al.
2011/0307254	A1	12/2011	Hunt et al.	2012/0082317	A1	4/2012	Pance et al.
2011/0307491	A1	12/2011	Fisk et al.	2012/0083286	A1	4/2012	Kim et al.
2011/0307810	A1	12/2011	Hilerio et al.	2012/0084086	A1	4/2012	Gilbert et al.
2011/0313775	A1	12/2011	Laligand et al.	2012/0084087	A1	4/2012	Yang et al.
2011/0313803	A1	12/2011	Friend et al.	2012/0084089	A1	4/2012	Lloyd et al.
2011/0314003	A1	12/2011	Ju et al.	2012/0084634	A1	4/2012	Wong et al.
2011/0314032	A1	12/2011	Bennett et al.	2012/0088219	A1	4/2012	Briscoe et al.
2011/0314404	A1	12/2011	Kotler et al.	2012/0089331	A1	4/2012	Schmidt et al.
2011/0314539	A1	12/2011	Horton	2012/0089659	A1	4/2012	Halevi et al.
2011/0320187	A1	12/2011	Motik et al.	2012/0094645	A1	4/2012	Jeffrey
2012/0002820	A1	1/2012	Leichter	2012/0101823	A1	4/2012	Weng et al.
2012/0005602	A1	1/2012	Anttila et al.	2012/0105257	A1	5/2012	Murillo et al.
2012/0008754	A1	1/2012	Mukherjee et al.	2012/0108166	A1	5/2012	Hymel
2012/0010886	A1	1/2012	Razavilar	2012/0108221	A1	5/2012	Thomas et al.
2012/0011138	A1	1/2012	Dunning et al.	2012/0109632	A1	5/2012	Sugiura et al.
2012/0013609	A1	1/2012	Reponen et al.	2012/0109753	A1	5/2012	Kennewick et al.
2012/0015629	A1	1/2012	Olsen et al.	2012/0109997	A1	5/2012	Sparks et al.
2012/0016658	A1	1/2012	Wu et al.	2012/0110456	A1	5/2012	Larco et al.
2012/0016678	A1	1/2012	Gruber et al.	2012/0114108	A1	5/2012	Katis et al.
2012/0019400	A1	1/2012	Patel et al.	2012/0116770	A1	5/2012	Chen et al.
2012/0020490	A1	1/2012	Leichter	2012/0117499	A1	5/2012	Mori et al.
2012/0020503	A1	1/2012	Endo et al.	2012/0117590	A1	5/2012	Agnihotri et al.
2012/0022787	A1	1/2012	LeBeau et al.	2012/0124126	A1	5/2012	Alcazar et al.
2012/0022857	A1	1/2012	Baldwin et al.	2012/0124177	A1	5/2012	Sparks
2012/0022860	A1	1/2012	Lloyd et al.	2012/0124178	A1	5/2012	Sparks
2012/0022868	A1	1/2012	LeBeau et al.	2012/0128322	A1	5/2012	Shaffer et al.
				2012/0130709	A1	5/2012	Bocchieri et al.
				2012/0130995	A1	5/2012	Risvik et al.
				2012/0135714	A1	5/2012	King, II
				2012/0136529	A1	5/2012	Curtis et al.



(56)	<b>References Cited</b>				
	U.S. PATENT DOCUMENTS				
2012/0136572	A1	5/2012	Norton	2012/0254290	A1 10/2012 Naaman
2012/0136649	A1	5/2012	Freising et al.	2012/0259615	A1 10/2012 Morin et al.
2012/0136855	A1	5/2012	Ni et al.	2012/0262296	A1 10/2012 Bezar
2012/0136985	A1	5/2012	Popescu et al.	2012/0265482	A1 10/2012 Grokop et al.
2012/0137367	A1	5/2012	Dupont et al.	2012/0265528	A1 10/2012 Gruber et al.
2012/0149342	A1	6/2012	Cohen et al.	2012/0265535	A1 10/2012 Bryant-Rich et al.
2012/0149394	A1	6/2012	Singh et al.	2012/0265787	A1 10/2012 Hsu et al.
2012/0150532	A1	6/2012	Rowski et al.	2012/0265806	A1 10/2012 Blanchflower et al.
2012/0150544	A1	6/2012	McLoughlin et al.	2012/0271625	A1 10/2012 Bernard
2012/0150580	A1	6/2012	Norton	2012/0271634	A1 10/2012 Lenke
2012/0158293	A1	6/2012	Burnham	2012/0271635	A1 10/2012 Ljolje
2012/0158399	A1	6/2012	Tremblay et al.	2012/0271640	A1 10/2012 Basir
2012/0158422	A1	6/2012	Burnham et al.	2012/0271676	A1 10/2012 Aravamudan et al.
2012/0159380	A1	6/2012	Kocienda et al.	2012/0275377	A1 11/2012 Lehane et al.
2012/0163710	A1	6/2012	Skaff et al.	2012/0278744	A1 11/2012 Kozitsyn
2012/0166177	A1	6/2012	Beld et al.	2012/0278812	A1 11/2012 Wang
2012/0166196	A1	6/2012	Ju et al.	2012/0284015	A1 11/2012 Drewes
2012/0166429	A1	6/2012	Moore et al.	2012/0284027	A1 11/2012 Mallett et al.
2012/0166942	A1	6/2012	Ramerth et al.	2012/0290291	A1 11/2012 Shelley et al.
2012/0166959	A1	6/2012	Hilerio et al.	2012/0290300	A1 11/2012 Lee et al.
2012/0166998	A1	6/2012	Cotterill et al.	2012/0290657	A1 11/2012 Parks et al.
2012/0173222	A1	7/2012	Wang et al.	2012/0290680	A1 11/2012 Hwang
2012/0173244	A1	7/2012	Kwak et al.	2012/0295708	A1 11/2012 Hernandez-Abrego et al.
2012/0173464	A1	7/2012	Tur et al.	2012/0296638	A1 11/2012 Patwa
2012/0174121	A1	7/2012	Treat et al.	2012/0296649	A1 11/2012 Bansal et al.
2012/0176255	A1	7/2012	Choi et al.	2012/0296654	A1 11/2012 Hendrickson et al.
2012/0179457	A1	7/2012	Newman et al.	2012/0296891	A1 11/2012 Rangan
2012/0179467	A1	7/2012	Williams et al.	2012/0297341	A1 11/2012 Glazer et al.
2012/0179471	A1	7/2012	Newman et al.	2012/0297348	A1 11/2012 Santoro
2012/0185237	A1	7/2012	Gajic et al.	2012/0303369	A1 11/2012 Brush et al.
2012/0185480	A1	7/2012	Ni et al.	2012/0303371	A1 11/2012 Labsky et al.
2012/0185781	A1	7/2012	Guzman et al.	2012/0304124	A1 11/2012 Chen et al.
2012/0191461	A1	7/2012	Lin et al.	2012/0304239	A1 11/2012 Shahraray et al.
2012/0192096	A1	7/2012	Bowman et al.	2012/0309363	A1 12/2012 Gruber et al.
2012/0197743	A1	8/2012	Grigg et al.	2012/0310642	A1 12/2012 Cao et al.
2012/0197995	A1	8/2012	Caruso	2012/0310649	A1 12/2012 Cannistraro et al.
2012/0197998	A1	8/2012	Kessel et al.	2012/0310652	A1 12/2012 O'Sullivan
2012/0201362	A1	8/2012	Crossan et al.	2012/0310922	A1 12/2012 Johnson et al.
2012/0203767	A1	8/2012	Williams et al.	2012/0311478	A1 12/2012 Van Os et al.
2012/0209454	A1	8/2012	Miller et al.	2012/0311583	A1 12/2012 Gruber et al.
2012/0209654	A1	8/2012	Romagnino et al.	2012/0311584	A1 12/2012 Gruber et al.
2012/0209853	A1	8/2012	Desai et al.	2012/0311585	A1 12/2012 Gruber et al.
2012/0209874	A1	8/2012	Wong et al.	2012/0316774	A1 12/2012 Yariv et al.
2012/0210266	A1	8/2012	Jiang et al.	2012/0316862	A1 12/2012 Sultan et al.
2012/0210378	A1	8/2012	Mccooy et al.	2012/0316875	A1 12/2012 Nyquist et al.
2012/0214141	A1	8/2012	Raya et al.	2012/0316878	A1 12/2012 Singleton et al.
2012/0214517	A1	8/2012	Singh et al.	2012/0316955	A1 12/2012 Panguluri et al.
2012/0215640	A1	8/2012	Ramer et al.	2012/0317194	A1 12/2012 Tian
2012/0215762	A1	8/2012	Hall et al.	2012/0317498	A1 12/2012 Logan et al.
2012/0221339	A1	8/2012	Wang et al.	2012/0321112	A1 12/2012 Schubert et al.
2012/0221552	A1	8/2012	Reponen et al.	2012/0323560	A1 12/2012 Perez Cortes et al.
2012/0223889	A1	9/2012	Medlock et al.	2012/0324391	A1 12/2012 Tocci et al.
2012/0223936	A1	9/2012	Aughey et al.	2012/0327009	A1 12/2012 Fleizach
2012/0232885	A1	9/2012	Barbosa et al.	2012/0329529	A1 12/2012 van der Raadt
2012/0232886	A1	9/2012	Capuozzo et al.	2012/0330660	A1 12/2012 Jaiswal
2012/0232906	A1	9/2012	Lindahl et al.	2012/0330661	A1 12/2012 Lindahl
2012/0233207	A1	9/2012	Mohajer	2012/0330990	A1 12/2012 Chen et al.
2012/0233266	A1	9/2012	Hassan et al.	2013/0002716	A1 1/2013 Walker et al.
2012/0233280	A1	9/2012	Ebara	2013/0005405	A1 1/2013 Prociw
2012/0239403	A1	9/2012	Cano et al.	2013/0006633	A1 1/2013 Grokop et al.
2012/0239661	A1	9/2012	Giblin	2013/0006637	A1 1/2013 Kanevsky et al.
2012/0239761	A1	9/2012	Linner et al.	2013/0006638	A1 1/2013 Lindahl
2012/0242482	A1	9/2012	Elumalai et al.	2013/0007240	A1 1/2013 Qiu et al.
2012/0245719	A1	9/2012	Story, Jr. et al.	2013/0007648	A1 1/2013 Gamon et al.
2012/0245939	A1	9/2012	Braho et al.	2013/0009858	A1 1/2013 Lacey
2012/0245941	A1	9/2012	Cheyner	2013/0010575	A1 1/2013 He et al.
2012/0245944	A1	9/2012	Gruber et al.	2013/0013313	A1 1/2013 Shechtman et al.
2012/0246064	A1	9/2012	Balkow	2013/0013319	A1 1/2013 Grant et al.
2012/0250858	A1	10/2012	Iqbal et al.	2013/0014026	A1 1/2013 Beringer et al.
2012/0252367	A1	10/2012	Gaglio et al.	2013/0018659	A1 1/2013 Chi
2012/0252540	A1	10/2012	Kirigaya	2013/0018863	A1 1/2013 Regan et al.
2012/0253785	A1	10/2012	Hamid et al.	2013/0024277	A1 1/2013 Tuchman et al.
2012/0253791	A1	10/2012	Heck et al.	2013/0024576	A1 1/2013 Dishneau et al.
2012/0254143	A1	10/2012	Varma et al.	2013/0027875	A1 1/2013 Zhu et al.
2012/0254152	A1	10/2012	Park et al.	2013/0028404	A1 1/2013 Omalley et al.
				2013/0030787	A1 1/2013 Cancedda et al.
				2013/0030789	A1 1/2013 Dalce
				2013/0030804	A1 1/2013 Zavaliagko et al.
				2013/0030815	A1 1/2013 Madhvanath et al.

(56)

## References Cited

## U.S. PATENT DOCUMENTS

2013/0030904	A1	1/2013	Aidasani et al.	2013/0115927	A1	5/2013	Gruber et al.
2013/0030913	A1	1/2013	Zhu et al.	2013/0117022	A1	5/2013	Chen et al.
2013/0030955	A1	1/2013	David	2013/0124189	A1	5/2013	Baldwin et al.
2013/0031162	A1	1/2013	Willis et al.	2013/0124672	A1	5/2013	Pan
2013/0031476	A1	1/2013	Coin et al.	2013/0125168	A1	5/2013	Agnihotri et al.
2013/0033643	A1	2/2013	Kim et al.	2013/0132081	A1	5/2013	Ryu et al.
2013/0035086	A1	2/2013	Chardon et al.	2013/0132084	A1	5/2013	Stonehocker et al.
2013/0035942	A1	2/2013	Kim et al.	2013/0132089	A1	5/2013	Fanty et al.
2013/0035961	A1	2/2013	Yegnanarayanan	2013/0132871	A1	5/2013	Zeng et al.
2013/0041647	A1	2/2013	Ramerth et al.	2013/0138440	A1	5/2013	Strope et al.
2013/0041654	A1	2/2013	Walker et al.	2013/0141551	A1	6/2013	Kim
2013/0041661	A1	2/2013	Lee et al.	2013/0142317	A1	6/2013	Reynolds
2013/0041665	A1	2/2013	Jang et al.	2013/0142345	A1	6/2013	Waldmann
2013/0041667	A1	2/2013	Longe et al.	2013/0144594	A1	6/2013	Bangalore et al.
2013/0041968	A1	2/2013	Cohen et al.	2013/0144616	A1	6/2013	Bangalore et al.
2013/0046544	A1	2/2013	Kay et al.	2013/0151339	A1	6/2013	Kim et al.
2013/0047178	A1	2/2013	Moon et al.	2013/0152092	A1	6/2013	Yadgar et al.
2013/0050089	A1	2/2013	Neels et al.	2013/0154811	A1	6/2013	Yadgar et al.
2013/0054550	A1	2/2013	Bolohan	2013/0155948	A1	6/2013	Pinheiro et al.
2013/0054609	A1	2/2013	Rajput et al.	2013/0156198	A1	6/2013	Kim et al.
2013/0054613	A1	2/2013	Bishop	2013/0157629	A1	6/2013	Lee et al.
2013/0054631	A1	2/2013	Govani et al.	2013/0158977	A1	6/2013	Senior
2013/0054675	A1	2/2013	Jenkins et al.	2013/0159847	A1	6/2013	Banke et al.
2013/0054706	A1	2/2013	Graham et al.	2013/0159861	A1	6/2013	Rottier et al.
2013/0055099	A1	2/2013	Yao et al.	2013/0165232	A1	6/2013	Nelson et al.
2013/0055147	A1	2/2013	Vasudev et al.	2013/0166278	A1	6/2013	James et al.
2013/0060571	A1	3/2013	Soemo et al.	2013/0166303	A1	6/2013	Chang et al.
2013/0060807	A1	3/2013	Rambhia et al.	2013/0166332	A1	6/2013	Hammad
2013/0061139	A1	3/2013	Mahkovec et al.	2013/0166442	A1	6/2013	Nakajima et al.
2013/0063611	A1	3/2013	Papakipos et al.	2013/0167242	A1	6/2013	Paliwal
2013/0066832	A1	3/2013	Sheehan et al.	2013/0170738	A1	7/2013	Capuozzo et al.
2013/0067307	A1	3/2013	Tian et al.	2013/0172022	A1	7/2013	Seymour et al.
2013/0067312	A1	3/2013	Rose	2013/0173258	A1	7/2013	Liu et al.
2013/0067421	A1	3/2013	Osman et al.	2013/0173268	A1	7/2013	Weng et al.
2013/0069769	A1	3/2013	Pennington et al.	2013/0173513	A1	7/2013	Chu et al.
2013/0073286	A1	3/2013	Bastea-Forte et al.	2013/0174034	A1	7/2013	Brown et al.
2013/0073293	A1	3/2013	Jang et al.	2013/0176147	A1	7/2013	Anderson et al.
2013/0073346	A1	3/2013	Chun et al.	2013/0176244	A1	7/2013	Yamamoto et al.
2013/0073580	A1	3/2013	Mehanna et al.	2013/0176592	A1	7/2013	Sasaki
2013/0078930	A1	3/2013	Chen et al.	2013/0179168	A1	7/2013	Bae et al.
2013/0080152	A1	3/2013	Brun et al.	2013/0179172	A1	7/2013	Nakamura et al.
2013/0080162	A1	3/2013	Chang et al.	2013/0179440	A1	7/2013	Gordon
2013/0080167	A1	3/2013	Mozer	2013/0183942	A1	7/2013	Novick et al.
2013/0080177	A1	3/2013	Chen	2013/0183944	A1	7/2013	Mozer et al.
2013/0080178	A1	3/2013	Kang et al.	2013/0185059	A1	7/2013	Riccardi et al.
2013/0080251	A1	3/2013	Dempski	2013/0185066	A1	7/2013	Tzirkel-hancock et al.
2013/0082967	A1	4/2013	Hillis et al.	2013/0185074	A1	7/2013	Gruber et al.
2013/0085755	A1	4/2013	Bringert et al.	2013/0185081	A1	7/2013	Cheyser et al.
2013/0085761	A1	4/2013	Bringert et al.	2013/0185336	A1	7/2013	Singh et al.
2013/0086609	A1	4/2013	Levy et al.	2013/0187850	A1	7/2013	Schulz et al.
2013/0090921	A1	4/2013	Liu et al.	2013/0187857	A1	7/2013	Griffin et al.
2013/0091090	A1	4/2013	Spivack et al.	2013/0190021	A1	7/2013	Vieri et al.
2013/0095805	A1	4/2013	Lebeau et al.	2013/0191117	A1	7/2013	Atti et al.
2013/0096909	A1	4/2013	Brun et al.	2013/0191408	A1	7/2013	Volkert
2013/0096911	A1	4/2013	Beaufort et al.	2013/0197911	A1	8/2013	Wei et al.
2013/0097566	A1	4/2013	Edgar et al.	2013/0197914	A1	8/2013	Yelvington et al.
2013/0097682	A1	4/2013	Berglund	2013/0198159	A1	8/2013	Hendry
2013/0100017	A1	4/2013	Zeljko et al.	2013/0198841	A1	8/2013	Poulson
2013/0100268	A1	4/2013	Mihailidis et al.	2013/0204813	A1	8/2013	Master et al.
2013/0103391	A1	4/2013	Millmore et al.	2013/0204897	A1	8/2013	McDougall
2013/0103405	A1	4/2013	Namba et al.	2013/0204967	A1	8/2013	Seo et al.
2013/0106742	A1	5/2013	Lee et al.	2013/0207898	A1	8/2013	Sullivan et al.
2013/0107053	A1	5/2013	Ozaki	2013/0210410	A1	8/2013	Xu
2013/0110505	A1	5/2013	Gruber et al.	2013/0210492	A1	8/2013	You et al.
2013/0110515	A1	5/2013	Guzzoni et al.	2013/0218553	A1	8/2013	Fujii et al.
2013/0110518	A1	5/2013	Gruber et al.	2013/0218560	A1	8/2013	Hsiao et al.
2013/0110519	A1	5/2013	Cheyser et al.	2013/0218574	A1	8/2013	Falcon et al.
2013/0110520	A1	5/2013	Cheyser et al.	2013/0218899	A1	8/2013	Raghavan et al.
2013/0110943	A1	5/2013	Menon et al.	2013/0219333	A1	8/2013	Palwe et al.
2013/0111330	A1	5/2013	Staikos et al.	2013/0222249	A1	8/2013	Pasquero et al.
2013/0111348	A1	5/2013	Gruber et al.	2013/0225128	A1	8/2013	Gomar
2013/0111365	A1	5/2013	Chen et al.	2013/0226935	A1	8/2013	Bai et al.
2013/0111487	A1	5/2013	Cheyser et al.	2013/0231917	A1	9/2013	Naik
2013/0111581	A1	5/2013	Griffin et al.	2013/0234947	A1	9/2013	Kristensson et al.
				2013/0235987	A1	9/2013	Arroniz-Escobar et al.
				2013/0238326	A1	9/2013	Kim et al.
				2013/0238647	A1	9/2013	Thompson
				2013/0238729	A1	9/2013	Holzman et al.
				2013/0244615	A1	9/2013	Miller et al.

(56)

## References Cited

## U.S. PATENT DOCUMENTS

2013/0246048	A1	9/2013	Nagase et al.	2013/0342672	A1	12/2013	Gray et al.
2013/0246050	A1	9/2013	Yu et al.	2013/0343584	A1	12/2013	Bennett et al.
2013/0246329	A1	9/2013	Pasquero et al.	2013/0343721	A1	12/2013	Abecassis
2013/0253911	A1	9/2013	Petri et al.	2013/0346065	A1	12/2013	Davidson et al.
2013/0253912	A1	9/2013	Medlock et al.	2013/0346068	A1	12/2013	Solem et al.
2013/0262168	A1	10/2013	Makanawala et al.	2013/0346347	A1	12/2013	Patterson et al.
2013/0268263	A1	10/2013	Park et al.	2013/0347018	A1	12/2013	Limp et al.
2013/0268956	A1	10/2013	Recco	2013/0347029	A1	12/2013	Tang et al.
2013/0275117	A1	10/2013	Winer	2013/0347102	A1	12/2013	Shi
2013/0275138	A1	10/2013	Gruber et al.	2013/0347117	A1	12/2013	Parks et al.
2013/0275164	A1	10/2013	Gruber et al.	2014/0001255	A1	1/2014	Anthoine
2013/0275199	A1	10/2013	Proctor, Jr. et al.	2014/0006012	A1	1/2014	Zhou et al.
2013/0275625	A1	10/2013	Taivalsaari et al.	2014/0006025	A1	1/2014	Krishnan et al.
2013/0275875	A1	10/2013	Gruber et al.	2014/0006027	A1	1/2014	Kim et al.
2013/0275899	A1	10/2013	Schubert et al.	2014/0006030	A1	1/2014	Fleizach et al.
2013/0279724	A1	10/2013	Stafford et al.	2014/0006153	A1	1/2014	Thangam et al.
2013/0282709	A1	10/2013	Zhu et al.	2014/0006483	A1	1/2014	Garmark et al.
2013/0283168	A1	10/2013	Brown et al.	2014/0006496	A1	1/2014	Dearman et al.
2013/0283199	A1	10/2013	Selig et al.	2014/0006562	A1	1/2014	Handa et al.
2013/0283283	A1	10/2013	Wang et al.	2014/0006947	A1	1/2014	Garmark et al.
2013/0285913	A1	10/2013	Griffin et al.	2014/0006955	A1	1/2014	Greenzeiger et al.
2013/0289991	A1	10/2013	War et al.	2014/0008163	A1	1/2014	Mikonaho et al.
2013/0289993	A1	10/2013	Rao et al.	2014/0012574	A1	1/2014	Pasupalak et al.
2013/0289994	A1	10/2013	Newman et al.	2014/0012580	A1	1/2014	Ganong et al.
2013/0291015	A1	10/2013	Pan	2014/0012586	A1	1/2014	Rubin et al.
2013/0297198	A1	11/2013	Velde et al.	2014/0012587	A1	1/2014	Park
2013/0297317	A1	11/2013	Lee et al.	2014/0019116	A1	1/2014	Lundberg et al.
2013/0297319	A1	11/2013	Kim	2014/0019133	A1	1/2014	Bao et al.
2013/0297348	A1	11/2013	Cardoza et al.	2014/0019460	A1	1/2014	Sambrani et al.
2013/0300645	A1	11/2013	Fedorov	2014/0028029	A1	1/2014	Jochman
2013/0300648	A1	11/2013	Kim et al.	2014/0028477	A1	1/2014	Michalske
2013/0303106	A1	11/2013	Martin	2014/0028735	A1	1/2014	Williams et al.
2013/0304479	A1	11/2013	Teller et al.	2014/0032453	A1	1/2014	Eustice et al.
2013/0304758	A1	11/2013	Gruber et al.	2014/0033071	A1	1/2014	Gruber et al.
2013/0304815	A1	11/2013	Puente et al.	2014/0035823	A1	2/2014	Khoe et al.
2013/0305119	A1	11/2013	Kern et al.	2014/0037075	A1	2/2014	Bouزيد et al.
2013/0307855	A1	11/2013	Lamb et al.	2014/0039888	A1	2/2014	Taubman et al.
2013/0307997	A1	11/2013	O'Keefe et al.	2014/0039893	A1	2/2014	Weiner et al.
2013/0308922	A1	11/2013	Sano et al.	2014/0039894	A1	2/2014	Shostak
2013/0311179	A1	11/2013	Wagner	2014/0040274	A1	2/2014	Aravamudan et al.
2013/0311184	A1	11/2013	Badavne et al.	2014/0040748	A1	2/2014	Lemay et al.
2013/0311487	A1	11/2013	Moore et al.	2014/0040754	A1	2/2014	Donelli
2013/0311997	A1	11/2013	Gruber et al.	2014/0040801	A1	2/2014	Patel et al.
2013/0315038	A1	11/2013	Ferren et al.	2014/0040918	A1	2/2014	Li et al.
2013/0316679	A1	11/2013	Miller et al.	2014/0040961	A1	2/2014	Green, Sr. et al.
2013/0316746	A1	11/2013	Miller et al.	2014/0046934	A1	2/2014	Zhou et al.
2013/0317921	A1	11/2013	Havas	2014/0047001	A1	2/2014	Phillips et al.
2013/0318478	A1	11/2013	Ogura	2014/0052451	A1	2/2014	Cheong et al.
2013/0321267	A1	12/2013	Bhatti et al.	2014/0052680	A1	2/2014	Nitz et al.
2013/0322634	A1	12/2013	Bennett et al.	2014/0052791	A1	2/2014	Chakra et al.
2013/0322665	A1	12/2013	Bennett et al.	2014/0053082	A1	2/2014	Park et al.
2013/0325340	A1	12/2013	Forstall et al.	2014/0053101	A1	2/2014	Buehler et al.
2013/0325436	A1	12/2013	Wang et al.	2014/0053210	A1	2/2014	Cheong et al.
2013/0325443	A1	12/2013	Begeja et al.	2014/0057610	A1	2/2014	Olinicy et al.
2013/0325447	A1	12/2013	Levien et al.	2014/0059030	A1	2/2014	Hakkani-Tur et al.
2013/0325448	A1	12/2013	Levien et al.	2014/0067361	A1	3/2014	Nikoulina et al.
2013/0325480	A1	12/2013	Lee et al.	2014/0067371	A1	3/2014	Liensberger
2013/0325481	A1	12/2013	Van Os et al.	2014/0067402	A1	3/2014	Kim
2013/0325484	A1	12/2013	Chakladar et al.	2014/0067738	A1	3/2014	Kingsbury
2013/0325967	A1	12/2013	Parks et al.	2014/0068751	A1	3/2014	Last et al.
2013/0325970	A1	12/2013	Roberts et al.	2014/0074454	A1	3/2014	Brown et al.
2013/0325979	A1	12/2013	Mansfield et al.	2014/0074466	A1	3/2014	Sharifi et al.
2013/0328809	A1	12/2013	Smith	2014/0074470	A1	3/2014	Jansche et al.
2013/0329023	A1	12/2013	Suplee, III et al.	2014/0074472	A1	3/2014	Lin et al.
2013/0331127	A1	12/2013	Sabatelli et al.	2014/0074483	A1	3/2014	Van Os
2013/0332159	A1	12/2013	Federighi et al.	2014/0074589	A1	3/2014	Nielsen et al.
2013/0332162	A1	12/2013	Keen	2014/0074815	A1	3/2014	Plimton
2013/0332164	A1	12/2013	Naik	2014/0075453	A1	3/2014	Bellessort et al.
2013/0332168	A1	12/2013	Kim et al.	2014/0078065	A1	3/2014	Akkok et al.
2013/0332172	A1	12/2013	Prakash et al.	2014/0079195	A1	3/2014	Srivastava et al.
2013/0332400	A1	12/2013	González	2014/0080410	A1	3/2014	Jung et al.
2013/0332538	A1	12/2013	Clark et al.	2014/0080428	A1	3/2014	Rhoads et al.
2013/0339256	A1	12/2013	Shroff	2014/0081619	A1	3/2014	Solntseva et al.
2013/0339454	A1	12/2013	Walker et al.	2014/0081633	A1	3/2014	Badaskar et al.
2013/0339991	A1	12/2013	Ricci	2014/0081635	A1	3/2014	Yanagihara
				2014/0081829	A1	3/2014	Milne
				2014/0081941	A1	3/2014	Bai et al.
				2014/0082500	A1	3/2014	Wilensky et al.
				2014/0082501	A1	3/2014	Bae et al.

(56)

## References Cited

## U.S. PATENT DOCUMENTS

2014/0082715	A1	3/2014	Grajek et al.	2014/0179295	A1	6/2014	Luebbbers et al.
2014/0086458	A1	3/2014	Rogers et al.	2014/0180499	A1	6/2014	Cooper et al.
2014/0087711	A1	3/2014	Geyer et al.	2014/0180689	A1	6/2014	Kim et al.
2014/0088952	A1	3/2014	Fife et al.	2014/0180697	A1	6/2014	Torok et al.
2014/0088961	A1	3/2014	Woodward et al.	2014/0181865	A1	6/2014	Koganei
2014/0088964	A1	3/2014	Bellegarda	2014/0188460	A1	7/2014	Ouyang et al.
2014/0088970	A1	3/2014	Kang	2014/0188477	A1	7/2014	Zhang
2014/0095171	A1	4/2014	Lynch et al.	2014/0188478	A1	7/2014	Zhang
2014/0095172	A1	4/2014	Cabaco et al.	2014/0188485	A1	7/2014	Kim et al.
2014/0095173	A1	4/2014	Lynch et al.	2014/0188835	A1	7/2014	Zhang et al.
2014/0095601	A1	4/2014	Abuelsaad et al.	2014/0195226	A1	7/2014	Yun et al.
2014/0095965	A1	4/2014	Li	2014/0195230	A1	7/2014	Han et al.
2014/0096209	A1	4/2014	Saraf et al.	2014/0195233	A1	7/2014	Bapat et al.
2014/0098247	A1	4/2014	Rao et al.	2014/0195244	A1	7/2014	Cha et al.
2014/0100847	A1	4/2014	Ishii et al.	2014/0195251	A1	7/2014	Zeinstra et al.
2014/0101127	A1	4/2014	Simhon et al.	2014/0195252	A1	7/2014	Gruber et al.
2014/0104175	A1	4/2014	Ouyang et al.	2014/0198048	A1	7/2014	Unruh et al.
2014/0108017	A1	4/2014	Mason et al.	2014/0203939	A1	7/2014	Harrington et al.
2014/0108391	A1	4/2014	Volkert	2014/0205076	A1	7/2014	Kumar et al.
2014/0112556	A1	4/2014	Kalinli-akbacak	2014/0207439	A1	7/2014	Venkatapathy et al.
2014/0114554	A1	4/2014	Lagassey	2014/0207446	A1	7/2014	Klein et al.
2014/0115062	A1	4/2014	Liu et al.	2014/0207447	A1	7/2014	Jiang et al.
2014/0115114	A1	4/2014	Garmark et al.	2014/0207466	A1	7/2014	Smadi
2014/0118155	A1	5/2014	Bowers et al.	2014/0207468	A1	7/2014	Bartnik
2014/0118624	A1	5/2014	Jang et al.	2014/0207582	A1	7/2014	Flinn et al.
2014/0122059	A1	5/2014	Patel et al.	2014/0211944	A1	7/2014	Hayward et al.
2014/0122085	A1	5/2014	Piety et al.	2014/0214429	A1	7/2014	Pantel
2014/0122086	A1	5/2014	Kapur et al.	2014/0214537	A1	7/2014	Yoo et al.
2014/0122136	A1	5/2014	Jayanthi	2014/0215513	A1	7/2014	Ramer et al.
2014/0122153	A1	5/2014	Truitt	2014/0218372	A1	8/2014	Missig et al.
2014/0129226	A1	5/2014	Lee et al.	2014/0222435	A1	8/2014	Li et al.
2014/0132935	A1	5/2014	Kim et al.	2014/0222436	A1	8/2014	Binder et al.
2014/0134983	A1	5/2014	Jung et al.	2014/0222678	A1	8/2014	Sheets et al.
2014/0135036	A1	5/2014	Bonanni et al.	2014/0222967	A1	8/2014	Harrang et al.
2014/0136013	A1	5/2014	Wolverton et al.	2014/0223377	A1	8/2014	Shaw et al.
2014/0136187	A1	5/2014	Wolverton et al.	2014/0223481	A1	8/2014	Fundament
2014/0136195	A1	5/2014	Abdossalami et al.	2014/0226503	A1	8/2014	Cooper et al.
2014/0136212	A1	5/2014	Kwon et al.	2014/0229158	A1	8/2014	Zweig et al.
2014/0136946	A1	5/2014	Matas	2014/0229184	A1	8/2014	Shires
2014/0136987	A1	5/2014	Rodriguez	2014/0230055	A1	8/2014	Boehl
2014/0142922	A1	5/2014	Liang et al.	2014/0232570	A1	8/2014	Skinder et al.
2014/0142923	A1	5/2014	Jones et al.	2014/0232656	A1	8/2014	Pasquero et al.
2014/0142935	A1	5/2014	Lindahl et al.	2014/0236595	A1	8/2014	Gray
2014/0142953	A1	5/2014	Kim et al.	2014/0236986	A1	8/2014	Guzman
2014/0143550	A1	5/2014	Ganong, III et al.	2014/0237042	A1	8/2014	Ahmed et al.
2014/0143721	A1	5/2014	Suzuki et al.	2014/0237366	A1	8/2014	Poulos et al.
2014/0146200	A1	5/2014	Scott et al.	2014/0244248	A1	8/2014	Arisoy et al.
2014/0149118	A1	5/2014	Lee et al.	2014/0244249	A1	8/2014	Mohamed et al.
2014/0152577	A1	6/2014	Yuen et al.	2014/0244254	A1	8/2014	Ju et al.
2014/0153709	A1	6/2014	Byrd et al.	2014/0244257	A1	8/2014	Colibro et al.
2014/0155031	A1	6/2014	Lee et al.	2014/0244258	A1	8/2014	Song et al.
2014/0156262	A1	6/2014	Yuen et al.	2014/0244263	A1	8/2014	Pontual et al.
2014/0156279	A1	6/2014	Okamoto et al.	2014/0244266	A1	8/2014	Brown et al.
2014/0157319	A1	6/2014	Kimura	2014/0244268	A1	8/2014	Abdelsamie et al.
2014/0157422	A1	6/2014	Livshits et al.	2014/0244270	A1	8/2014	Han et al.
2014/0163951	A1	6/2014	Nikoulina et al.	2014/0244271	A1	8/2014	Lindahl
2014/0163953	A1	6/2014	Parikh	2014/0244712	A1	8/2014	Walters et al.
2014/0163954	A1	6/2014	Joshi et al.	2014/0245140	A1	8/2014	Brown et al.
2014/0163962	A1	6/2014	Castelli et al.	2014/0247383	A1	9/2014	Dave et al.
2014/0163976	A1	6/2014	Park et al.	2014/0247926	A1	9/2014	Gainsboro et al.
2014/0163977	A1	6/2014	Hoffmeister et al.	2014/0249812	A1	9/2014	Bou-Ghazale et al.
2014/0163981	A1	6/2014	Cook et al.	2014/0249816	A1	9/2014	Pickering et al.
2014/0163995	A1	6/2014	Burns et al.	2014/0249817	A1	9/2014	Hart et al.
2014/0164305	A1	6/2014	Lynch et al.	2014/0249820	A1	9/2014	Hsu et al.
2014/0164312	A1	6/2014	Lynch et al.	2014/0249821	A1	9/2014	Kennewick et al.
2014/0164476	A1	6/2014	Thomson	2014/0250046	A1	9/2014	Winn et al.
2014/0164508	A1	6/2014	Lynch et al.	2014/0257809	A1	9/2014	Goel et al.
2014/0164532	A1	6/2014	Lynch et al.	2014/0257815	A1	9/2014	Zhao et al.
2014/0164533	A1	6/2014	Lynch et al.	2014/0257902	A1	9/2014	Moore et al.
2014/0164953	A1	6/2014	Lynch et al.	2014/0258324	A1	9/2014	Mauro et al.
2014/0169795	A1	6/2014	Clough	2014/0258357	A1	9/2014	Singh et al.
2014/0171064	A1	6/2014	Das	2014/0258857	A1	9/2014	Dykstra-Erickson et al.
2014/0172878	A1	6/2014	Clark et al.	2014/0258905	A1	9/2014	Lee et al.
2014/0173460	A1	6/2014	Kim	2014/0267022	A1	9/2014	Kim
2014/0176814	A1	6/2014	Ahn	2014/0267599	A1	9/2014	Drouin et al.
				2014/0267933	A1	9/2014	Young
				2014/0272821	A1	9/2014	Pitschel et al.
				2014/0273979	A1	9/2014	Van Os et al.
				2014/0274005	A1	9/2014	Luna et al.

(56)

## References Cited

## U.S. PATENT DOCUMENTS

2014/0274203	A1	9/2014	Ganong et al.	2014/0342762	A1	11/2014	Hajdu et al.
2014/0274211	A1	9/2014	Sejnoha et al.	2014/0343834	A1	11/2014	Demerchant et al.
2014/0278051	A1	9/2014	Mcgavran et al.	2014/0343943	A1	11/2014	Al-telmissani
2014/0278343	A1	9/2014	Tran	2014/0343946	A1	11/2014	Torok et al.
2014/0278349	A1	9/2014	Grieves et al.	2014/0344205	A1	11/2014	Luna et al.
2014/0278379	A1	9/2014	Coccaro et al.	2014/0344627	A1	11/2014	Schaub et al.
2014/0278390	A1	9/2014	Kingsbury et al.	2014/0344687	A1	11/2014	Durham et al.
2014/0278391	A1	9/2014	Braho et al.	2014/0347181	A1	11/2014	Luna et al.
2014/0278394	A1	9/2014	Bastyr et al.	2014/0350847	A1	11/2014	Ichinokawa
2014/0278406	A1	9/2014	Tsumura et al.	2014/0350924	A1	11/2014	Zurek et al.
2014/0278413	A1	9/2014	Pitschel et al.	2014/0350933	A1	11/2014	Bak et al.
2014/0278426	A1	9/2014	Jost et al.	2014/0351741	A1	11/2014	Medlock et al.
2014/0278429	A1	9/2014	Ganong, III	2014/0351760	A1	11/2014	Skory et al.
2014/0278435	A1	9/2014	Ganong et al.	2014/0358519	A1	12/2014	Mirkin et al.
2014/0278436	A1	9/2014	Khanna et al.	2014/0358523	A1	12/2014	Sheth et al.
2014/0278438	A1	9/2014	Hart et al.	2014/0358549	A1	12/2014	O'connor et al.
2014/0278443	A1	9/2014	Gunn et al.	2014/0359637	A1	12/2014	Yan
2014/0278444	A1	9/2014	Larson et al.	2014/0359709	A1	12/2014	Nassar et al.
2014/0278513	A1	9/2014	Prakash et al.	2014/0361973	A1	12/2014	Raux et al.
2014/0279622	A1	9/2014	Lamoureux	2014/0363074	A1	12/2014	Dolfing et al.
2014/0279739	A1	9/2014	Elkington et al.	2014/0364149	A1	12/2014	Marti et al.
2014/0279787	A1	9/2014	Cheng et al.	2014/0365209	A1	12/2014	Evermann
2014/0280072	A1	9/2014	Coleman	2014/0365214	A1	12/2014	Bayley
2014/0280107	A1	9/2014	Heymans et al.	2014/0365216	A1	12/2014	Gruber et al.
2014/0280138	A1	9/2014	Li et al.	2014/0365226	A1	12/2014	Sinha
2014/0280292	A1	9/2014	Skinder	2014/0365227	A1	12/2014	Cash et al.
2014/0280353	A1	9/2014	Delaney et al.	2014/0365407	A1	12/2014	Brown et al.
2014/0280450	A1	9/2014	Luna	2014/0365505	A1	12/2014	Clark et al.
2014/0281944	A1	9/2014	Winer	2014/0365880	A1	12/2014	Bellegarda
2014/0281983	A1	9/2014	Xian et al.	2014/0365885	A1	12/2014	Carson et al.
2014/0281997	A1	9/2014	Fleizach et al.	2014/0365895	A1	12/2014	Paulson et al.
2014/0282003	A1	9/2014	Gruber et al.	2014/0365922	A1	12/2014	Yang
2014/0282007	A1	9/2014	Fleizach	2014/0365945	A1	12/2014	Karunamuni
2014/0282045	A1	9/2014	Ayanam et al.	2014/0370817	A1	12/2014	Luna
2014/0282178	A1	9/2014	Borzello et al.	2014/0370841	A1	12/2014	Roberts et al.
2014/0282201	A1	9/2014	Pasquero et al.	2014/0372112	A1	12/2014	Xue et al.
2014/0282203	A1	9/2014	Pasquero et al.	2014/0372356	A1	12/2014	Bilal et al.
2014/0282559	A1	9/2014	Verduzco et al.	2014/0372468	A1	12/2014	Coilins et al.
2014/0282586	A1	9/2014	Shear et al.	2014/0372931	A1	12/2014	Zhai et al.
2014/0282743	A1	9/2014	Howard et al.	2014/0379334	A1	12/2014	Fry
2014/0288990	A1	9/2014	Moore et al.	2014/0379341	A1	12/2014	Seo et al.
2014/0289508	A1	9/2014	Wang	2014/0379798	A1	12/2014	Bunner et al.
2014/0297267	A1	10/2014	Spencer et al.	2014/0380285	A1	12/2014	Gabel
2014/0297281	A1	10/2014	Togawa et al.	2015/0003797	A1	1/2015	Schmidt
2014/0297284	A1	10/2014	Gruber et al.	2015/0004958	A1	1/2015	Wang et al.
2014/0297288	A1	10/2014	Yu et al.	2015/0006148	A1	1/2015	Goldszmit et al.
2014/0298395	A1	10/2014	Yang et al.	2015/0006157	A1	1/2015	Silva et al.
2014/0304086	A1	10/2014	Dasdan et al.	2015/0006167	A1	1/2015	Kato et al.
2014/0304605	A1	10/2014	Ohmura et al.	2015/0006176	A1	1/2015	Pogue et al.
2014/0309990	A1	10/2014	Gandrabur et al.	2015/0006178	A1	1/2015	Peng et al.
2014/0309996	A1	10/2014	Zhang	2015/0006184	A1	1/2015	Marti et al.
2014/0310001	A1	10/2014	Kains et al.	2015/0006199	A1	1/2015	Snider et al.
2014/0310002	A1	10/2014	Nitz et al.	2015/0012271	A1	1/2015	Peng et al.
2014/0310348	A1	10/2014	Keskitalo et al.	2015/0019219	A1	1/2015	Tzirikel-Hancock et al.
2014/0310365	A1	10/2014	Sample et al.	2015/0019221	A1	1/2015	Lee et al.
2014/0310595	A1	10/2014	Acharya et al.	2015/0019944	A1	1/2015	Kalgi
2014/0313007	A1	10/2014	Harding	2015/0019974	A1	1/2015	Doi et al.
2014/0315492	A1	10/2014	Woods	2015/0025405	A1	1/2015	Vairavan et al.
2014/0316585	A1	10/2014	Boesveld et al.	2015/0026620	A1	1/2015	Kwon et al.
2014/0317030	A1	10/2014	Shen et al.	2015/0027178	A1	1/2015	Scalisi
2014/0317502	A1	10/2014	Brown et al.	2015/0031416	A1	1/2015	Labowicz et al.
2014/0324429	A1	10/2014	Weilhammer et al.	2015/0032443	A1	1/2015	Karov et al.
2014/0324884	A1	10/2014	Lindahl et al.	2015/0033219	A1	1/2015	Breiner et al.
2014/0330569	A1	11/2014	Kolavennu et al.	2015/0033275	A1	1/2015	Natani et al.
2014/0330951	A1	11/2014	Sukoff et al.	2015/0034855	A1	2/2015	Shen
2014/0335823	A1	11/2014	Heredia et al.	2015/0038161	A1	2/2015	Jakobson
2014/0337037	A1	11/2014	Chi	2015/0039292	A1	2/2015	Suleman et al.
2014/0337048	A1	11/2014	Brown et al.	2015/0039295	A1	2/2015	Soschen
2014/0337266	A1	11/2014	Wolverton et al.	2015/0039299	A1	2/2015	Weinstein et al.
2014/0337370	A1	11/2014	Aravamudan et al.	2015/0039305	A1	2/2015	Huang
2014/0337371	A1	11/2014	Li	2015/0039606	A1	2/2015	Salaka et al.
2014/0337438	A1	11/2014	Govande et al.	2015/0040012	A1	2/2015	Faaborg et al.
2014/0337621	A1	11/2014	Nakhimov	2015/0045003	A1	2/2015	Vora et al.
2014/0337751	A1	11/2014	Lim et al.	2015/0045007	A1	2/2015	Cash
2014/0337814	A1	11/2014	Kains et al.	2015/0045068	A1	2/2015	Softer et al.
				2015/0046434	A1	2/2015	Lim et al.
				2015/0046537	A1	2/2015	Rakib
				2015/0046828	A1	2/2015	Desai et al.
				2015/0050633	A1	2/2015	Christmas et al.

(56)

## References Cited

## U.S. PATENT DOCUMENTS

2015/0050923	A1	2/2015	Tu et al.	2015/0154001	A1	6/2015	Knox et al.
2015/0051754	A1	2/2015	Kwon et al.	2015/0154185	A1	6/2015	Waibel
2015/0053779	A1	2/2015	Adamek et al.	2015/0154976	A1	6/2015	Mutagi
2015/0053781	A1	2/2015	Nelson et al.	2015/0160855	A1	6/2015	Bi
2015/0055879	A1	2/2015	Yang	2015/0161291	A1	6/2015	Gur et al.
2015/0058013	A1	2/2015	Pakhomov et al.	2015/0161370	A1	6/2015	North et al.
2015/0058018	A1	2/2015	Georges et al.	2015/0161521	A1	6/2015	Shah et al.
2015/0058720	A1	2/2015	Smadja et al.	2015/0161989	A1	6/2015	Hsu et al.
2015/0058785	A1	2/2015	Ookawara	2015/0162001	A1	6/2015	Kar et al.
2015/0065149	A1	3/2015	Russell et al.	2015/0162006	A1	6/2015	Kummer
2015/0065200	A1	3/2015	Namgung et al.	2015/0163558	A1	6/2015	Wheatley
2015/0066494	A1	3/2015	Salvador et al.	2015/0169081	A1	6/2015	Neels et al.
2015/0066496	A1	3/2015	Deoras et al.	2015/0169284	A1	6/2015	Quast et al.
2015/0066506	A1	3/2015	Romano et al.	2015/0169336	A1	6/2015	Harper et al.
2015/0066516	A1	3/2015	Nishikawa et al.	2015/0169696	A1	6/2015	Krishnappa et al.
2015/0066817	A1	3/2015	Slayton et al.	2015/0170073	A1	6/2015	Baker
2015/0067485	A1	3/2015	Kim et al.	2015/0170664	A1	6/2015	Doherty et al.
2015/0067822	A1	3/2015	Randall	2015/0172262	A1	6/2015	Ortiz, Jr. et al.
2015/0071121	A1	3/2015	Patil et al.	2015/0172463	A1	6/2015	Quast et al.
2015/0073788	A1	3/2015	Sak et al.	2015/0178388	A1	6/2015	Winnemoeller et al.
2015/0073804	A1	3/2015	Senior et al.	2015/0178785	A1	6/2015	Salonen
2015/0074524	A1	3/2015	Nicholson et al.	2015/0179176	A1	6/2015	Ryu et al.
2015/0074615	A1	3/2015	Han et al.	2015/0181285	A1	6/2015	Zhang et al.
2015/0081295	A1	3/2015	Yun et al.	2015/0185964	A1	7/2015	Stout
2015/0082229	A1	3/2015	Ouyang et al.	2015/0185996	A1	7/2015	Brown et al.
2015/0086174	A1	3/2015	Abecassis et al.	2015/0186012	A1	7/2015	Coleman et al.
2015/0088511	A1	3/2015	Bharadwaj et al.	2015/0186110	A1	7/2015	Kannan
2015/0088514	A1	3/2015	Typrin	2015/0186154	A1	7/2015	Brown et al.
2015/0088518	A1	3/2015	Kim et al.	2015/0186155	A1	7/2015	Brown et al.
2015/0088522	A1	3/2015	Hendrickson et al.	2015/0186156	A1	7/2015	Brown et al.
2015/0088523	A1	3/2015	Schuster	2015/0186351	A1	7/2015	Hicks et al.
2015/0088998	A1	3/2015	Isensee et al.	2015/0186538	A1	7/2015	Yan et al.
2015/0092520	A1	4/2015	Robison et al.	2015/0186783	A1	7/2015	Byrne et al.
2015/0094834	A1	4/2015	Vega et al.	2015/0187355	A1	7/2015	Parkinson et al.
2015/0095031	A1	4/2015	Conkie et al.	2015/0187369	A1	7/2015	Dadu et al.
2015/0095268	A1	4/2015	Greenzeiger et al.	2015/0189362	A1	7/2015	Lee et al.
2015/0095278	A1	4/2015	Flinn et al.	2015/0193379	A1	7/2015	Mehta
2015/0100144	A1	4/2015	Lee et al.	2015/0193391	A1	7/2015	Khvostichenko et al.
2015/0100313	A1	4/2015	Sharma	2015/0193392	A1	7/2015	Greenblatt et al.
2015/0100316	A1	4/2015	Williams et al.	2015/0194152	A1	7/2015	Katuri et al.
2015/0100537	A1	4/2015	Grieves et al.	2015/0194165	A1	7/2015	Faaborg et al.
2015/0100983	A1	4/2015	Pan	2015/0195379	A1	7/2015	Zhang et al.
2015/0106093	A1	4/2015	Weeks et al.	2015/0195606	A1	7/2015	McDevitt
2015/0106737	A1	4/2015	Montoy-Wilson et al.	2015/0199077	A1	7/2015	Zuger et al.
2015/0113407	A1	4/2015	Hoffert et al.	2015/0199960	A1	7/2015	Huo et al.
2015/0113435	A1	4/2015	Phillips	2015/0199965	A1	7/2015	Leak et al.
2015/0120296	A1	4/2015	Stern et al.	2015/0199967	A1	7/2015	Reddy et al.
2015/0120641	A1	4/2015	Soon-Shiong et al.	2015/0201064	A1	7/2015	Bells et al.
2015/0120723	A1	4/2015	Deshmukh et al.	2015/0201077	A1	7/2015	Konig et al.
2015/0121216	A1	4/2015	Brown et al.	2015/0205425	A1	7/2015	Kuscher et al.
2015/0123898	A1	5/2015	Kim et al.	2015/0205568	A1	7/2015	Matsuoka
2015/0127337	A1	5/2015	Heigold et al.	2015/0205858	A1	7/2015	Xie et al.
2015/0127348	A1	5/2015	Follis	2015/0206529	A1	7/2015	Kwon et al.
2015/0127350	A1	5/2015	Agiomyrgiannakis	2015/0208226	A1	7/2015	Kuusilinna et al.
2015/0133049	A1	5/2015	Lee et al.	2015/0212791	A1	7/2015	Kumar et al.
2015/0133109	A1	5/2015	Freeman et al.	2015/0213140	A1	7/2015	Volkert
2015/0134318	A1	5/2015	Cuthbert et al.	2015/0213796	A1	7/2015	Waltermann et al.
2015/0134322	A1	5/2015	Cuthbert et al.	2015/0215258	A1	7/2015	Nowakowski et al.
2015/0134334	A1	5/2015	Sachidanandam et al.	2015/0215350	A1	7/2015	Slayton et al.
2015/0135085	A1	5/2015	Shoham et al.	2015/0220264	A1	8/2015	Lewis
2015/0135123	A1	5/2015	Carr et al.	2015/0220507	A1	8/2015	Mohajer et al.
2015/0140934	A1	5/2015	Abdurrahman et al.	2015/0220715	A1	8/2015	Kim et al.
2015/0141150	A1	5/2015	Zha	2015/0220972	A1	8/2015	Subramanya et al.
2015/0142420	A1	5/2015	Sarikaya et al.	2015/0221304	A1	8/2015	Stewart
2015/0142438	A1	5/2015	Dai et al.	2015/0221307	A1	8/2015	Shah et al.
2015/0142447	A1	5/2015	Kennewick et al.	2015/0227505	A1	8/2015	Morimoto
2015/0142851	A1	5/2015	Gupta et al.	2015/0227633	A1	8/2015	Shapira
2015/0143419	A1	5/2015	Bhagwat et al.	2015/0228274	A1	8/2015	Leppanen et al.
2015/0148013	A1	5/2015	Baldwin et al.	2015/0228275	A1	8/2015	Watanabe et al.
2015/0149177	A1	5/2015	Kains et al.	2015/0228281	A1	8/2015	Raniere
2015/0149182	A1	5/2015	Kains et al.	2015/0228283	A1	8/2015	Ehsani et al.
2015/0149354	A1	5/2015	Mccooy	2015/0228292	A1	8/2015	Goldstein et al.
2015/0149469	A1	5/2015	Xu et al.	2015/0230095	A1	8/2015	Smith et al.
2015/0149899	A1	5/2015	Bernstein et al.	2015/0234636	A1	8/2015	Barnes, Jr.
2015/0149964	A1	5/2015	Bernstein et al.	2015/0234800	A1	8/2015	Patrick et al.
				2015/0237301	A1	8/2015	Shi et al.
				2015/0242091	A1	8/2015	Lu et al.
				2015/0242385	A1	8/2015	Bao et al.
				2015/0243278	A1	8/2015	Kibre et al.

(56)		References Cited					
		U.S. PATENT DOCUMENTS					
2015/0243279	A1	8/2015	Morse et al.	2015/0347393	A1	12/2015	Futrell et al.
2015/0243283	A1	8/2015	Halash et al.	2015/0347552	A1	12/2015	Habouzit et al.
2015/0244665	A1	8/2015	Choi et al.	2015/0347733	A1	12/2015	Tsou et al.
2015/0245154	A1	8/2015	Dadu et al.	2015/0347985	A1	12/2015	Gross et al.
2015/0248651	A1	9/2015	Akutagawa et al.	2015/0348533	A1	12/2015	Saddler et al.
2015/0248886	A1	9/2015	Sarikaya et al.	2015/0348547	A1	12/2015	Paulik et al.
2015/0253146	A1	9/2015	Annapureddy et al.	2015/0348548	A1	12/2015	Piernot et al.
2015/0253885	A1	9/2015	Kagan et al.	2015/0348549	A1	12/2015	Giuli et al.
2015/0254057	A1	9/2015	Klein et al.	2015/0348551	A1	12/2015	Gruber et al.
2015/0254058	A1	9/2015	Klein et al.	2015/0348554	A1	12/2015	Orr et al.
2015/0254333	A1	9/2015	Fife et al.	2015/0348555	A1	12/2015	Sugita
2015/0255071	A1	9/2015	Chiba	2015/0348565	A1	12/2015	Rhoten et al.
2015/0256873	A1	9/2015	Klein et al.	2015/0349934	A1	12/2015	Pollack et al.
2015/0261298	A1	9/2015	Li	2015/0350031	A1	12/2015	Burks et al.
2015/0261496	A1	9/2015	Faaborg et al.	2015/0350342	A1	12/2015	Thorpe et al.
2015/0261850	A1	9/2015	Mittal	2015/0350594	A1	12/2015	Mate et al.
2015/0269139	A1	9/2015	McAteer et al.	2015/0352999	A1	12/2015	Bando et al.
2015/0269617	A1	9/2015	Mikurak	2015/0355879	A1	12/2015	Beckhardt et al.
2015/0269677	A1	9/2015	Milne	2015/0356410	A1	12/2015	Faith et al.
2015/0269943	A1	9/2015	VanBlon et al.	2015/0363587	A1	12/2015	Ahn et al.
2015/0277574	A1	10/2015	Jain et al.	2015/0364128	A1	12/2015	Zhao et al.
2015/0278348	A1	10/2015	Paruchuri et al.	2015/0364140	A1	12/2015	Thörn
2015/0278370	A1	10/2015	Stratvert et al.	2015/0370531	A1	12/2015	Faaborg
2015/0278737	A1	10/2015	Chen Huebscher et al.	2015/0370780	A1	12/2015	Wang et al.
2015/0279358	A1	10/2015	Kingsbury et al.	2015/0370787	A1	12/2015	Akbacak et al.
2015/0279360	A1	10/2015	Mengibar et al.	2015/0370884	A1	12/2015	Hurley et al.
2015/0279366	A1	10/2015	Krestnikov et al.	2015/0371215	A1	12/2015	Zhou et al.
2015/0281380	A1	10/2015	Wang et al.	2015/0371529	A1	12/2015	Dolecki
2015/0281401	A1	10/2015	Le et al.	2015/0371639	A1	12/2015	Foerster et al.
2015/0286627	A1	10/2015	Chang et al.	2015/0371663	A1	12/2015	Gustafson et al.
2015/0286716	A1	10/2015	Snibbe et al.	2015/0371665	A1	12/2015	Naik et al.
2015/0286937	A1	10/2015	Hildebrand	2015/0373183	A1	12/2015	Woolsey et al.
2015/0287401	A1	10/2015	Lee et al.	2015/0379118	A1	12/2015	Wickenkamp et al.
2015/0287409	A1	10/2015	Jang	2015/0379414	A1	12/2015	Yeh et al.
2015/0287411	A1	10/2015	Kojima et al.	2015/0379993	A1	12/2015	Subhjit et al.
2015/0288629	A1	10/2015	Choi et al.	2015/0381923	A1	12/2015	Wickenkamp et al.
2015/0294086	A1	10/2015	Kare et al.	2015/0382047	A1	12/2015	Van Os et al.
2015/0294377	A1	10/2015	Chow	2015/0382079	A1	12/2015	Lister et al.
2015/0294516	A1	10/2015	Chiang	2015/0382147	A1	12/2015	Clark et al.
2015/0295915	A1	10/2015	Xiu	2016/0004690	A1	1/2016	Bangalore et al.
2015/0301796	A1	10/2015	Visser et al.	2016/0005320	A1	1/2016	deCharms et al.
2015/0302855	A1	10/2015	Kim et al.	2016/0012038	A1	1/2016	Edwards et al.
2015/0302856	A1	10/2015	Kim et al.	2016/0014476	A1	1/2016	Caliendo, Jr. et al.
2015/0302857	A1	10/2015	Yamada	2016/0018872	A1	1/2016	Tu et al.
2015/0302870	A1	10/2015	Burke et al.	2016/0018900	A1	1/2016	Tu et al.
2015/0309997	A1	10/2015	Lee et al.	2016/0018959	A1	1/2016	Yamashita et al.
2015/0310114	A1	10/2015	Ryger et al.	2016/0019886	A1	1/2016	Hong
2015/0310858	A1	10/2015	Li et al.	2016/0021414	A1	1/2016	Padi et al.
2015/0310862	A1	10/2015	Dauphin et al.	2016/0026258	A1	1/2016	Ou et al.
2015/0310879	A1	10/2015	Buchanan et al.	2016/0027431	A1	1/2016	Kurzweil et al.
2015/0310888	A1	10/2015	Chen	2016/0028666	A1	1/2016	Li
2015/0312182	A1	10/2015	Langholz	2016/0029316	A1	1/2016	Mohan et al.
2015/0312409	A1	10/2015	Czarnecki et al.	2016/0034042	A1	2/2016	Joo
2015/0314454	A1	11/2015	Breazeal et al.	2016/0034811	A1	2/2016	Paulik et al.
2015/0317069	A1	11/2015	Clements et al.	2016/0036953	A1	2/2016	Lee et al.
2015/0317310	A1	11/2015	Eiche et al.	2016/0041809	A1	2/2016	Clayton et al.
2015/0319411	A1	11/2015	Kasmir et al.	2016/0042735	A1	2/2016	Vibbert et al.
2015/0324041	A1	11/2015	Varley et al.	2016/0042748	A1	2/2016	Jain et al.
2015/0324334	A1	11/2015	Lee et al.	2016/0043905	A1	2/2016	Fiedler
2015/0331664	A1	11/2015	Osawa et al.	2016/0048666	A1	2/2016	Dey et al.
2015/0331711	A1	11/2015	Huang et al.	2016/0050254	A1	2/2016	Rao et al.
2015/0332667	A1	11/2015	Mason	2016/0055422	A1	2/2016	Li
2015/0334346	A1	11/2015	Cheatham, III et al.	2016/0062605	A1	3/2016	Agarwal et al.
2015/0339049	A1	11/2015	Kasemset et al.	2016/0063094	A1	3/2016	Udupa et al.
2015/0339391	A1	11/2015	Kang et al.	2016/0063998	A1	3/2016	Krishnamoorthy et al.
2015/0340033	A1	11/2015	Di Fabbri et al.	2016/0070581	A1	3/2016	Soon-Shiong
2015/0340040	A1	11/2015	Mun et al.	2016/0071516	A1	3/2016	Lee et al.
2015/0340042	A1	11/2015	Sejnoha et al.	2016/0071517	A1	3/2016	Beaver et al.
2015/0341717	A1	11/2015	Song et al.	2016/0071521	A1	3/2016	Haughay
2015/0346845	A1	12/2015	Di Censo et al.	2016/0072940	A1	3/2016	Cronin
2015/0347086	A1	12/2015	Liedholm et al.	2016/0077794	A1	3/2016	Kim et al.
2015/0347381	A1	12/2015	Bellegarda	2016/0078860	A1	3/2016	Paulik et al.
2015/0347382	A1	12/2015	Dolfing et al.	2016/0080165	A1	3/2016	Ehsani et al.
2015/0347383	A1	12/2015	Willmore et al.	2016/0080475	A1	3/2016	Singh et al.
2015/0347385	A1	12/2015	Flor et al.	2016/0085295	A1	3/2016	Shimy et al.
				2016/0085827	A1	3/2016	Chadha et al.
				2016/0086116	A1	3/2016	Rao et al.
				2016/0086599	A1	3/2016	Kurata et al.
				2016/0088335	A1	3/2016	Zucchetta

(56)

## References Cited

## U.S. PATENT DOCUMENTS

2016/0091967	A1	3/2016	Prokofieva et al.	2016/0253528	A1	9/2016	Gao et al.
2016/0092434	A1	3/2016	Bellegarda	2016/0259623	A1	9/2016	Sumner et al.
2016/0092447	A1	3/2016	Venkataraman et al.	2016/0259656	A1	9/2016	Sumner et al.
2016/0092766	A1	3/2016	Sainath et al.	2016/0259779	A1	9/2016	Labský et al.
2016/0093291	A1	3/2016	Kim	2016/0260431	A1	9/2016	Newendorp et al.
2016/0093298	A1	3/2016	Naik et al.	2016/0260433	A1	9/2016	Sumner et al.
2016/0093301	A1	3/2016	Bellegarda et al.	2016/0260434	A1	9/2016	Gelfenbeyn et al.
2016/0093304	A1	3/2016	Kim et al.	2016/0260436	A1	9/2016	Lemay et al.
2016/0094700	A1	3/2016	Lee et al.	2016/0266871	A1	9/2016	Schmid et al.
2016/0094889	A1	3/2016	Venkataraman et al.	2016/0267904	A1	9/2016	Biadsy et al.
2016/0094979	A1	3/2016	Naik et al.	2016/0274938	A1	9/2016	Strinati et al.
2016/0098991	A1	4/2016	Luo et al.	2016/0275941	A1	9/2016	Bellegarda et al.
2016/0098992	A1	4/2016	Renard et al.	2016/0275947	A1	9/2016	Li et al.
2016/0099892	A1	4/2016	Palakovich et al.	2016/0282824	A1	9/2016	Smallwood et al.
2016/0099984	A1	4/2016	Karagiannis et al.	2016/0282956	A1	9/2016	Ouyang et al.
2016/0104480	A1	4/2016	Sharifi	2016/0283185	A1	9/2016	McLaren et al.
2016/0104486	A1	4/2016	Penilla et al.	2016/0284005	A1	9/2016	Daniel et al.
2016/0111091	A1	4/2016	Bakish	2016/0284199	A1	9/2016	Dotan-Cohen et al.
2016/0112746	A1	4/2016	Zhang et al.	2016/0285808	A1	9/2016	Franklin et al.
2016/0117386	A1	4/2016	Ajmera et al.	2016/0286045	A1	9/2016	Shaltiel et al.
2016/0118048	A1	4/2016	Heide	2016/0293157	A1	10/2016	Chen et al.
2016/0119338	A1	4/2016	Cheyser	2016/0293168	A1	10/2016	Chen
2016/0125048	A1	5/2016	Hamada	2016/0294755	A1	10/2016	Prabhu
2016/0125071	A1	5/2016	Gabbai	2016/0299685	A1	10/2016	Zhai et al.
2016/0132046	A1	5/2016	Beoughter et al.	2016/0299882	A1	10/2016	Hegerty et al.
2016/0132484	A1	5/2016	Nauze et al.	2016/0299883	A1	10/2016	Zhu et al.
2016/0132488	A1	5/2016	Clark et al.	2016/0299977	A1	10/2016	Hreha
2016/0133254	A1	5/2016	Vogel et al.	2016/0300571	A1	10/2016	Foerster et al.
2016/0139662	A1	5/2016	Dabhade	2016/0301639	A1	10/2016	Liu et al.
2016/0140951	A1	5/2016	Agiomyrgiannakis et al.	2016/0307566	A1	10/2016	Bellegarda
2016/0140962	A1	5/2016	Sharifi	2016/0308799	A1	10/2016	Schubert et al.
2016/0147725	A1	5/2016	Patten et al.	2016/0313906	A1	10/2016	Kilchenko et al.
2016/0148610	A1	5/2016	Kennewick, Jr. et al.	2016/0314788	A1	10/2016	Jitkoff et al.
2016/0150020	A1	5/2016	Farmer et al.	2016/0314792	A1	10/2016	Alvarez et al.
2016/0154624	A1	6/2016	Son et al.	2016/0315996	A1	10/2016	Ha et al.
2016/0154880	A1	6/2016	Hoarty	2016/0317924	A1	11/2016	Tanaka et al.
2016/0155442	A1	6/2016	Kannan et al.	2016/0321239	A1	11/2016	Iso-Sipilä et al.
2016/0155443	A1	6/2016	Khan et al.	2016/0321261	A1	11/2016	Spasojevic et al.
2016/0156574	A1	6/2016	Hum et al.	2016/0321358	A1	11/2016	Kanani et al.
2016/0162456	A1	6/2016	Munro et al.	2016/0322043	A1	11/2016	Bellegarda
2016/0163311	A1	6/2016	Crook et al.	2016/0322044	A1	11/2016	Jung et al.
2016/0163312	A1	6/2016	Naik et al.	2016/0322045	A1	11/2016	Hatfield et al.
2016/0170966	A1	6/2016	Kolo	2016/0322048	A1	11/2016	Amano et al.
2016/0173578	A1	6/2016	Sharma et al.	2016/0322050	A1	11/2016	Wang et al.
2016/0173617	A1	6/2016	Allinson	2016/0328147	A1	11/2016	Zhang et al.
2016/0173960	A1	6/2016	Snibbe et al.	2016/0328205	A1	11/2016	Agrawal et al.
2016/0179462	A1	6/2016	Bjorkengren	2016/0328893	A1	11/2016	Cordova et al.
2016/0179464	A1	6/2016	Reddy et al.	2016/0329060	A1	11/2016	Ito et al.
2016/0179787	A1	6/2016	Deleeuw	2016/0334973	A1	11/2016	Reckhow et al.
2016/0180840	A1	6/2016	Siddiq et al.	2016/0335532	A1	11/2016	Sanghavi et al.
2016/0180844	A1	6/2016	Vanblon et al.	2016/0336007	A1	11/2016	Hanazawa et al.
2016/0182410	A1	6/2016	Janakiraman et al.	2016/0336010	A1	11/2016	Lindahl
2016/0182709	A1	6/2016	Kim et al.	2016/0336011	A1	11/2016	Koll et al.
2016/0188181	A1	6/2016	Smith	2016/0336024	A1	11/2016	Choi et al.
2016/0188738	A1	6/2016	Gruber et al.	2016/0337299	A1	11/2016	Lane et al.
2016/0189717	A1	6/2016	Kannan et al.	2016/0337301	A1	11/2016	Rollins et al.
2016/0196110	A1	7/2016	Yehoshua et al.	2016/0342317	A1	11/2016	Lim et al.
2016/0198319	A1	7/2016	Huang et al.	2016/0342685	A1	11/2016	Basu et al.
2016/0203002	A1	7/2016	Kannan et al.	2016/0342781	A1	11/2016	Jeon
2016/0210551	A1	7/2016	Lee et al.	2016/0350650	A1	12/2016	Leeman-Munk et al.
2016/0210981	A1	7/2016	Lee	2016/0351190	A1	12/2016	Piemot et al.
2016/0212488	A1	7/2016	Os et al.	2016/0352567	A1	12/2016	Robbins et al.
2016/0217784	A1	7/2016	Gelfenbeyn et al.	2016/0357304	A1	12/2016	Hatori et al.
2016/0224540	A1	8/2016	Stewart et al.	2016/0357728	A1	12/2016	Bellegarda et al.
2016/0224774	A1	8/2016	Pender	2016/0357790	A1	12/2016	Elkington et al.
2016/0225372	A1	8/2016	Cheung et al.	2016/0357861	A1	12/2016	Carlhian et al.
2016/0227107	A1	8/2016	Beaumont	2016/0357870	A1	12/2016	Hentschel et al.
2016/0232500	A1	8/2016	Wang et al.	2016/0358598	A1	12/2016	Williams et al.
2016/0239645	A1	8/2016	Heo et al.	2016/0358600	A1	12/2016	Nallasamy et al.
2016/0240187	A1	8/2016	Fleizach et al.	2016/0358619	A1	12/2016	Ramprashad et al.
2016/0240189	A1	8/2016	Lee et al.	2016/0359771	A1	12/2016	Sridhar
2016/0240192	A1	8/2016	Raghuvir	2016/0360039	A1	12/2016	Sanghavi et al.
2016/0247061	A1	8/2016	Trask et al.	2016/0360336	A1	12/2016	Gross et al.
2016/0249319	A1	8/2016	Dotan-Cohen et al.	2016/0360382	A1	12/2016	Gross et al.
2016/0253312	A1	9/2016	Rhodes	2016/0364378	A1	12/2016	Futrell et al.
				2016/0365101	A1	12/2016	Foy et al.
				2016/0371250	A1	12/2016	Rhodes
				2016/0372112	A1	12/2016	Miller et al.
				2016/0372119	A1	12/2016	Sak et al.



(56)

## References Cited

## U.S. PATENT DOCUMENTS

2016/0378747	A1	12/2016	Orr et al.	2017/0154033	A1	6/2017	Lee
2016/0379091	A1	12/2016	Lin et al.	2017/0154055	A1	6/2017	Dimson et al.
2016/0379626	A1	12/2016	Deisher et al.	2017/0155940	A1	6/2017	Jin et al.
2016/0379632	A1	12/2016	Hoffmeister et al.	2017/0161018	A1	6/2017	Lemay et al.
2016/0379633	A1	12/2016	Lehman et al.	2017/0161268	A1	6/2017	Badaskar
2016/0379639	A1	12/2016	Weinstein et al.	2017/0161293	A1	6/2017	Ionescu et al.
2016/0379641	A1	12/2016	Liu et al.	2017/0161393	A1	6/2017	Oh et al.
2017/0003931	A1	1/2017	Dvortsov et al.	2017/0162191	A1	6/2017	Grost et al.
2017/0004824	A1	1/2017	Yoo et al.	2017/0162203	A1	6/2017	Huang et al.
2017/0005818	A1	1/2017	Gould	2017/0169818	A1	6/2017	Vanbion et al.
2017/0011091	A1	1/2017	Chehrehgani	2017/0169819	A1	6/2017	Mese et al.
2017/0011303	A1	1/2017	Annapureddy et al.	2017/0177547	A1	6/2017	Cierieszko et al.
2017/0011742	A1	1/2017	Jing et al.	2017/0178619	A1	6/2017	Naik et al.
2017/0013124	A1	1/2017	Havelka et al.	2017/0178620	A1	6/2017	Fleizach et al.
2017/0013331	A1	1/2017	Watanabe et al.	2017/0178626	A1	6/2017	Gruber et al.
2017/0018271	A1	1/2017	Khan et al.	2017/0180499	A1	6/2017	Gelfenbeyn et al.
2017/0019987	A1	1/2017	Dragone et al.	2017/0185375	A1	6/2017	Martel et al.
2017/0023963	A1	1/2017	Davis et al.	2017/0185581	A1	6/2017	Bojja et al.
2017/0025124	A1	1/2017	Mixter et al.	2017/0186429	A1	6/2017	Giuli et al.
2017/0026318	A1	1/2017	Daniel et al.	2017/0187711	A1	6/2017	Joo et al.
2017/0026509	A1	1/2017	Rand	2017/0193083	A1	7/2017	Bhatt et al.
2017/0031576	A1	2/2017	Saoji et al.	2017/0195493	A1	7/2017	Sudarsan et al.
2017/0032783	A1	2/2017	Lord et al.	2017/0195636	A1	7/2017	Child et al.
2017/0032787	A1	2/2017	Dayal	2017/0199870	A1	7/2017	Zheng et al.
2017/0032791	A1	2/2017	Elson et al.	2017/0199874	A1	7/2017	Patel et al.
2017/0039283	A1	2/2017	Bennett et al.	2017/0200066	A1	7/2017	Wang et al.
2017/0039475	A1	2/2017	Cheyet et al.	2017/0201609	A1	7/2017	Salmenkaita et al.
2017/0040002	A1	2/2017	Basson et al.	2017/0201613	A1	7/2017	Engelke et al.
2017/0047063	A1	2/2017	Ohmura et al.	2017/0206899	A1	7/2017	Bryant et al.
2017/0053652	A1	2/2017	Choi et al.	2017/0215052	A1	7/2017	Koum et al.
2017/0055895	A1	3/2017	Jardins et al.	2017/0221486	A1	8/2017	Kurata et al.
2017/0060853	A1	3/2017	Lee	2017/0223189	A1	8/2017	Meredith et al.
2017/0061423	A1	3/2017	Bryant et al.	2017/0227935	A1	8/2017	Su et al.
2017/0068423	A1	3/2017	Napolitano et al.	2017/0228367	A1	8/2017	Pasupalak et al.
2017/0068513	A1	3/2017	Stasior et al.	2017/0228382	A1	8/2017	Haviv et al.
2017/0068550	A1	3/2017	Zeitlin	2017/0230429	A1	8/2017	Garmark et al.
2017/0068670	A1	3/2017	Orr et al.	2017/0230497	A1	8/2017	Kim et al.
2017/0069308	A1	3/2017	Aleksic et al.	2017/0230709	A1	8/2017	Van Os et al.
2017/0075653	A1	3/2017	Dawidowsky et al.	2017/0235361	A1	8/2017	Rigazio et al.
2017/0076720	A1	3/2017	Gopalan et al.	2017/0235618	A1	8/2017	Lin et al.
2017/0076721	A1	3/2017	Bargetzi et al.	2017/0235721	A1	8/2017	Almosallam et al.
2017/0078490	A1	3/2017	Kaminsky et al.	2017/0236512	A1	8/2017	Williams et al.
2017/0083179	A1	3/2017	Gruber et al.	2017/0236514	A1	8/2017	Nelson
2017/0083285	A1	3/2017	Meyers et al.	2017/0238039	A1	8/2017	Sabattini
2017/0083504	A1	3/2017	Huang	2017/0242653	A1	8/2017	Lang et al.
2017/0084277	A1	3/2017	Sharifi	2017/0242657	A1	8/2017	Jarvis et al.
2017/0085547	A1	3/2017	De Aguiar et al.	2017/0243468	A1	8/2017	Dotan-Cohen et al.
2017/0090569	A1	3/2017	Levesque	2017/0243576	A1	8/2017	Millington et al.
2017/0091168	A1	3/2017	Bellegarda et al.	2017/0243586	A1	8/2017	Civelli et al.
2017/0091169	A1	3/2017	Bellegarda et al.	2017/0256256	A1	9/2017	Wang et al.
2017/0091612	A1	3/2017	Gruber et al.	2017/0263247	A1	9/2017	Kang et al.
2017/0092259	A1	3/2017	Jeon	2017/0263248	A1	9/2017	Gruber et al.
2017/0092270	A1	3/2017	Newendorp et al.	2017/0263249	A1	9/2017	Akback et al.
2017/0092278	A1	3/2017	Evermann et al.	2017/0264451	A1	9/2017	Yu et al.
2017/0093356	A1	3/2017	Cudak et al.	2017/0264711	A1	9/2017	Natarajan et al.
2017/0102837	A1	4/2017	Toumpelis	2017/0270912	A1	9/2017	Levit et al.
2017/0102915	A1	4/2017	Kuscher et al.	2017/0278514	A1	9/2017	Mathias et al.
2017/0103749	A1	4/2017	Zhao et al.	2017/0285915	A1	10/2017	Napolitano et al.
2017/0105190	A1	4/2017	Logan et al.	2017/0286397	A1	10/2017	Gonzalez
2017/0110117	A1	4/2017	Chakladar et al.	2017/0287472	A1	10/2017	Ogawa et al.
2017/0116177	A1	4/2017	Walia	2017/0289305	A1	10/2017	Liensberger et al.
2017/0116982	A1	4/2017	Gelfenbeyn et al.	2017/0295446	A1	10/2017	Shivappa
2017/0116989	A1	4/2017	Yadgar et al.	2017/0308609	A1	10/2017	Berkhin et al.
2017/0124190	A1	5/2017	Wang et al.	2017/0311005	A1	10/2017	Lin
2017/0125016	A1	5/2017	Wang	2017/0316775	A1	11/2017	Le et al.
2017/0127124	A9	5/2017	Wilson et al.	2017/0316782	A1	11/2017	Haughay
2017/0131778	A1	5/2017	Iyer	2017/0319123	A1	11/2017	Voss et al.
2017/0132019	A1	5/2017	Karashchuk et al.	2017/0323637	A1	11/2017	Naik
2017/0132199	A1	5/2017	Vescovi et al.	2017/0329466	A1	11/2017	Krenkler et al.
2017/0133007	A1	5/2017	Drewes	2017/0329490	A1	11/2017	Esinovskaya et al.
2017/0140041	A1	5/2017	Dotan-Cohen et al.	2017/0329572	A1	11/2017	Shah et al.
2017/0140644	A1	5/2017	Hwang et al.	2017/0329630	A1	11/2017	Jann et al.
2017/0140760	A1	5/2017	Sachdev	2017/0330567	A1	11/2017	Van Wissen et al.
2017/0147841	A1	5/2017	Stagg et al.	2017/0337035	A1	11/2017	Choudhary et al.
2017/0148044	A1	5/2017	Fukuda et al.	2017/0337478	A1	11/2017	Sarikaya et al.
				2017/0345411	A1	11/2017	Raitio et al.
				2017/0345420	A1	11/2017	Barnett, Jr.
				2017/0345429	A1	11/2017	Hardee et al.
				2017/0346949	A1	11/2017	Sanghavi et al.

(56)

## References Cited

## U.S. PATENT DOCUMENTS

2017/0351487	A1	12/2017	Avilés-Casco et al.	2018/0157372	A1	6/2018	Kurabayashi
2017/0352346	A1	12/2017	Paulik et al.	2018/0157992	A1	6/2018	Susskind et al.
2017/0352350	A1	12/2017	Booker et al.	2018/0158548	A1	6/2018	Taheri et al.
2017/0357478	A1	12/2017	Piersol et al.	2018/0166076	A1	6/2018	Higuchi et al.
2017/0357632	A1	12/2017	Pagallo et al.	2018/0167884	A1	6/2018	Dawid et al.
2017/0357633	A1	12/2017	Wang et al.	2018/0173403	A1	6/2018	Carbune et al.
2017/0357637	A1	12/2017	Nell et al.	2018/0173542	A1	6/2018	Chan et al.
2017/0357640	A1	12/2017	Bellegarda et al.	2018/0174406	A1	6/2018	Arashi et al.
2017/0357716	A1	12/2017	Bellegarda et al.	2018/0174576	A1	6/2018	Soltau et al.
2017/0358300	A1	12/2017	Laurens et al.	2018/0174597	A1	6/2018	Lee et al.
2017/0358301	A1	12/2017	Raitio et al.	2018/0182376	A1	6/2018	Gysel et al.
2017/0358302	A1	12/2017	Orr et al.	2018/0188840	A1	7/2018	Tamura et al.
2017/0358303	A1	12/2017	Walker, II et al.	2018/0190273	A1	7/2018	Karimli et al.
2017/0358304	A1	12/2017	Castillo et al.	2018/0190279	A1	7/2018	Anderson et al.
2017/0358305	A1	12/2017	Kudurshian et al.	2018/0191670	A1	7/2018	Suyama
2017/0358317	A1	12/2017	James	2018/0196683	A1	7/2018	Radebaugh et al.
2017/0365251	A1	12/2017	Park et al.	2018/0210874	A1	7/2018	Fuxman et al.
2017/0371509	A1	12/2017	Jung et al.	2018/0213448	A1	7/2018	Segal et al.
2017/0371885	A1	12/2017	Aggarwal et al.	2018/0218735	A1	8/2018	Hunt et al.
2017/0374093	A1	12/2017	Dhar et al.	2018/0225274	A1	8/2018	Tommy et al.
2017/0374176	A1	12/2017	Agrawal et al.	2018/0232203	A1	8/2018	Gelfenbeyn et al.
2018/0005112	A1	1/2018	Iso-Sipila et al.	2018/0233140	A1	8/2018	Koishida et al.
2018/0007060	A1	1/2018	Leblang et al.	2018/0247065	A1	8/2018	Rhee et al.
2018/0007096	A1	1/2018	Levin et al.	2018/0253209	A1	9/2018	Jaygarl et al.
2018/0007538	A1	1/2018	Naik et al.	2018/0253652	A1	9/2018	Palzer et al.
2018/0012596	A1	1/2018	Piernot et al.	2018/0260680	A1	9/2018	Finkelstein et al.
2018/0018248	A1	1/2018	Bhargava et al.	2018/0268106	A1	9/2018	Velaga
2018/0024985	A1	1/2018	Asano	2018/0270343	A1	9/2018	Rout et al.
2018/0033431	A1	2/2018	Newendorp et al.	2018/0275839	A1	9/2018	Kocienda et al.
2018/0033436	A1	2/2018	Zhou	2018/0276197	A1	9/2018	Nell et al.
2018/0047201	A1	2/2018	Filev et al.	2018/0277113	A1	9/2018	Hartung et al.
2018/0047406	A1	2/2018	Park	2018/0278740	A1	9/2018	Choi
2018/0052909	A1	2/2018	Sharifi et al.	2018/0285056	A1	10/2018	Cutler et al.
2018/0054505	A1	2/2018	Hart et al.	2018/0293984	A1	10/2018	Lindahl
2018/0060032	A1	3/2018	Boesen	2018/0293988	A1	10/2018	Huang et al.
2018/0060301	A1	3/2018	Li et al.	2018/0308477	A1	10/2018	Nagasaka
2018/0060312	A1	3/2018	Won	2018/0308480	A1	10/2018	Jang et al.
2018/0061400	A1	3/2018	Carbune et al.	2018/0308485	A1	10/2018	Kudurshian et al.
2018/0061401	A1	3/2018	Sarikaya et al.	2018/0308486	A1	10/2018	Saddler et al.
2018/0062691	A1	3/2018	Barnett, Jr.	2018/0314552	A1	11/2018	Kim et al.
2018/0063308	A1	3/2018	Crystal et al.	2018/0315416	A1	11/2018	Berthelsen et al.
2018/0063324	A1	3/2018	Van Meter, II	2018/0322112	A1	11/2018	Bellegarda et al.
2018/0063624	A1	3/2018	Boesen	2018/0322881	A1	11/2018	Min et al.
2018/0067904	A1	3/2018	Li	2018/0329677	A1	11/2018	Gruber et al.
2018/0067914	A1	3/2018	Chen et al.	2018/0329957	A1	11/2018	Frazzangaro et al.
2018/0067918	A1	3/2018	Bellegarda et al.	2018/0329982	A1	11/2018	Patel et al.
2018/0069743	A1	3/2018	Bakken et al.	2018/0329998	A1	11/2018	Thomson et al.
2018/0075847	A1	3/2018	Lee et al.	2018/0330714	A1	11/2018	Paulik et al.
2018/0088969	A1	3/2018	Vanblon et al.	2018/0330721	A1	11/2018	Thomson et al.
2018/0089166	A1	3/2018	Meyer et al.	2018/0330722	A1	11/2018	Newendorp et al.
2018/0089588	A1	3/2018	Ravi et al.	2018/0330723	A1	11/2018	Aceero et al.
2018/0090143	A1	3/2018	Saddler et al.	2018/0330729	A1	11/2018	Golipour et al.
2018/0091847	A1	3/2018	Wu et al.	2018/0330730	A1	11/2018	Garg et al.
2018/0096683	A1	4/2018	James et al.	2018/0330731	A1	11/2018	Zeitlin et al.
2018/0096690	A1	4/2018	Mixter et al.	2018/0330733	A1	11/2018	Orr et al.
2018/0102914	A1	4/2018	Kawachi et al.	2018/0330737	A1	11/2018	Paulik et al.
2018/0107917	A1	4/2018	Hewavitharana et al.	2018/0332118	A1	11/2018	Phipps et al.
2018/0107945	A1	4/2018	Gao et al.	2018/0336184	A1	11/2018	Bellegarda et al.
2018/0108346	A1	4/2018	Paulik et al.	2018/0336197	A1	11/2018	Skilling et al.
2018/0113673	A1	4/2018	Sheynblat	2018/0336275	A1	11/2018	Graham et al.
2018/0121432	A1	5/2018	Parson et al.	2018/0336439	A1	11/2018	Kliger et al.
2018/0122376	A1	5/2018	Kojima	2018/0336449	A1	11/2018	Adan et al.
2018/0122378	A1	5/2018	Mixter et al.	2018/0336892	A1	11/2018	Kim et al.
2018/0129967	A1	5/2018	Herreshoff	2018/0336894	A1	11/2018	Graham et al.
2018/0130470	A1	5/2018	Lemay et al.	2018/0336904	A1	11/2018	Piercy et al.
2018/0130471	A1	5/2018	Trufinescu et al.	2018/0336905	A1	11/2018	Kim et al.
2018/0137856	A1	5/2018	Gilbert	2018/0336920	A1	11/2018	Bastian et al.
2018/0137857	A1	5/2018	Zhou et al.	2018/0341643	A1	11/2018	Alders et al.
2018/0137865	A1	5/2018	Ling	2018/0343557	A1	11/2018	Naik et al.
2018/0143967	A1	5/2018	Anbazhagan et al.	2018/0349084	A1	12/2018	Nagasaka et al.
2018/0144615	A1	5/2018	Kinney et al.	2018/0349346	A1	12/2018	Hatori et al.
2018/0144746	A1	5/2018	Mishra et al.	2018/0349349	A1	12/2018	Bellegarda et al.
2018/0144748	A1	5/2018	Leong	2018/0349447	A1	12/2018	Maccartney et al.
2018/0146089	A1	5/2018	Rauenbuehler et al.	2018/0349472	A1	12/2018	Kohlschuetter et al.
2018/0150744	A1	5/2018	Orr et al.	2018/0350345	A1	12/2018	Naik
				2018/0350353	A1	12/2018	Gruber et al.
				2018/0357073	A1	12/2018	Johnson et al.
				2018/0357308	A1	12/2018	Cheyer
				2018/0358015	A1	12/2018	Cash et al.

(56)

## References Cited

## U.S. PATENT DOCUMENTS

2018/0358019	A1	12/2018	Mont-Reynaud	2019/0272825	A1	9/2019	O'Malley et al.
2018/0365653	A1	12/2018	Cleaver et al.	2019/0272831	A1	9/2019	Kajarekar
2018/0366105	A1	12/2018	Kim	2019/0273963	A1	9/2019	Jobanputra
2018/0373487	A1	12/2018	Gruber et al.	2019/0278841	A1	9/2019	Pusateri et al.
2018/0374484	A1	12/2018	Huang et al.	2019/0287522	A1	9/2019	Lambourne et al.
2019/0012141	A1	1/2019	Piersol et al.	2019/0295544	A1	9/2019	Garcia et al.
2019/0012449	A1	1/2019	Cheyser	2019/0303442	A1	10/2019	Peitz et al.
2019/0013018	A1	1/2019	Rekstad	2019/0310765	A1	10/2019	Napolitano et al.
2019/0013025	A1	1/2019	Alcorn et al.	2019/0318739	A1	10/2019	Garg et al.
2019/0014450	A1	1/2019	Gruber et al.	2019/0339784	A1	11/2019	Lemay et al.
2019/0019077	A1	1/2019	Griffin et al.	2019/0341027	A1	11/2019	Vescovi et al.
2019/0027152	A1	1/2019	Huang et al.	2019/0341056	A1	11/2019	Paulik et al.
2019/0034040	A1	1/2019	Shah et al.	2019/0347063	A1	11/2019	Liu et al.
2019/0034826	A1	1/2019	Ahmad et al.	2019/0348022	A1	11/2019	Park et al.
2019/0035405	A1	1/2019	Haughay	2019/0354548	A1	11/2019	Orr et al.
2019/0042059	A1	2/2019	Baer	2019/0355346	A1	11/2019	Bellegarda
2019/0042627	A1	2/2019	Osotio et al.	2019/0361729	A1	11/2019	Gruber et al.
2019/0043507	A1	2/2019	Huang et al.	2019/0369748	A1	12/2019	Hindi et al.
2019/0045040	A1	2/2019	Lee et al.	2019/0369842	A1	12/2019	Dolbakian et al.
2019/0051309	A1	2/2019	Kim et al.	2019/0370292	A1	12/2019	Irani et al.
2019/0057697	A1	2/2019	Giuli et al.	2019/0370323	A1	12/2019	Davidson et al.
2019/0065144	A1	2/2019	Sumner et al.	2019/0371315	A1	12/2019	Newendorp et al.
2019/0065993	A1	2/2019	Srinivasan et al.	2019/0371316	A1	12/2019	Weinstein et al.
2019/0066674	A1	2/2019	Jaygarl et al.	2019/0371317	A1	12/2019	Irani et al.
2019/0068810	A1	2/2019	Okamoto et al.	2019/0371331	A1	12/2019	Schramm et al.
2019/0073998	A1	3/2019	Leblang et al.	2019/0372902	A1	12/2019	Piersol
2019/0074009	A1	3/2019	Kim et al.	2019/0373102	A1	12/2019	Weinstein et al.
2019/0074015	A1	3/2019	Orr et al.	2020/0019609	A1	1/2020	Yu et al.
2019/0074016	A1	3/2019	Orr et al.	2020/0042334	A1	2/2020	Radebaugh et al.
2019/0079476	A1	3/2019	Funes	2020/0043482	A1	2/2020	Gruber et al.
2019/0080685	A1	3/2019	Johnson, Jr.	2020/0043489	A1	2/2020	Bradley et al.
2019/0080698	A1	3/2019	Miller	2020/0044485	A1	2/2020	Smith et al.
2019/0087412	A1	3/2019	Seyed Ibrahim et al.	2020/0053218	A1	2/2020	Gray
2019/0087455	A1	3/2019	He et al.	2020/0058299	A1	2/2020	Lee et al.
2019/0095050	A1	3/2019	Gruber et al.	2020/0075018	A1	3/2020	Chen
2019/0095171	A1	3/2019	Carson et al.	2020/0091958	A1	3/2020	Curtis et al.
2019/0102378	A1	4/2019	Piernot et al.	2020/0092625	A1	3/2020	Raffle
2019/0102381	A1	4/2019	Futrell et al.	2020/0098362	A1	3/2020	Piernot et al.
2019/0103103	A1	4/2019	Ni et al.	2020/0098368	A1	3/2020	Lemay et al.
2019/0103112	A1	4/2019	Walker et al.	2020/0104357	A1	4/2020	Bellegarda et al.
2019/0116264	A1	4/2019	Sanghavi et al.	2020/0104362	A1	4/2020	Yang et al.
2019/0122666	A1	4/2019	Raitio et al.	2020/0104369	A1	4/2020	Bellegarda
2019/0122692	A1	4/2019	Binder et al.	2020/0104668	A1	4/2020	Sanghavi et al.
2019/0124019	A1	4/2019	Leon et al.	2020/0105260	A1	4/2020	Piernot et al.
2019/0129615	A1	5/2019	Sundar et al.	2020/0118568	A1	4/2020	Kudurshian et al.
2019/0132694	A1	5/2019	Hanes et al.	2020/0125820	A1	4/2020	Kim et al.
2019/0139541	A1	5/2019	Andersen et al.	2020/0127988	A1	4/2020	Bradley et al.
2019/0141494	A1	5/2019	Gross et al.	2020/0135209	A1	4/2020	Delfarah et al.
2019/0147880	A1	5/2019	Booker et al.	2020/0137230	A1	4/2020	Spohrer
2019/0149972	A1	5/2019	Parks et al.	2020/0143812	A1	5/2020	Walker, II et al.
2019/0156830	A1	5/2019	Devaraj et al.	2020/0159579	A1	5/2020	Shear et al.
2019/0158994	A1	5/2019	Gross et al.	2020/0160179	A1	5/2020	Chien et al.
2019/0164546	A1	5/2019	Piernot et al.	2020/0169637	A1	5/2020	Sanghavi et al.
2019/0172467	A1	6/2019	Kim et al.	2020/0175566	A1	6/2020	Bender et al.
2019/0179607	A1	6/2019	Thangarathnam et al.	2020/0184964	A1	6/2020	Myers et al.
2019/0179890	A1	6/2019	Evermann	2020/0193997	A1	6/2020	Piernot et al.
2019/0180770	A1	6/2019	Kothari et al.	2020/0221155	A1	7/2020	Hansen et al.
2019/0182176	A1	6/2019	Niewczas	2020/0227034	A1	7/2020	Summa et al.
2019/0187787	A1	6/2019	White et al.	2020/0227044	A1	7/2020	Lindahl
2019/0188326	A1	6/2019	Daianu et al.	2020/0249985	A1	8/2020	Zeitlin
2019/0188328	A1	6/2019	Oyenan et al.	2020/0252508	A1	8/2020	Gray
2019/0189118	A1	6/2019	Piernot et al.	2020/0267222	A1	8/2020	Phipps et al.
2019/0189125	A1	6/2019	Van Os et al.	2020/0272485	A1	8/2020	Karashchuk et al.
2019/0197053	A1	6/2019	Graham et al.	2020/0279576	A1	9/2020	Binder et al.
2019/0213999	A1	7/2019	Gruppen et al.	2020/0279627	A1	9/2020	Nida et al.
2019/0214024	A1	7/2019	Gruber et al.	2020/0285327	A1	9/2020	Hindi et al.
2019/0220245	A1	7/2019	Martel et al.	2020/0286472	A1	9/2020	Newendorp et al.
2019/0220246	A1	7/2019	Orr et al.	2020/0286493	A1	9/2020	Orr et al.
2019/0220247	A1	7/2019	Lemay et al.	2020/0302356	A1	9/2020	Gruber et al.
2019/0236130	A1	8/2019	Li et al.	2020/0302919	A1	9/2020	Greborio et al.
2019/0236459	A1	8/2019	Cheyser et al.	2020/0302925	A1	9/2020	Shah et al.
2019/0244618	A1	8/2019	Newendorp et al.	2020/0302932	A1	9/2020	Schramm et al.
2019/0251339	A1	8/2019	Hawker	2020/0304955	A1	9/2020	Gross et al.
2019/0251960	A1	8/2019	Maker et al.	2020/0304972	A1	9/2020	Gross et al.
2019/0259386	A1	8/2019	Kudurshian et al.	2020/0305084	A1	9/2020	Freeman et al.
				2020/0312317	A1	10/2020	Kothari et al.
				2020/0314191	A1	10/2020	Madhavan et al.
				2020/0319850	A1	10/2020	Stasior et al.
				2020/0327895	A1	10/2020	Gruber et al.

(56)	<b>References Cited</b>			CN	101910960	A	12/2010
	U.S. PATENT DOCUMENTS			CN	101923853	A	12/2010
				CN	101930789	A	12/2010
				CN	101939740	A	1/2011
2020/0356243	A1	11/2020	Meyer et al.	CN	101951553	A	1/2011
2020/0357391	A1	11/2020	Ghoshal et al.	CN	101958958	A	1/2011
2020/0357406	A1	11/2020	York et al.	CN	101971250	A	2/2011
2020/0357409	A1	11/2020	Sun et al.	CN	101992779	A	3/2011
2020/0364411	A1	11/2020	Evermann	CN	102056026	A	5/2011
2020/0365155	A1	11/2020	Milden	CN	102122506	A	7/2011
2020/0372904	A1	11/2020	Vescovi et al.	CN	102124515	A	7/2011
2020/0374243	A1	11/2020	Jina et al.	CN	102137085	A	7/2011
2020/0379610	A1	12/2020	Ford et al.	CN	102137193	A	7/2011
2020/0379640	A1	12/2020	Bellegarda et al.	CN	102160043	A	8/2011
2020/0379726	A1	12/2020	Blatz et al.	CN	102201235	A	9/2011
2020/0379727	A1	12/2020	Blatz et al.	CN	102214187	A	10/2011
2020/0379728	A1	12/2020	Gada et al.	CN	102237088	A	11/2011
2020/0380389	A1	12/2020	Eldeeb et al.	CN	102246136	A	11/2011
2020/0380956	A1	12/2020	Rossi et al.	CN	202035047	U	11/2011
2020/0380963	A1	12/2020	Chappidi et al.	CN	102282609	A	12/2011
2020/0380966	A1	12/2020	Anero et al.	CN	202092650	U	12/2011
2020/0380973	A1	12/2020	Novitchenko et al.	CN	102340590	A	2/2012
2020/0380980	A1	12/2020	Shum et al.	CN	102346557	A	2/2012
2020/0380985	A1	12/2020	Gada et al.	CN	102368256	A	3/2012
2020/0382616	A1	12/2020	Vaishampayan et al.	CN	102402985	A	4/2012
2020/0382635	A1	12/2020	Vora et al.	CN	102405463	A	4/2012
				CN	102498457	A	6/2012
				CN	102510426	A	6/2012
				CN	102629246	A	8/2012
				CN	102651217	A	8/2012
AU	2015101171	A4	10/2015	CN	102681896	A	9/2012
AU	2018100187	A4	3/2018	CN	102682769	A	9/2012
AU	2017222436	A1	10/2018	CN	102682771	A	9/2012
CA	2670562	A1	1/2010	CN	102685295	A	9/2012
CA	2694314	A1	8/2010	CN	102693725	A	9/2012
CA	2792412	A1	7/2011	CN	102694909	A	9/2012
CA	2666438	C	6/2013	CN	202453859	U	9/2012
CH	681573	A5	4/1993	CN	102722478	A	10/2012
CN	1263385	A	8/2000	CN	102737104	A	10/2012
CN	1274440	A	11/2000	CN	102750087	A	10/2012
CN	1369858	A	9/2002	CN	102792320	A	11/2012
CN	1378156	A	11/2002	CN	102801853	A	11/2012
CN	1383109	A	12/2002	CN	102820033	A	12/2012
CN	1407795	A	4/2003	CN	102844738	A	12/2012
CN	1125436	C	10/2003	CN	102866828	A	1/2013
CN	1471098	A	1/2004	CN	102870065	A	1/2013
CN	1494695	A	5/2004	CN	102882752	A	1/2013
CN	1535519	A	10/2004	CN	102917004	A	2/2013
CN	1640191	A	7/2005	CN	102917271	A	2/2013
CN	1673939	A	9/2005	CN	102918493	A	2/2013
CN	1757027	A	4/2006	CN	102955652	A	3/2013
CN	1864204	A	11/2006	CN	103035240	A	4/2013
CN	1898721	A	1/2007	CN	103035251	A	4/2013
CN	2865153	Y	1/2007	CN	103038728	A	4/2013
CN	1959628	A	5/2007	CN	103093334	A	5/2013
CN	1975715	A	6/2007	CN	103135916	A	6/2013
CN	1995917	A	7/2007	CN	103198831	A	7/2013
CN	101008942	A	8/2007	CN	103209369	A	7/2013
CN	101162153	A	4/2008	CN	103226949	A	7/2013
CN	101179754	A	5/2008	CN	103236260	A	8/2013
CN	101183525	A	5/2008	CN	103246638	A	8/2013
CN	101188644	A	5/2008	CN	103268315	A	8/2013
CN	101228503	A	7/2008	CN	103280218	A	9/2013
CN	101233741	A	7/2008	CN	103292437	A	9/2013
CN	101246020	A	8/2008	CN	103327063	A	9/2013
CN	101271689	A	9/2008	CN	103365279	A	10/2013
CN	101292282	A	10/2008	CN	103366741	A	10/2013
CN	101297541	A	10/2008	CN	103390016	A	11/2013
CN	101427244	A	5/2009	CN	103412789	A	11/2013
CN	101499156	A	8/2009	CN	103426428	A	12/2013
CN	101535983	A	9/2009	CN	103455234	A	12/2013
CN	101632316	A	1/2010	CN	103456306	A	12/2013
CN	101636736	A	1/2010	CN	103533143	A	1/2014
CN	101667424	A	3/2010	CN	103533154	A	1/2014
CN	101673544	A	3/2010	CN	103543902	A	1/2014
CN	101751387	A	6/2010	CN	103562863	A	2/2014
CN	101833286	A	9/2010	CN	103608859	A	2/2014
CN	101847405	A	9/2010	CN	103645876	A	3/2014
CN	101855521	A	10/2010	CN	103716454	A	4/2014
CN	101894547	A	11/2010				

(56) References Cited			
FOREIGN PATENT DOCUMENTS			
CN	103727948	A	4/2014
CN	103744761	A	4/2014
CN	103760984	A	4/2014
CN	103765385	A	4/2014
CN	103792985	A	5/2014
CN	103794212	A	5/2014
CN	103795850	A	5/2014
CN	103841268	A	6/2014
CN	103902373	A	7/2014
CN	103930945	A	7/2014
CN	103959751	A	7/2014
CN	203721183	U	7/2014
CN	103971680	A	8/2014
CN	104007832	A	8/2014
CN	104038621	A	9/2014
CN	104090652	A	10/2014
CN	104113471	A	10/2014
CN	104125322	A	10/2014
CN	104144377	A	11/2014
CN	104169837	A	11/2014
CN	104180815	A	12/2014
CN	104243699	A	12/2014
CN	104281259	A	1/2015
CN	104284257	A	1/2015
CN	104335207	A	2/2015
CN	104335234	A	2/2015
CN	104374399	A	2/2015
CN	104423625	A	3/2015
CN	104427104	A	3/2015
CN	104463552	A	3/2015
CN	104487929	A	4/2015
CN	104516522	A	4/2015
CN	104573472	A	4/2015
CN	104575501	A	4/2015
CN	104584010	A	4/2015
CN	104604274	A	5/2015
CN	104679472	A	6/2015
CN	104769584	A	7/2015
CN	104854583	A	8/2015
CN	104869342	A	8/2015
CN	104951077	A	9/2015
CN	104967748	A	10/2015
CN	104969289	A	10/2015
CN	104978963	A	10/2015
CN	105025051	A	11/2015
CN	105027197	A	11/2015
CN	105093526	A	11/2015
CN	105100356	A	11/2015
CN	105190607	A	12/2015
CN	105247511	A	1/2016
CN	105264524	A	1/2016
CN	105278681	A	1/2016
CN	105320251	A	2/2016
CN	105320726	A	2/2016
CN	105379234	A	3/2016
CN	105430186	A	3/2016
CN	105471705	A	4/2016
CN	105472587	A	4/2016
CN	105556592	A	5/2016
CN	105808200	A	7/2016
CN	105830048	A	8/2016
CN	105869641	A	8/2016
CN	106030699	A	10/2016
CN	106062734	A	10/2016
CN	106415412	A	2/2017
CN	106462383	A	2/2017
CN	106463114	A	2/2017
CN	106465074	A	2/2017
CN	106534469	A	3/2017
CN	106776581	A	5/2017
CN	107450800	A	12/2017
CN	107480161	A	12/2017
CN	107491468	A	12/2017
CN	107545262	A	1/2018
CN	107608998	A	1/2018
CN	107615378	A	1/2018
CN	107871500	A	4/2018
CN	107919123	A	4/2018
CN	107924313	A	4/2018
CN	107978313	A	5/2018
CN	108647681	A	10/2018
CN	109447234	A	3/2019
CN	109657629	A	4/2019
CN	110135411	A	8/2019
CN	110531860	A	12/2019
CN	110598671	A	12/2019
CN	110647274	A	1/2020
CN	110825469	A	2/2020
DE	3837590	A1	5/1990
DE	4126902	A1	2/1992
DE	4334773	A1	4/1994
DE	4445023	A1	6/1996
DE	102004029203	A1	12/2005
DE	19841541	B4	12/2007
DE	102008024258	A1	11/2009
DE	202016008226	U1	5/2017
EP	30390	A1	6/1981
EP	57514	A1	8/1982
EP	59880	A2	9/1982
EP	138061	A1	4/1985
EP	140777	A1	5/1985
EP	218859	A2	4/1987
EP	262938	A1	4/1988
EP	138061	B1	6/1988
EP	283995	A2	9/1988
EP	293259	A2	11/1988
EP	299572	A2	1/1989
EP	313975	A2	5/1989
EP	314908	A2	5/1989
EP	327408	A2	8/1989
EP	389271	A2	9/1990
EP	411675	A2	2/1991
EP	441089	A2	8/1991
EP	464712	A2	1/1992
EP	476972	A2	3/1992
EP	534410	A2	3/1993
EP	558312	A1	9/1993
EP	559349	A1	9/1993
EP	570660	A1	11/1993
EP	575146	A2	12/1993
EP	578604	A1	1/1994
EP	586996	A2	3/1994
EP	609030	A1	8/1994
EP	651543	A2	5/1995
EP	679005	A1	10/1995
EP	795811	A1	9/1997
EP	476972	B1	5/1998
EP	845894	A2	6/1998
EP	852052	A1	7/1998
EP	863453	A1	9/1998
EP	863469	A2	9/1998
EP	867860	A2	9/1998
EP	869697	A2	10/1998
EP	559349	B1	1/1999
EP	889626	A1	1/1999
EP	917077	A2	5/1999
EP	691023	B1	9/1999
EP	946032	A2	9/1999
EP	981236	A1	2/2000
EP	982732	A1	3/2000
EP	984430	A2	3/2000
EP	1001588	A2	5/2000
EP	1014277	A1	6/2000
EP	1028425	A2	8/2000
EP	1028426	A2	8/2000
EP	1047251	A2	10/2000
EP	1052566	A1	11/2000
EP	1076302	A1	2/2001
EP	1091615	A1	4/2001
EP	1094406	A2	4/2001
EP	1107229	A2	6/2001
EP	1229496	A2	8/2002
EP	1233600	A2	8/2002
EP	1245023	A1	10/2002

(56)

## References Cited

## FOREIGN PATENT DOCUMENTS

EP	1246075	A2	10/2002	EP	2891049	A1	7/2015
EP	1280326	A1	1/2003	EP	2930715	A1	10/2015
EP	1291848	A2	3/2003	EP	2938022	A1	10/2015
EP	1311102	A1	5/2003	EP	2940556	A1	11/2015
EP	1315084	A1	5/2003	EP	2947859	A1	11/2015
EP	1315086	A1	5/2003	EP	2950307	A1	12/2015
EP	1345360	A2	9/2003	EP	2957986	A1	12/2015
EP	1347361	A1	9/2003	EP	2985984	A2	2/2016
EP	1368961	A2	12/2003	EP	2891049	A4	3/2016
EP	1379061	A2	1/2004	EP	3032532	A1	6/2016
EP	1432219	A1	6/2004	EP	3035329	A1	6/2016
EP	1435620	A1	7/2004	EP	3038333	A1	6/2016
EP	1480421	A1	11/2004	EP	3115905	A1	1/2017
EP	1517228	A2	3/2005	EP	3125097	A2	2/2017
EP	1536612	A1	6/2005	EP	3224708	A1	10/2017
EP	1566948	A1	8/2005	EP	3246916	A1	11/2017
EP	1588353	A2	10/2005	EP	3300074	A1	3/2018
EP	1650938	A1	4/2006	EP	2983065	B1	8/2018
EP	1675025	A2	6/2006	EP	3392876	A1	10/2018
EP	1693829	A1	8/2006	EP	3401773	A1	11/2018
EP	1699042	A1	9/2006	EP	2973002	B1	6/2019
EP	1739546	A2	1/2007	EP	3506151	A1	7/2019
EP	1181802	B1	2/2007	EP	3323058	B1	2/2020
EP	1818786	A1	8/2007	FR	2911201	A1	7/2008
EP	1892700	A1	2/2008	GB	2293667	A	4/1996
EP	1912205	A2	4/2008	GB	2310559	A	8/1997
EP	1939860	A1	7/2008	GB	2323694	A	9/1998
EP	651543	B1	9/2008	GB	2342802	A	4/2000
EP	1909263	B1	1/2009	GB	2343285	A	5/2000
EP	1335620	B1	3/2009	GB	2346500	A	8/2000
EP	2069895	A1	6/2009	GB	2352377	A	1/2001
EP	2094032	A1	8/2009	GB	2367399	A	4/2002
EP	2096840	A1	9/2009	GB	2384399	A	7/2003
EP	2107553	A1	10/2009	GB	2402855	A	12/2004
EP	2109295	A1	10/2009	GB	2445436	A	7/2008
EP	2144226	A1	1/2010	GB	2445667	A	7/2008
EP	2168399	A1	3/2010	GB	2470585	A1	12/2010
EP	1720375	B1	7/2010	IT	FI20010199	A1	4/2003
EP	2205010	A1	7/2010	JP	55-80084	A	6/1980
EP	2250640	A1	11/2010	JP	57-41731	A	3/1982
EP	2309491	A1	4/2011	JP	59-57336	A	4/1984
EP	2329348	A1	6/2011	JP	62-153326	A	7/1987
EP	2339576	A2	6/2011	JP	01-010317	A	1/1989
EP	2355093	A2	8/2011	JP	1-500631	A	3/1989
EP	2393056	A1	12/2011	JP	1-254742	A	10/1989
EP	2400373	A1	12/2011	JP	2-86397	A	3/1990
EP	2431842	A2	3/2012	JP	2-153415	A	6/1990
EP	2523109	A1	11/2012	JP	2-502149	A	7/1990
EP	2523188	A1	11/2012	JP	3-113578	A	5/1991
EP	2551784	A1	1/2013	JP	4-236624	A	8/1992
EP	2555536	A1	2/2013	JP	5-79951	A	3/1993
EP	2575128	A2	4/2013	JP	5-165459	A	7/1993
EP	2632129	A1	8/2013	JP	5-204859	A	8/1993
EP	2639792	A1	9/2013	JP	5-293126	A	11/1993
EP	2669889	A2	12/2013	JP	6-19965	A	1/1994
EP	2672229	A2	12/2013	JP	6-69954	A	3/1994
EP	2672231	A2	12/2013	JP	6-208389	A	7/1994
EP	2675147	A1	12/2013	JP	6-274586	A	9/1994
EP	2680257	A1	1/2014	JP	6-332493	A	12/1994
EP	2683147	A1	1/2014	JP	6-332617	A	12/1994
EP	2683175	A1	1/2014	JP	7-199379	A	8/1995
EP	2717259	A2	4/2014	JP	7-219961	A	8/1995
EP	2725577	A2	4/2014	JP	7-320051	A	12/1995
EP	2733598	A2	5/2014	JP	7-320079	A	12/1995
EP	2733896	A1	5/2014	JP	8-63330	A	3/1996
EP	2743846	A2	6/2014	JP	8-185265	A	7/1996
EP	2760015	A1	7/2014	JP	8-223281	A	8/1996
EP	2781883	A2	9/2014	JP	8-227341	A	9/1996
EP	2801890	A1	11/2014	JP	9-18585	A	1/1997
EP	2801972	A1	11/2014	JP	9-27000	A	1/1997
EP	2801974	A2	11/2014	JP	9-55792	A	2/1997
EP	2824564	A1	1/2015	JP	9-62293	A	3/1997
EP	2849177	A1	3/2015	JP	9-116616	A	5/1997
EP	2879402	A1	6/2015	JP	9-259063	A	10/1997
EP	2881939	A1	6/2015	JP	9-265457	A	10/1997
				JP	10-31497	A	2/1998
				JP	10-69578	A	3/1998
				JP	10-78952	A	3/1998
				JP	10-105324	A	4/1998

(56) References Cited					
FOREIGN PATENT DOCUMENTS					
JP	10-274997 A	10/1998	JP	2004-48804 A	2/2004
JP	10-312194 A	11/1998	JP	2004-54080 A	2/2004
JP	10-320169 A	12/1998	JP	2004-56226 A	2/2004
JP	11-06743 A	1/1999	JP	2004-505322 A	2/2004
JP	11-45241 A	2/1999	JP	2004-505525 A	2/2004
JP	11-136278 A	5/1999	JP	2004-70504 A	3/2004
JP	11-175553 A	7/1999	JP	2004-86356 A	3/2004
JP	11-231886 A	8/1999	JP	2004-94936 A	3/2004
JP	11-265400 A	9/1999	JP	2004-117905 A	4/2004
JP	2000-32140 A	1/2000	JP	2004-152063 A	5/2004
JP	2000-59497 A	2/2000	JP	2004-523004 A	7/2004
JP	2000-90119 A	3/2000	JP	2004-295837 A	10/2004
JP	2000-99225 A	4/2000	JP	2004-310034 A	11/2004
JP	2000-134407 A	5/2000	JP	2004-333870 A	11/2004
JP	2000-163031 A	6/2000	JP	2004-534268 A	11/2004
JP	2000-207167 A	7/2000	JP	2004-347786 A	12/2004
JP	2000-216910 A	8/2000	JP	2004-355003 A	12/2004
JP	2000-224663 A	8/2000	JP	2005-55782 A	3/2005
JP	2000-272349 A	10/2000	JP	2005-63257 A	3/2005
JP	2000-276471 A	10/2000	JP	2005-70645 A	3/2005
JP	2000-331004 A	11/2000	JP	2005-80094 A	3/2005
JP	2000-339137 A	12/2000	JP	2005-86624 A	3/2005
JP	2000-352988 A	12/2000	JP	2005-506602 A	3/2005
JP	2000-352989 A	12/2000	JP	2005-92441 A	4/2005
JP	2001-13978 A	1/2001	JP	2005-149481 A	6/2005
JP	2001-14319 A	1/2001	JP	2005-181386 A	7/2005
JP	2001-22498 A	1/2001	JP	2005-189454 A	7/2005
JP	2001-34289 A	2/2001	JP	2005-210362 A	8/2005
JP	2001-34290 A	2/2001	JP	2005-221678 A	8/2005
JP	2001-56233 A	2/2001	JP	2005-283843 A	10/2005
JP	2001-75775 A	3/2001	JP	2005-311864 A	11/2005
JP	2001-109493 A	4/2001	JP	2005-332212 A	12/2005
JP	2001-125896 A	5/2001	JP	2005-334363 A	12/2005
JP	2001-148899 A	5/2001	JP	2006-4274 A	1/2006
JP	2001-273283 A	10/2001	JP	2006-23860 A	1/2006
JP	2001-282813 A	10/2001	JP	2006-30447 A	2/2006
JP	2001-296880 A	10/2001	JP	2006-31092 A	2/2006
JP	2001-297174 A	10/2001	JP	2006-59094 A	3/2006
JP	2002-14954 A	1/2002	JP	2006-79427 A	3/2006
JP	2002-24212 A	1/2002	JP	2006-80617 A	3/2006
JP	2002-30676 A	1/2002	JP	2006-107438 A	4/2006
JP	2002-41276 A	2/2002	JP	2006-146008 A	6/2006
JP	2002-41624 A	2/2002	JP	2006-146182 A	6/2006
JP	2002-82748 A	3/2002	JP	2006-155368 A	6/2006
JP	2002-82893 A	3/2002	JP	2006-189394 A	7/2006
JP	2002-123295 A	4/2002	JP	2006-195637 A	7/2006
JP	2002-132804 A	5/2002	JP	2006-201870 A	8/2006
JP	2002-169588 A	6/2002	JP	2006-208696 A	8/2006
JP	2002-182679 A	6/2002	JP	2006-237735 A	9/2006
JP	2002-182680 A	6/2002	JP	2006-244296 A	9/2006
JP	2002-230021 A	8/2002	JP	2006-267328 A	10/2006
JP	2002-236029 A	8/2002	JP	2006-302091 A	11/2006
JP	2002-524806 A	8/2002	JP	2006-318373 A	11/2006
JP	2002-525690 A	8/2002	JP	2006-526185 A	11/2006
JP	2002-281562 A	9/2002	JP	2007-4633 A	1/2007
JP	2002-287793 A	10/2002	JP	2007-17990 A	1/2007
JP	2002-534716 A	10/2002	JP	2007-500903 A	1/2007
JP	2002-341892 A	11/2002	JP	2007-53796 A	3/2007
JP	2002-342033 A	11/2002	JP	2007-79690 A	3/2007
JP	2002-342212 A	11/2002	JP	2007-171534 A	7/2007
JP	2002-344880 A	11/2002	JP	2007-193794 A	8/2007
JP	2002-542501 A	12/2002	JP	2007-206317 A	8/2007
JP	2003-15682 A	1/2003	JP	2007-264471 A	10/2007
JP	2003-44091 A	2/2003	JP	2007-264792 A	10/2007
JP	2003-84877 A	3/2003	JP	2007-264892 A	10/2007
JP	2003-517158 A	5/2003	JP	2007-280179 A	10/2007
JP	2003-194547 A	7/2003	JP	2007-299352 A	11/2007
JP	2003-202897 A	7/2003	JP	2007-323612 A	12/2007
JP	2003-233568 A	8/2003	JP	2007-325089 A	12/2007
JP	2003-244317 A	8/2003	JP	2008-21002 A	1/2008
JP	2003-255991 A	9/2003	JP	2008-26381 A	2/2008
JP	2003-527656 A	9/2003	JP	2008-39928 A	2/2008
JP	2003-288356 A	10/2003	JP	2008-58813 A	3/2008
JP	2003-308079 A	10/2003	JP	2008-64687 A	3/2008
JP	2003-533909 A	11/2003	JP	2008-64885 A	3/2008
			JP	2008-90545 A	4/2008
			JP	2008-97003 A	4/2008
			JP	2008-514983 A	5/2008
			JP	2008-134949 A	6/2008

(56) References Cited					
FOREIGN PATENT DOCUMENTS					
JP	2008-526101 A	7/2008	JP	2013-65284 A	4/2013
JP	2008-185693 A	8/2008	JP	2013-73240 A	4/2013
JP	2008-198022 A	8/2008	JP	2013-513315 A	4/2013
JP	2008-217468 A	9/2008	JP	2013-80476 A	5/2013
JP	2008-228129 A	9/2008	JP	2013-517566 A	5/2013
JP	2008-233678 A	10/2008	JP	2013-134430 A	7/2013
JP	2008-236448 A	10/2008	JP	2013-134729 A	7/2013
JP	2008-252161 A	10/2008	JP	2013-140520 A	7/2013
JP	2008-268684 A	11/2008	JP	2013-527947 A	7/2013
JP	2008-269480 A	11/2008	JP	2013-528012 A	7/2013
JP	2008-271481 A	11/2008	JP	2013-148419 A	8/2013
JP	2008-287697 A	11/2008	JP	2013-156349 A	8/2013
JP	2008-299221 A	12/2008	JP	2013-200423 A	10/2013
JP	2009-503623 A	1/2009	JP	2013-205999 A	10/2013
JP	2009-36999 A	2/2009	JP	2013-238936 A	11/2013
JP	2009-505142 A	2/2009	JP	2013-258600 A	12/2013
JP	2009-47920 A	3/2009	JP	2014-2586 A	1/2014
JP	2009-69062 A	4/2009	JP	2014-10688 A	1/2014
JP	2009-98490 A	5/2009	JP	2014-5-2445 A	1/2014
JP	2009-140444 A	6/2009	JP	2014-26629 A	2/2014
JP	2009-522861 A	6/2009	JP	2014-45449 A	3/2014
JP	2009-157951 A	7/2009	JP	2014-507903 A	3/2014
JP	2009-186989 A	8/2009	JP	2014-60600 A	4/2014
JP	2009-193448 A	8/2009	JP	2014-72586 A	4/2014
JP	2009-193457 A	8/2009	JP	2014-77969 A	5/2014
JP	2009-193532 A	8/2009	JP	2014-89711 A	5/2014
JP	2009-205367 A	9/2009	JP	2014-109889 A	6/2014
JP	2009-217611 A	9/2009	JP	2014-124332 A	7/2014
JP	2009-294913 A	12/2009	JP	2014-126600 A	7/2014
JP	2009-294946 A	12/2009	JP	2014-140121 A	7/2014
JP	2010-66519 A	3/2010	JP	2014-518409 A	7/2014
JP	2010-78602 A	4/2010	JP	2014-142566 A	8/2014
JP	2010-78979 A	4/2010	JP	2014-145842 A	8/2014
JP	2010-108378 A	5/2010	JP	2014-146940 A	8/2014
JP	2010-109789 A	5/2010	JP	2014-150323 A	8/2014
JP	2010-518475 A	5/2010	JP	2014-519648 A	8/2014
JP	2010-518526 A	5/2010	JP	2014-191272 A	10/2014
JP	2010-122928 A	6/2010	JP	2014-219614 A	11/2014
JP	2010-135976 A	6/2010	JP	2014-222514 A	11/2014
JP	2010-146347 A	7/2010	JP	2015-4928 A	1/2015
JP	2010-157207 A	7/2010	JP	2015-8001 A	1/2015
JP	2010-166478 A	7/2010	JP	2015-12301 A	1/2015
JP	2010-205111 A	9/2010	JP	2015-18365 A	1/2015
JP	2010-224236 A	10/2010	JP	2015-501022 A	1/2015
JP	2010-236858 A	10/2010	JP	2015-504619 A	2/2015
JP	4563106 B2	10/2010	JP	2015-41845 A	3/2015
JP	2010-256392 A	11/2010	JP	2015-52500 A	3/2015
JP	2010-535377 A	11/2010	JP	2015-60423 A	3/2015
JP	2010-287063 A	12/2010	JP	2015-81971 A	4/2015
JP	2011-33874 A	2/2011	JP	2015-83938 A	4/2015
JP	2011-41026 A	2/2011	JP	2015-94848 A	5/2015
JP	2011-45005 A	3/2011	JP	2015-514254 A	5/2015
JP	2011-59659 A	3/2011	JP	2015-519675 A	7/2015
JP	2011-81541 A	4/2011	JP	2015-524974 A	8/2015
JP	2011-525045 A	9/2011	JP	2015-526776 A	9/2015
JP	2011-237621 A	11/2011	JP	2015-527683 A	9/2015
JP	2011-238022 A	11/2011	JP	2015-528140 A	9/2015
JP	2011-250027 A	12/2011	JP	2015-528918 A	10/2015
JP	2012-14394 A	1/2012	JP	2015-531909 A	11/2015
JP	2012-502377 A	1/2012	JP	2016-504651 A	2/2016
JP	2012-22478 A	2/2012	JP	2016-508007 A	3/2016
JP	2012-33997 A	2/2012	JP	2016-71247 A	5/2016
JP	2012-37619 A	2/2012	JP	2016-119615 A	6/2016
JP	2012-63536 A	3/2012	JP	2016-151928 A	8/2016
JP	2012-508530 A	4/2012	JP	2016-524193 A	8/2016
JP	2012-89020 A	5/2012	JP	2016-536648 A	11/2016
JP	2012-116442 A	6/2012	JP	2017-19331 A	1/2017
JP	2012-142744 A	7/2012	JP	2017-516153 A	6/2017
JP	2012-147063 A	8/2012	JP	2017-537361 A	12/2017
JP	2012-150804 A	8/2012	JP	6291147 B1	2/2018
JP	2012-518847 A	8/2012	JP	2018-525950 A	9/2018
JP	2012-211932 A	11/2012	KR	10-1999-0073234 A	10/1999
JP	2013-37688 A	2/2013	KR	2001-0093654 A	10/2001
JP	2013-46171 A	3/2013	KR	10-2001-0102132 A	11/2001
JP	2013-511214 A	3/2013	KR	2002-0004931 A	1/2002
			KR	2002-0013984 A	2/2002
			KR	2002-0057262 A	7/2002
			KR	2002-0064149 A	8/2002
			KR	2002-0069952 A	9/2002



(56)

## References Cited

## FOREIGN PATENT DOCUMENTS

KR	2003-0016993	A	3/2003	KR	10-1506510	B1	3/2015
KR	10-2004-0014835	A	2/2004	KR	10-2015-0038375	A	4/2015
KR	10-2004-0044632	A	5/2004	KR	10-2015-0039380	A	4/2015
KR	10-2005-0083561	A	8/2005	KR	10-2015-0041974	A	4/2015
KR	10-2005-0090568	A	9/2005	KR	10-2015-0043512	A	4/2015
KR	10-2006-0011603	A	2/2006	KR	10-2015-0095624	A	8/2015
KR	10-2006-0012730	A	2/2006	KR	10-1555742	B1	9/2015
KR	10-2006-0055313	A	5/2006	KR	10-2015-0113127	A	10/2015
KR	10-2006-0073574	A	6/2006	KR	10-2015-0138109	A	12/2015
KR	10-2006-0091469	A	8/2006	KR	10-2016-0004351	A	1/2016
KR	10-2007-0022393	A	2/2007	KR	10-2016-0010523	A	1/2016
KR	10-2007-0024262	A	3/2007	KR	10-2016-0040279	A	4/2016
KR	10-2007-0071675	A	7/2007	KR	10-2016-0055839	A	5/2016
KR	10-2007-0094767	A	9/2007	KR	10-2016-0065503	A	6/2016
KR	10-0757496	B1	9/2007	KR	10-2016-0101198	A	8/2016
KR	10-2007-0100837	A	10/2007	KR	10-2016-0105847	A	9/2016
KR	10-0776800	B1	11/2007	KR	10-2016-0121585	A	10/2016
KR	10-0801227	B1	2/2008	KR	10-2016-0140694	A	12/2016
KR	10-0810500	B1	3/2008	KR	10-2017-0036805	A	4/2017
KR	10-2008-0033070	A	4/2008	KR	10-2017-0107058	A	9/2017
KR	10-0819928	B1	4/2008	KR	10-1776673	B1	9/2017
KR	10-2008-0049647	A	6/2008	KR	10-2018-0032632	A	3/2018
KR	10-2008-0059332	A	6/2008	KR	10-2018-0034637	A	4/2018
KR	10-2008-0109322	A	12/2008	NL	1014847	C	10/2001
KR	10-2009-0001716	A	1/2009	RU	2273106	C2	3/2006
KR	10-2009-0028464	A	3/2009	RU	2349970	C2	3/2009
KR	10-2009-0030117	A	3/2009	RU	2353068	C2	4/2009
KR	10-2009-0086805	A	8/2009	RU	2364917	C2	8/2009
KR	10-0920267	B1	10/2009	TW	468323	B	12/2001
KR	10-2009-0122944	A	12/2009	TW	200601264	A	1/2006
KR	10-2009-0127961	A	12/2009	TW	200638337	A	11/2006
KR	10-2009-0129192	A	12/2009	TW	200643744	A	12/2006
KR	10-2010-0015958	A	2/2010	TW	200801988	A	1/2008
KR	10-2010-0048571	A	5/2010	TW	1301373	B	9/2008
KR	10-2010-0053149	A	5/2010	TW	M348993	U	1/2009
KR	10-2010-0119519	A	11/2010	TW	200943903	A	10/2009
KR	10-2011-0005937	A	1/2011	TW	201018258	A	5/2010
KR	10-2011-0013625	A	2/2011	TW	201027515	A1	7/2010
KR	10-2011-0043644	A	4/2011	TW	201028996	A1	8/2010
KR	10-1032792	B1	5/2011	TW	201110108	A1	3/2011
KR	10-2011-0068490	A	6/2011	TW	201142823	A1	12/2011
KR	10-2011-0072847	A	6/2011	TW	201227715	A1	7/2012
KR	10-2011-0086492	A	7/2011	TW	201245989	A1	11/2012
KR	10-2011-0100620	A	9/2011	TW	201312548	A1	3/2013
KR	10-2011-0113414	A	10/2011	WO	1989/003139	A1	4/1989
KR	10-2011-0115134	A	10/2011	WO	1993/020640	A1	10/1993
KR	10-2012-0020164	A	3/2012	WO	1994/016434	A1	7/1994
KR	10-2012-0031722	A	4/2012	WO	1994/029788	A1	12/1994
KR	10-2012-0066523	A	6/2012	WO	1995/002221	A1	1/1995
KR	10-2012-0082371	A	7/2012	WO	1995/016950	A1	6/1995
KR	10-2012-0084472	A	7/2012	WO	1995/017746	A1	6/1995
KR	10-1178310	B1	8/2012	WO	1996/003741	A1	2/1996
KR	10-2012-0120316	A	11/2012	WO	1997/010586	A1	3/1997
KR	10-2012-0137424	A	12/2012	WO	1997/026612	A1	7/1997
KR	10-2012-0137435	A	12/2012	WO	1997/029614	A1	8/1997
KR	10-2012-0137440	A	12/2012	WO	1997/038488	A1	10/1997
KR	10-2012-0138826	A	12/2012	WO	1997/049044	A1	12/1997
KR	10-2012-0139827	A	12/2012	WO	1998/009270	A1	3/1998
KR	10-1193668	B1	12/2012	WO	1998/033111	A1	7/1998
KR	10-2013-0035983	A	4/2013	WO	1998/041956	A1	9/1998
KR	10-2013-0090947	A	8/2013	WO	1999/001834	A1	1/1999
KR	10-2013-0108563	A	10/2013	WO	1999/008238	A1	2/1999
KR	10-1334342	B1	11/2013	WO	1999/016181	A1	4/1999
KR	10-2013-0131252	A	12/2013	WO	1999/056227	A1	11/1999
KR	10-2013-0133629	A	12/2013	WO	2000/014727	A1	3/2000
KR	10-2014-0024271	A	2/2014	WO	2000/014728	A1	3/2000
KR	10-2014-0031283	A	3/2014	WO	2000/019697	A1	4/2000
KR	10-2014-0033574	A	3/2014	WO	2000/022820	A1	4/2000
KR	10-2014-0042994	A	4/2014	WO	2000/029964	A1	5/2000
KR	10-2014-0055204	A	5/2014	WO	2000/030070	A2	5/2000
KR	10-2014-0068752	A	6/2014	WO	2000/038041	A1	6/2000
KR	10-2014-0088449	A	7/2014	WO	2000/041065	A1	7/2000
KR	10-2014-0106715	A	9/2014	WO	2000/044173	A1	7/2000
KR	10-2014-0147557	A	12/2014	WO	2000/060435	A2	10/2000
KR	10-2015-0013631	A	2/2015	WO	2000/060435	A3	10/2000
				WO	2000/063766	A1	10/2000
				WO	2000/068936	A1	11/2000
				WO	2001/006489	A1	1/2001
				WO	2001/030046	A2	4/2001

(56)

References Cited

FOREIGN PATENT DOCUMENTS

WO	2001/030047	A2	4/2001	WO	2008/153639	A1	12/2008
WO	2001/033569	A1	5/2001	WO	2009/009240	A2	1/2009
WO	2001/035391	A1	5/2001	WO	2009/016631	A2	2/2009
WO	2001/044912	A2	6/2001	WO	2009/017280	A1	2/2009
WO	2001/046946	A1	6/2001	WO	2009/075912	A1	6/2009
WO	2001/065413	A1	9/2001	WO	2009/104126	A1	8/2009
WO	2001/067753	A1	9/2001	WO	2009/156438	A1	12/2009
WO	2001/071480	A2	9/2001	WO	2009/156978	A1	12/2009
WO	2002/010900	A2	2/2002	WO	2010/013369	A1	2/2010
WO	2002/025610	A1	3/2002	WO	2010/054373	A2	5/2010
WO	2002/031814	A1	4/2002	WO	2010/075623	A1	7/2010
WO	2002/037469	A2	5/2002	WO	2010/100937	A1	9/2010
WO	2002/049253	A2	6/2002	WO	2010/141802	A1	12/2010
WO	2002/071259	A1	9/2002	WO	2010/144651	A2	12/2010
WO	2002/073603	A1	9/2002	WO	2011/028842	A2	3/2011
WO	2003/003152	A2	1/2003	WO	2011/057346	A1	5/2011
WO	2003/003765	A1	1/2003	WO	2011/060106	A1	5/2011
WO	2003/023786	A2	3/2003	WO	2011/082521	A1	7/2011
WO	2003/036457	A2	5/2003	WO	2011/088053	A2	7/2011
WO	2003/041364	A2	5/2003	WO	2011/093025	A1	8/2011
WO	2003/049494	A1	6/2003	WO	2011/100142	A2	8/2011
WO	2003/056789	A1	7/2003	WO	2011/116309	A1	9/2011
WO	2003/067202	A2	8/2003	WO	2011/123122	A1	10/2011
WO	2003/084196	A1	10/2003	WO	2011/133543	A1	10/2011
WO	2003/094489	A1	11/2003	WO	2011/133573	A2	10/2011
WO	2003/105125	A1	12/2003	WO	2011/097309	A3	12/2011
WO	2003/107179	A1	12/2003	WO	2011/150730	A1	12/2011
WO	2004/008801	A1	1/2004	WO	2011/163350	A1	12/2011
WO	2004/025938	A1	3/2004	WO	2011/088053	A3	1/2012
WO	2004/047415	A1	6/2004	WO	2012/008434	A1	1/2012
WO	2004/055637	A2	7/2004	WO	2012/019020	A1	2/2012
WO	2004/057486	A1	7/2004	WO	2012/019637	A1	2/2012
WO	2004/061850	A1	7/2004	WO	2012/063260	A2	5/2012
WO	2004/064299	A2	7/2004	WO	2012/092562	A1	7/2012
WO	2004/072846	A2	8/2004	WO	2012/112331	A2	8/2012
WO	2004/084413	A2	9/2004	WO	2012/129231	A1	9/2012
WO	2005/003920	A2	1/2005	WO	2012/063260	A3	10/2012
WO	2005/008505	A1	1/2005	WO	2012/135157	A2	10/2012
WO	2005/008899	A1	1/2005	WO	2012/154317	A1	11/2012
WO	2005/010725	A2	2/2005	WO	2012/154748	A1	11/2012
WO	2005/027472	A2	3/2005	WO	2012/155079	A2	11/2012
WO	2005/027485	A1	3/2005	WO	2012/167168	A2	12/2012
WO	2005/031737	A1	4/2005	WO	2012/173902	A2	12/2012
WO	2005/034082	A1	4/2005	WO	2013/009578	A2	1/2013
WO	2005/034085	A1	4/2005	WO	2013/022135	A1	2/2013
WO	2005/041455	A1	5/2005	WO	2013/022223	A2	2/2013
WO	2005/059895	A1	6/2005	WO	2013/048880	A1	4/2013
WO	2005/064592	A1	7/2005	WO	2013/049358	A1	4/2013
WO	2005/069171	A1	7/2005	WO	2013/057153	A1	4/2013
WO	2005/101176	A2	10/2005	WO	2013/122310	A1	8/2013
WO	2006/020305	A2	2/2006	WO	2013/137660	A1	9/2013
WO	2006/037545	A2	4/2006	WO	2013/163113	A1	10/2013
WO	2006/054724	A1	5/2006	WO	2013/163857	A1	11/2013
WO	2006/056822	A1	6/2006	WO	2013/169842	A2	11/2013
WO	2006/078246	A1	7/2006	WO	2013/173504	A1	11/2013
WO	2006/084144	A2	8/2006	WO	2013/173511	A2	11/2013
WO	2006/101649	A2	9/2006	WO	2013/176847	A1	11/2013
WO	2006/129967	A1	12/2006	WO	2013/184953	A1	12/2013
WO	2006/133571	A1	12/2006	WO	2013/184990	A1	12/2013
WO	2007/002753	A2	1/2007	WO	2014/003138	A1	1/2014
WO	2007/013521	A1	2/2007	WO	2014/004544	A2	1/2014
WO	2007/036762	A1	4/2007	WO	2014/021967	A1	2/2014
WO	2007/055766	A2	5/2007	WO	2014/022148	A1	2/2014
WO	2007/080559	A2	7/2007	WO	2014/028735	A2	2/2014
WO	2007/083894	A1	7/2007	WO	2014/028797	A1	2/2014
WO	2007/125151	A1	11/2007	WO	2014/031505	A1	2/2014
WO	2008/030970	A2	3/2008	WO	2014/032461	A1	3/2014
WO	2008/071231	A1	6/2008	WO	2014/047047	A1	3/2014
WO	2008/085742	A2	7/2008	WO	2014/066352	A1	5/2014
WO	2008/098900	A2	8/2008	WO	2014/070872	A2	5/2014
WO	2008/109835	A2	8/2008	WO	2014/078965	A1	5/2014
WO	2008/120036	A1	10/2008	WO	2014/093339	A1	6/2014
WO	2008/130095	A1	10/2008	WO	2014/096506	A1	6/2014
WO	2008/140236	A1	11/2008	WO	2014/124332	A2	8/2014
WO	2008/142472	A1	11/2008	WO	2014/137074	A1	9/2014
				WO	2014/138604	A1	9/2014
				WO	2014/143959	A2	9/2014
				WO	2014/144395	A2	9/2014
				WO	2014/144579	A1	9/2014

(56)

## References Cited

## FOREIGN PATENT DOCUMENTS

WO 2014/144949 A2 9/2014  
 WO 2014/151153 A2 9/2014  
 WO 2014/124332 A3 10/2014  
 WO 2014/159578 A1 10/2014  
 WO 2014/159581 A1 10/2014  
 WO 2014/162570 A1 10/2014  
 WO 2014/169269 A1 10/2014  
 WO 2014/173189 A1 10/2014  
 WO 2013/173504 A8 12/2014  
 WO 2014/197336 A1 12/2014  
 WO 2014/197635 A2 12/2014  
 WO 2014/197730 A1 12/2014  
 WO 2014/200728 A1 12/2014  
 WO 2014/204659 A2 12/2014  
 WO 2014/210392 A2 12/2014  
 WO 2015/018440 A1 2/2015  
 WO 2015/020942 A1 2/2015  
 WO 2015/029379 A1 3/2015  
 WO 2015/030796 A1 3/2015  
 WO 2015/041882 A1 3/2015  
 WO 2015/041892 A1 3/2015  
 WO 2015/047932 A1 4/2015  
 WO 2015/053485 A1 4/2015  
 WO 2015/084659 A1 6/2015  
 WO 2015/092943 A1 6/2015  
 WO 2015/094169 A1 6/2015  
 WO 2015/094369 A1 6/2015  
 WO 2015/098306 A1 7/2015  
 WO 2015/099939 A1 7/2015  
 WO 2015/116151 A1 8/2015  
 WO 2015/151133 A1 10/2015  
 WO 2015/153310 A1 10/2015  
 WO 2015/157013 A1 10/2015  
 WO 2015/183401 A1 12/2015  
 WO 2015/183699 A1 12/2015  
 WO 2015/184186 A1 12/2015  
 WO 2015/184387 A1 12/2015  
 WO 2015/200207 A1 12/2015  
 WO 2016/027933 A1 2/2016  
 WO 2016/028946 A1 2/2016  
 WO 2016/033257 A1 3/2016  
 WO 2016/039992 A1 3/2016  
 WO 2016/052164 A1 4/2016  
 WO 2016/054230 A1 4/2016  
 WO 2016/057268 A1 4/2016  
 WO 2016/075081 A1 5/2016  
 WO 2016/085775 A2 6/2016  
 WO 2016/085776 A1 6/2016  
 WO 2016/100139 A1 6/2016  
 WO 2016/111881 A1 7/2016  
 WO 2016/144840 A1 9/2016  
 WO 2016/144982 A1 9/2016  
 WO 2016/144983 A1 9/2016  
 WO 2016/175354 A1 11/2016  
 WO 2016/187149 A1 11/2016  
 WO 2016/190950 A1 12/2016  
 WO 2016/209444 A1 12/2016  
 WO 2016/209924 A1 12/2016  
 WO 2017/044160 A1 3/2017  
 WO 2017/044257 A1 3/2017  
 WO 2017/044260 A1 3/2017  
 WO 2017/044629 A1 3/2017  
 WO 2017/053311 A1 3/2017  
 WO 2017/058293 A1 4/2017  
 WO 2017/059388 A1 4/2017  
 WO 2017/071420 A1 5/2017  
 WO 2017/142116 A1 8/2017  
 WO 2017/160487 A1 9/2017  
 WO 2017/213682 A1 12/2017  
 WO 2018/009397 A1 1/2018  
 WO 2018/213401 A1 11/2018  
 WO 2018/213415 A1 11/2018  
 WO 2019/067930 A1 4/2019  
 WO 2019/078576 A1 4/2019  
 WO 2019/079017 A1 4/2019

WO 2019/147429 A1 8/2019  
 WO 2019/236217 A1 12/2019  
 WO 2020/010530 A1 1/2020

## OTHER PUBLICATIONS

Minutes of the Oral Proceedings received for European Patent Application No. 11707939.2, mailed on Dec. 15, 2020, 9 pages.  
 Result of Consultation received for European Patent Application No. 11707939.2, dated Aug. 19, 2020, 4 pages.  
 Office Action received for Brazilian Patent Application No. BR122012028965-5, dated May 27, 2020, 6 pages (1 page of English Translation and 5 pages of Official Copy).  
 Office Action received for Brazilian Patent Application No. BR122012028966-3, dated May 27, 2020, 6 pages (1 page of English Translation and 5 pages of Official Copy).  
 Office Action received for Brazilian Patent Application No. BR122012028968-0, dated May 27, 2020, 6 pages (1 page of English Translation and 5 pages of Official Copy).  
 Office Action received for Brazilian Patent Application No. BR122012028969-8, dated May 27, 2020, 6 pages (1 page of English Translation and 5 pages of Official Copy).  
 Office Action received for Brazilian Patent Application No. BR122012028970-1, dated May 27, 2020, 6 pages (1 page of English Translation and 5 pages of Official Copy).  
 Office Action received for Brazilian Patent Application No. BR122012028971-0, dated May 27, 2020, 6 pages (1 page of English Translation and 5 pages of Official Copy).  
 Office Action received for Brazilian Patent Application No. BR122012028973-6, dated May 27, 2020, 6 pages (1 page of English Translation and 5 pages of Official Copy).  
 Office Action received for Brazilian Patent Application No. BR122012028974-4, dated May 27, 2020, 6 pages (1 page of English Translation and 5 pages of Official Copy).  
 Notice of Allowance received for Brazilian Patent Application No. 112012017826-1, dated Oct. 20, 2020, 2 pages (1 page of English Translation and 1 page of Official Copy).  
 Notice of Allowance received for Brazilian Patent Application No. BR122012028969-8, dated Oct. 20, 2020, 3 pages (1 page of English Translation and 2 pages of Official Copy).  
 Notice of Acceptance received for Australian Patent Application No. 2019283968, dated Jan. 25, 2021, 3 pages.  
 Notice of Allowance received for Brazilian Patent Application No. BR122012028968-0, dated Jan. 19, 2021, 3 pages (1 page of English Translation and 2 pages of Official Copy).  
 Notice of Allowance received for Brazilian Patent Application No. BR122012028970-1, dated Jan. 19, 2021, 2 pages (1 pages of English Translation and 1 pages of Official Copy).  
 Office Action received for Korean Patent Application No. 10-2020-7037138, dated Jan. 21, 2021, 13 pages (6 pages of English Translation and 7 pages of Official Copy).  
 Board Decision received for Chinese Patent Application No. 201480030811.4, dated Feb. 1, 2021, 44 pages (2 pages of English Translation and 42 pages of Official Copy).  
 Notice of Allowance received for Brazilian Patent Application No. BR122012028965-5, dated Jan. 19, 2021, 2 pages (1 page of English Translation and 1 page of Official Copy).  
 Notice of Allowance received for Brazilian Patent Application No. BR122012028966-3, dated Jan. 26, 2021, 2 pages (1 page of English Translation and 1 page of Official Copy).  
 Notice of Allowance received for Brazilian Patent Application No. BR122012028971-0, dated Jan. 26, 2021, 3 pages (1 page of English Translation and 2 pages of Official Copy).  
 Notice of Allowance received for Brazilian Patent Application No. BR122012028972-8, dated Jan. 26, 2021, 2 pages (1 page of English Translation and 1 page of Official Copy).  
 Notice of Allowance received for Brazilian Patent Application No. BR122012028973-6, dated Jan. 26, 2021, 2 pages (1 page of English Translation and 1 page of Official Copy).  
 Notice of Allowance received for Brazilian Patent Application No. BR122012028974-4, dated Jan. 26, 2021, 3 pages (1 page of English Translation and 2 pages of Official Copy).

(56)

## References Cited

## OTHER PUBLICATIONS

“Alexa, Turn Up the Heat!”, Smartthings Samsung [online], Available online at <https://web.archive.org/web/20160329142041/https://blog.smartthings.com/news/smartthingsupdates/alexa-turn-up-the-heat/>, Mar. 3, 2016, 3 pages.

“SmartThings +Amazon Echo”, Smartthings Samsung [online], Available online at <https://web.archive.org/web/20160509231428/https://blog.smartthings.com/featured/alexa-turn-on-my-smartthings/>, Aug. 21, 2015, 3 pages.

“The world of Virtual Assistants—more SemTech . . .”, End of Business as Usual—Glenn’s External blog, Online Available at <https://web.archive.org/web/20091101840940/http://glennas.wordpress.com/2009/10/17/the-world-of-virtual-assistants-more-semtech/>, Oct. 17, 2009, 5 pages.

2004 Chrysler Pacifica: U-Connect Hands-Free Communication System, The Best and Brightest of 2004, Brief Article, Automotive Industries, Sep. 2003, 1 page.

2007 Lexus GS 450h 4dr Sedan (3.5L 6cyl Gas/Electric Hybrid CVT), available at [http://review.cnet.com/4505-10865\\_16-31833144.html](http://review.cnet.com/4505-10865_16-31833144.html), retrieved on Aug. 3, 2006, 10 pages.

Abcom Pty. Ltd. “12.1 925 Candela Mobile PC”, LCDHardware.com, available at [http://www.lcdhardware.com/panel/12\\_1\\_panel/default.asp](http://www.lcdhardware.com/panel/12_1_panel/default.asp), retrieved on Dec. 19, 2002, 2 pages.

ABF Software, “Lens-Magnifying Glass 1.5”, available at <http://download.com/3000-2437-10262078.html?tag=1st-0-1>, retrieved on Feb. 11, 2004, 1 page.

Abut et al., “Low-Rate Speech Encoding Using Vector Quantization and Subband Coding”, (Proceedings of the IEEE International Acoustics, Speech and Signal Processing Conference, Apr. 1986), as reprinted in Vector Quantization IEEE Press, 1990, pp. 312-315.

Abut et al., “Vector Quantization Of Speech and Speech-Like Waveforms”, (IEEE Transactions on Acoustics, Speech, and Signal Processing, Jun. 1982), as reprinted in Vector Quantization (IEEE Press, 1990), 1990, pp. 258-270.

Acero et al., “Environmental Robustness in Automatic Speech Recognition”, International Conference on Acoustics, Speech and Signal Processing (ICASSP’90), Apr. 1990, 4 pages.

Acero et al., “Robust Speech Recognition by Normalization of the Acoustic Space”, International Conference on Acoustics, Speech and Signal Processing, 1991, 4 pages.

Adium, “AboutAdium—Adium X—Trac”, available at <http://web.archive.org/web/20070819113247/http://trac.adiumx.com/wiki/AboutAdium>, retrieved on Nov. 25, 2011, 2 pages.

adobe.com, “Reading PDF Documents with Adobe Reader 6.0—A Guide for People with Disabilities”, Available online at [https://www.adobe.com/enterprise/accessibility/pdfs/acro6\\_cg\\_ue.pdf](https://www.adobe.com/enterprise/accessibility/pdfs/acro6_cg_ue.pdf), Jan. 2004, 76 pages.

Advisory Action received for U.S. Appl. No. 13/492,809, dated Nov. 10, 2014, 5 pages.

Advisory Action received for U.S. Appl. No. 13/913,336, dated Feb. 20, 2018, 3 pages.

Agnas et al., “Spoken Language Translator: First-Year Report”, SICS (ISSN 0283-3638), SRI and Telia Research AB, Jan. 1994, 161 pages.

Ahlberg et al., “The Alphaslider: A Compact and Rapid Selector”, CHI ’94 Proceedings of the SIGCHI Conference on Human Factors in Computing Systems, Apr. 1994, pp. 365-371.

Ahlberg et al., “Visual Information Seeking: Tight Coupling of Dynamic Query Filters with Starfield Displays”, Proceedings of the SIGCHI Conference on Human Factors in Computing Systems, Apr. 24-28, 1994, pp. 313-317.

Ahlbom et al., Modeling Spectral Speech Transitions Using Temporal Decomposition Techniques, IEEE International Conference of Acoustics, Speech and Signal Processing (ICASSP’87), vol. 12, Apr. 1987, 4 pages.

Ahlstrom et al., “Overcoming Touchscreen User Fatigue by Workplace Design”, CHI ’92 Posters and Short Talks of the 1992 SIGCHI Conference on Human Factors in Computing Systems, 1992, pp. 101-102.

Ahmed et al., “Intelligent Natural Language Query Processor”, TENCON ’89, Fourth IEEE Region 10 International Conference, Nov. 22-24, 1989, pp. 47-49.

Ahuja et al., “A Comparison Of Application Sharing Mechanisms In Real-Time Desktop Conferencing Systems”, At&T Bell Laboratories, 1990, pp. 238-248.

Aikawa et al., “Generation for Multilingual MT”, available at <http://mtarchive.info/MTS-2001-Aikawa.pdf>, retrieved on Sep. 18, 2001, 6 pages.

Aikawa et al., “Speech Recognition Using Time-Warping Neural Networks”, Proceedings of the 1991, IEEE Workshop on Neural Networks for Signal Processing, 1991, 10 pages.

Aikawa, K. “Time-Warping Neural Network for Phoneme Recognition”, IEEE International Joint Conference on Neural Networks, vol. 3, Nov. 18-21, 1991, pp. 2122-2127.

Alfred App, “Alfred”, available at <http://www.alfredapp.com/>, retrieved on Feb. 8, 2012, 5 pages.

All Music Website, available at <http://www.allmusic.com/>, retrieved on Mar. 19, 2007, 2 pages.

Allen et al., “Automated Natural Spoken Dialog”, Computer, vol. 35, No. 4, Apr. 2002, pp. 51-56.

Allen, J., “Natural Language Understanding”, 2nd Edition, The Benjamin/Cummings Publishing Company, Inc., 1995, 671 pages.

Alleva et al., “Applying SPHINX-II to DARPA Wall Street Journal CSR Task”, Proceedings of Speech and Natural Language Workshop, Feb. 1992, pp. 393-398.

Alshawi et al., “CLARE: A Contextual Reasoning and Co-operative Response Framework for the Core Language Engine”, SRI International, Cambridge Computer Science Research Centre, Cambridge, Dec. 1992, 273 pages.

Alshawi et al., “Declarative Derivation of Database Queries from Meaning Representations”, Proceedings of the BANKAI Workshop on Intelligent Information Access, Oct. 1991, 12 pages.

Alshawi et al., “Logical Forms in the Core Language Engine”, Proceedings of the 27th Annual Meeting of the Association for Computational Linguistics, 1989, pp. 25-32.

Alshawi et al., “Overview of the Core Language Engine”, Proceedings of Future Generation Computing Systems, Tokyo, Sep. 1988, 13 pages.

Alshawi, H., “Translation and Monotonic Interpretation/Generation”, SRI International, Cambridge Computer Science Research Centre, Cambridge, available at <http://www.cam.sri.com/tr/crc024/paper.ps.Z1992>, Jul. 1992, 18 pages.

Amano et al., “A User-friendly Multimedia Book Authoring System”, The Institute of Electronics, Information and Communication Engineers Technical Report, vol. 103, No. 416, Nov. 2003, pp. 33-40.

Amano, Junko, “A User-Friendly Authoring System for Digital Talking Books”, IEICE Technical Report, The Institute of Electronics, Information and Communication Engineers, vol. 103 No. 418, Nov. 6, 2003, pp. 33-40.

Ambite et al., “Design and Implementation of the CALO Query Manager”, American Association for Artificial Intelligence, 2006, 8 pages.

Ambite et al., “Integration of Heterogeneous Knowledge Sources in the CALO Query Manager”, The 4th International Conference on Ontologies, Databases and Applications of Semantics (ODBASE), 2005, 18 pages.

Amrel Corporation, “Rocky Matrix BackLit Keyboard”, available at [http://www.amrel.com/asi\\_matrixkeyboard.html](http://www.amrel.com/asi_matrixkeyboard.html), retrieved on Dec. 19, 2002, 1 page.

Anania, Peter, “Amazon Echo with Home Automation (Smartthings)”, Available online at <https://www.youtube.com/watch?v=LMW6aXmsWNE>, Dec. 20, 2015, 1 page.

Anastasakos et al., “Duration Modeling in Large Vocabulary Speech Recognition”, International Conference on Acoustics, Speech and Signal Processing (ICASSP’95), May 1995, pp. 628-631.

Anderson et al., “Syntax-Directed Recognition of Hand-Printed Two-Dimensional Mathematics”, Proceedings of Symposium on Interactive Systems for Experimental Applied Mathematics: Proceedings of the Association for Computing Machinery Inc. Symposium, 1967, 12 pages.

(56)

## References Cited

## OTHER PUBLICATIONS

- Anhui USTC IFL YTEK Co. Ltd., "Flytek Research Center Information Datasheet", available at <<http://www.ifltek.com/english/Research.htm>>, retrieved on Oct. 15, 2004, 3 pages.
- Ansari et al., "Pitch Modification of Speech using a Low-Sensitivity Inverse Filter Approach", IEEE Signal Processing Letters, vol. 5, No. 3, Mar. 1998, pp. 60-62.
- Anthony et al., "Supervised Adaption for Signature Verification System", IBM Technical Disclosure, Jun. 1, 1978, 3 pages.
- Api.ai, "Android App Review—Speaktoit Assistant", Available at <<https://www.youtube.com/watch?v=myE498nyfGw>>, Mar. 30, 2011, 3 pages.
- Appelt et al., "Fastus: A Finite-State Processor for Information Extraction from Real-world Text", Proceedings of IJCAL, 1993, 8 pages.
- Appelt et al., "SRI International Fastus System MUC-6 Test Results and Analysis", SRI International, Menlo Park, California, 1995, 12 pages.
- Appelt et al., "SRI: Description of the JV-FASTUS System used for MUC-5", SRI International, Artificial Intelligence Center, 1993, 19 pages.
- Apple Computer, "Guide Maker User's Guide", Apple Computer, Inc., Apr. 27, 1994, 8 pages.
- Apple Computer, "Introduction to Apple Guide", Apple Computer, Inc., Apr. 28, 1994, 20 pages.
- Apple Computer, "Knowledge Navigator", published by Apple Computer no later than 2008, as depicted in Exemplary Screenshots from video entitled 'Knowledge Navigator', 2008, 7 pages.
- Apple Computer, Inc., "Apple—iPod—Technical Specifications, iPod 20GB and 60GB Mac + PC", available at <<http://www.apple.com/ipod/color/specs.html>>, 2005, 3 pages.
- Apple Computer, Inc., "Apple Announces iTunes 2", Press Release, Oct. 23, 2001, 2 pages.
- Apple Computer, Inc., "Apple Introduces iTunes—World's Best and Easiest to Use Jukebox Software", Macworld Expo, Jan. 9, 2001, 2 pages.
- Apple Computer, Inc., "Apple's iPod Available in Stores Tomorrow", Press Release, Nov. 9, 2001, 1 page.
- Apple Computer, Inc., "Inside Macintosh", vol. VI, 1985.
- Apple Computer, Inc., "iTunes 2, Playlist Related Help Screens", iTunes v2.0, 2000-2001, 8 pages.
- Apple Computer, Inc., "iTunes 2: Specification Sheet", 2001, 2 pages.
- Apple Computer, Inc., "iTunes, Playlist Related Help Screens", iTunes v1.0, 2000-2001, 8 pages.
- Apple Computer, Inc., "QuickTime Movie Playback Programming Guide", Aug. 11, 2005, pp. 1-58.
- Apple Computer, Inc., "QuickTime Overview", Aug. 11, 2005, pp. 1-34.
- Apple Computer, Inc., "Welcome to Tiger", available at <[http://www.maths.dundee.ac.uk/software/Welcome\\_to\\_Mac\\_OS\\_X\\_v10.4\\_Tiger.pdf](http://www.maths.dundee.ac.uk/software/Welcome_to_Mac_OS_X_v10.4_Tiger.pdf)>, 2005, pp. 1-32.
- Apple, "iPhone User's Guide", Available at <<http://mesnotices.20minutes.fr/manuel-notice-mode-emploi/APPLE/IPHONE%2D%5FE#>>, Retrieved on Mar. 27, 2008, Jun. 2007, 137 pages.
- Apple, "VoiceOver", available at <<http://www.apple.com/accessibility/voiceover/>>, Feb. 2009, 5 pages.
- Applebaum et al., "Enhancing the Discrimination of Speaker Independent Hidden Markov Models with Corrective Training", International Conference on Acoustics, Speech, and Signal Processing, May 23, 1989, pp. 302-305.
- AppleEvent Manager, which is described in the publication Inside Macintosh vol. VI, available from Addison-Wesley Publishing Company, 1985.
- Arango et al., "Touring Machine: A Software Platform for Distributed Multimedia Applications", 1992 IFIP International Conference on Upper Layer Protocols, Architectures, and Applications, May 1992, pp. 1-11.
- Archbold et al., "A Team User's Guide", SRI International, Dec. 21, 1981, 70 pages.
- Arons, Barry M., "The Audio-Graphical Interface to a Personal Integrated Telecommunications System", Thesis Submitted to the Department of Architecture at the Massachusetts Institute of Technology, Jun. 1984, 88 pages.
- Asanovic et al., "Experimental Determination of Precision Requirements for Back-Propagation Training of Artificial Neural Networks", Proceedings of the 2nd International Conference of Microelectronics for Neural Networks, 1991, www.ICSI.Berkeley.EDU, 1991, 7 pages.
- Atal et al., "Efficient Coding of LPC Parameters by Temporal Decomposition", IEEE International Conference on Acoustics, Speech and Signal Processing (ICASSP'83), Apr. 1983, 4 pages.
- Badino et al., "Language Independent Phoneme Mapping for Foreign TTS", 5th ISCA Speech Synthesis workshop, Pittsburgh, PA, Jun. 14-16, 2004, 2 pages.
- Baechtle et al., "Adjustable Audio Indicator", IBM Technical Disclosure Bulletin, Jul. 1, 1984, 2 pages.
- Baeza-Yates, Ricardo, "Visualization of Large Answers in Text Databases", AVI '96 Proceedings of the Workshop on Advanced Visual Interfaces, 1996, pp. 101-107.
- Bahl et al., "A Maximum Likelihood Approach to Continuous Speech Recognition", IEEE Transaction on Pattern Analysis and Machine Intelligence, vol. PAMI-5, No. 2, Mar. 1983, 13 pages.
- Bahl et al., "A Tree-Based Statistical Language Model for Natural Language Speech Recognition", IEEE Transactions on Acoustics, Speech and Signal Processing, vol. 37, No. 7, Jul. 1989, 8 pages.
- Bahl et al., "Acoustic Markov Models Used in the Tangora Speech Recognition System", Proceeding of International Conference on Acoustics, Speech and Signal Processing (ICASSP'88), vol. 1, Apr. 1988, 4 pages.
- Bahl et al., "Large Vocabulary Natural Language Continuous Speech Recognition", Proceedings of 1989 International Conference on Acoustics, Speech and Signal Processing, vol. 1, May 1989, 6 pages.
- Bahl et al., "Multitonic Markov Word Models for Large Vocabulary Continuous Speech Recognition", IEEE Transactions on Speech and Audio Processing, vol. 1, No. 3, Jul. 1993, 11 pages.
- Bahl et al., "Recognition of a Continuously Read Natural Corpus", IEEE International Conference on Acoustics, Speech, and Signal Processing, vol. 3, Apr. 1978, pp. 422-424.
- Bahl et al., "Speech Recognition with Continuous-Parameter Hidden Markov Models", Proceeding of International Conference on Acoustics, Speech and Signal Processing (ICASSP'88), vol. 1, Apr. 1988, 8 pages.
- Bajarin, Tim, "With Low End Launched, Apple Turns to Portable Future", PC Week, vol. 7, Oct. 1990, p. 153(1).
- Banbrook, M., "Nonlinear Analysis of Speech from a Synthesis Perspective", A Thesis Submitted for the Degree of Doctor of Philosophy, The University of Edinburgh, Oct. 15, 1996, 35 pages.
- Barrett et al., "How to Personalize the Web", 1997 In proceedings of the ACM SIGCHI Conference on Human Factors in Computer Systems, Mar. 22-27, 1997, pp. 75-82.
- Barthel, B., "Information Access for Visually Impaired Persons: Do We Still Keep a "Document" in "Documentation"?", Professional Communication Conference, Sep. 1995, pp. 62-66.
- Baudel et al., "2 Techniques for Improved HC Interaction: Toolglass & Magic Lenses: The See-Through Interface", Apple Inc., Video Clip, CHI'94 Video Program on a CD, 1994.
- Bear et al., "A System for Labeling Self-Repairs in Speech", SRI International, Feb. 22, 1993, 9 pages.
- Bear et al., "Detection and Correction of Repairs in Human-Computer Dialog", SRI International, May 1992, 11 pages.
- Bear et al., "Integrating Multiple Knowledge Sources for Detection and Correction of Repairs in Human-Computer Dialog", Proceedings of the 30th Annual Meeting on Association for Computational Linguistics (ACL), 1992, 8 pages.
- Bear et al., "Using Information Extraction to Improve Document Retrieval", SRI International, Menlo Park, California, 1998, 11 pages.
- Beck et al., "Integrating Natural Language, Query Processing, and Semantic Data Models", COMCON Spring '90. IEEE Computer Society International Conference, 1990, Feb. 26-Mar. 2, 1990, pp. 538-543.

(56)

## References Cited

## OTHER PUBLICATIONS

- Bederson et al., "Pad++: A Zooming Graphical Interface for Exploring Alternate Interface Physics", UIST' 94 Proceedings of the 7th Annual ACM symposium on User Interface Software and Technology, Nov. 1994, pp. 17-26.
- Bederson et al., "The Craft of Information Visualization", Elsevier Science, Inc., 2003, 435 pages.
- Belaid et al., "A Syntactic Approach for Handwritten Mathematical Formula Recognition", IEEE Transactions on Pattern Analysis and Machine Intelligence, vol. PAMI-6, No. 1, Jan. 1984, 7 pages.
- Bellegarda et al., "A Latent Semantic Analysis Framework for Large-Span Language Modeling", 5th European Conference on Speech, Communication and Technology (EUROSPEECH'97), Sep. 1997, 4 pages.
- Bellegarda et al., "A Multispan Language Modeling Framework for Large Vocabulary Speech Recognition", IEEE Transactions on Speech and Audio Processing, vol. 6, No. 5, Sep. 1998, 12 pages.
- Bellegarda et al., "A Novel Word Clustering Algorithm Based on Latent Semantic Analysis", Proceedings of the IEEE International Conference on Acoustics, Speech and Signal Processing (ICASSP'96), vol. 1, 1996, 4 pages.
- Bellegarda et al., "Experiments Using Data Augmentation for Speaker Adaptation", International Conference on Acoustics, Speech and Signal Processing (ICASSP'95), May 1995, 4 pages.
- Bellegarda et al., "On-Line Handwriting Recognition using Statistical Mixtures", Advances in Handwriting and Drawings: A Multidisciplinary Approach, Europa, 6th International IGS Conference on Handwriting and Drawing, Paris, France, Jul. 1993, 11 pages.
- Bellegarda et al., "Performance of the IBM Large Vocabulary Continuous Speech Recognition System on the ARPA Wall Street Journal Task", Signal Processing VII: Theories and Applications, European Association for Signal Processing, 1994, 4 pages.
- Bellegarda et al., "The Metamorphic Algorithm: A Speaker Mapping Approach to Data Augmentation", IEEE Transactions on Speech and Audio Processing, vol. 2, No. 3, Jul. 1994, 8 pages.
- Bellegarda et al., "Tied Mixture Continuous Parameter Modeling for Speech Recognition", IEEE Transactions on Acoustics, Speech and Signal Processing, vol. 38, No. 12, Dec. 1990, pp. 2033-2045.
- Bellegarda, Jerome R., "Latent Semantic Mapping", IEEE Signal Processing Magazine, vol. 22, No. 5, Sep. 2005, pp. 70-80.
- Bellegarda, Jerome R., "Exploiting both Local and Global Constraints for Multi-Span Statistical Language Modeling", Proceeding of the 1998 IEEE International Conference on Acoustics, Speech and Signal Processing (ICASSP'98), vol. 2, May 1998, 5 pages.
- Bellegarda, Jerome R., "Exploiting Latent Semantic Information in Statistical Language Modeling", Proceedings of the IEEE, vol. 88, No. 8, Aug. 2000, 18 pages.
- Bellegarda, Jerome R., "Interaction-Driven Speech Input—A Data-Driven Approach to the Capture of both Local and Global Language Constraints", available at <<http://old.sig.chi.ora/bulletin/1998.2/bellegarda.html>>, 1992, 7 pages.
- Bellegarda, Jerome R., "Large Vocabulary Speech Recognition with Multispan Statistical Language Models", IEEE Transactions on Speech and Audio Processing, vol. 8, No. 1, Jan. 2000, 9 pages.
- Belvin et al., "Development of the HRL Route Navigation Dialogue System", Proceedings of the First International Conference on Human Language Technology Research, Paper, 2001, 5 pages.
- Benel et al., "Optimal Size and Spacing of Touchscreen Input Areas", Human-Computer Interaction—Interact, 1987, pp. 581-585.
- Bergmann et al., "An adaptable man-machine interface using connected-word recognition", 2nd European Conference on Speech Communication and Technology (Eurospeech 91), vol. 2, XP002176387, Sep. 24-26, 1991, pp. 467-470.
- Beringer et al., "Operator Behavioral Biases Using High-Resolution Touch Input Devices", Proceedings of the Human Factors and Ergonomics Society 33rd Annual Meeting, 1989, 3 pages.
- Beringer, Dennis B., "Target Size, Location, Sampling Point and Instruction Set: More Effects on Touch Panel Operation", Proceedings of the Human Factors and Ergonomics Society 34th Annual Meeting, 1990, 5 pages.
- Bernabei et al., "Graphical I/O Devices for Medical Users", 14th Annual International Conference of the IEEE on Engineering in Medicine and Biology Society, vol. 3, 1992, pp. 834-836.
- Bernstein, Macrophone, "Speech Corpus", IEEE/ICASSP, Apr. 22, 1994, pp. 1-81 to 1-84.
- Berry et al., "PTIME: Personalized Assistance for Calendaring", ACM Transactions on Intelligent Systems and Technology, vol. 2, No. 4, Article 40, Jul. 2011, pp. 1-22.
- Berry et al., "Symantec", New version of MORE.TM, Apr. 10, 1990, 1 page.
- Berry et al., "Task Management under Change and Uncertainty Constraint Solving Experience with the CALO Project", Proceedings of CP'05 Workshop on Constraint Solving under Change, 2005, 5 pages.
- Bertulucci, Jeff, "Google Adds Voice Search to Chrome Browser", PC World, Jun. 14, 2011, 5 pages.
- Best Buy, "When it Comes to Selecting a Projection TV, Toshiba Makes Everything Perfectly Clear", Previews of New Releases, available at <<http://www.bestbuy.com/HomeAudioVideo/Specials/ToshibaTVFeatures.asp>>, retrieved on Jan. 23, 2003, 5 pages.
- Betts et al., "Goals and Objectives for User Interface Software", Computer Graphics, vol. 21, No. 2, Apr. 1987, pp. 73-78.
- Biemann et al., "Disentangling from Babylonian Confusion—Unsupervised Language Identification", CICLing'05 Proceedings of the 6th international conference on Computational Linguistics and Intelligent Text Processing, vol. 3406, Feb. 2005, pp. 773-784.
- Biemann, Chris, "Unsupervised Part-of-Speech Tagging Employing Efficient Graph Clustering", Proceeding COLING ACL '06 Proceedings of the 21st International Conference on computational Linguistics and 44th Annual Meeting of the Association for Computational Linguistics: Student Research Workshop, 2006, pp. 7-12.
- Bier et al., "Toolglass and Magic Lenses: The See-Through Interface", Computer Graphics (SIGGRAPH '93 Proceedings), vol. 27, 1993, pp. 73-80.
- Birrell, Andrew, "Personal Jukebox (PJB)", available at <<http://birrell.org/andrew/talks/pjb-overview.ppt>>, Oct. 13, 2000, 6 pages.
- Black et al., "Automatically Clustering Similar Units for Unit Selection in Speech Synthesis", Proceedings of Eurospeech, vol. 2, 1997, 4 pages.
- Black et al., "Multilingual Text-to-Speech Synthesis", Acoustics, Speech and Signal Processing (ICASSP'04), Proceedings of the IEEE International Conference, vol. 3, May 17-21, 2004, pp. 761-764.
- Blair et al., "An Evaluation of Retrieval Effectiveness for a Full-Text Document-Retrieval System", Communications of the ACM, vol. 28, No. 3, Mar. 1985, 11 pages.
- Bleher et al., "A Graphic Interactive Application Monitor", IBM Systems Journal, vol. 19, No. 3, Sep. 1980, pp. 382-402.
- BluePhoneElite: About, available at <<http://www.reelintelligence.com/BluePhoneElite>>, retrieved on Sep. 25, 2006, 2 pages.
- BluePhoneElite: Features, available at <<http://www.reelintelligence.com/BluePhoneElite/features.shtml>>, retrieved on Sep. 25, 2006, 2 pages.
- Bluetooth PC Headsets, "'Connecting' Your Bluetooth Headset with Your Computer", Enjoy Wireless VoIP Conversations, available at <<http://www.bluetoothpcheadsets.com/connect.htm>>, retrieved on Apr. 29, 2006, 4 pages.
- Bobrow et al., "Knowledge Representation for Syntactic/Semantic Processing", From: AAA-80 Proceedings, Copyright 1980, AAAI, 1980, 8 pages.
- Bocchieri et al., "Use of Geographical Meta-Data in ASR Language and Acoustic Models", IEEE International Conference on Acoustics Speech and Signal Processing, 2010, pp. 5118-5121.
- Bociurkiw, Michael, "Product Guide: Vanessa Matz", available at <[http://www.forbes.com/asap/2000/1127/vmartz\\_print.html](http://www.forbes.com/asap/2000/1127/vmartz_print.html)>, retrieved on Jan. 23, 2003, 2 pages.
- Borden IV, G.R., "An Aural User Interface for Ubiquitous Computing", Proceedings of the 6th International Symposium on Wearable Computers, IEEE, 2002, 2 pages.

(56)

## References Cited

## OTHER PUBLICATIONS

- Borenstein, Nathaniel S., "Cooperative Work in the Andrew Message System", Information Technology Center and Computer Science Department, Carnegie Mellon University; Thyberg, Chris A. Academic Computing, Carnegie Mellon University, 1988, pp. 306-323.
- Bouchou et al., "Using Transducers in Natural Language Database Query", Proceedings of 4th International Conference on Applications of Natural Language to Information Systems, Austria, Jun. 1999, 17 pages.
- Boy, Guy A., "Intelligent Assistant Systems", Harcourt Brace Jovanovicy, 1991, 1 page.
- Boyer et al., "A Fast String Searching Algorithm", Communications of the ACM, vol. 20, 1977, pp. 762-772.
- Brain, Marshall, "How MP3 Files Work", available at <<http://www.howstuffworks.com>>, retrieved on Mar. 19, 2007, 4 pages.
- Bratt et al., "The SRI Telephone-Based ATIS System", Proceedings of ARPA Workshop on Spoken Language Technology, 1995, 3 pages.
- Briner, L. L., "Identifying Keywords in Text Data Processing", In Zekowitz, Marvin V., ED, Directions and Challenges, 15th Annual Technical Symposium, Gaithersbury, Maryland, Jun. 17, 1976, 7 pages.
- Brown et al., "Browsing Graphs Using a Fisheye View", Apple Inc., Video Clip, Systems Research Center, CHI '92 Continued Proceedings on a CD, 1992.
- Brown et al., "Browsing Graphs Using a Fisheye View", CHI '93 Proceedings of the INTERACT '93 and CHI '93 Conference on Human Factors in Computing Systems, 1993, p. 516.
- Bulyko et al., "Error-Correction Detection and Response Generation in a Spoken Dialogue System", Speech Communication, vol. 45, 2005, pp. 271-288.
- Bulyko et al., "Joint Prosody Prediction and Unit Selection for Concatenative Speech Synthesis", Electrical Engineering Department, University of Washington, Seattle, 2001, 4 pages.
- Burger, D., "Improved Access to Computers for the Visually Handicapped: New Prospects and Principles", IEEE Transactions on Rehabilitation Engineering, vol. 2, No. 3, Sep. 1994, pp. 111-118.
- Burke et al., "Question Answering from Frequently Asked Question Files", AI Magazine, vol. 18, No. 2, 1997, 10 pages.
- Burns et al., "Development of a Web-Based Intelligent Agent for the Fashion Selection and Purchasing Process via Electronic Commerce", Proceedings of the Americas Conference on Information System (AMCIS), Dec. 31, 1998, 4 pages.
- Busemann et al., "Natural Language Dialogue Service for Appointment Scheduling Agents", Technical Report RR-97-02, Deutsches Forschungszentrum für Künstliche Intelligenz GmbH, 1997, 8 pages.
- Bussey, et al., "Service Architecture, Prototype Description and Network Implications of a Personalized Information Grazing Service", INFOCOM'90, Ninth Annual Joint Conference of the IEEE Computer and Communication Societies, Available at <<http://slrohall.com/oublations/>>, Jun. 1990, 8 pages.
- Bussler et al., "Web Service Execution Environment (WSMX)", retrieved from Internet on Sep. 17, 2012, available at <<http://www.w3.org/Submission/WSMX/>>, Jun. 3, 2005, 29 pages.
- Butcher, Mike, "EVI Arrives in Town to go Toe-to-Toe with Siri", TechCrunch, Jan. 23, 2012, 2 pages.
- Butler, Travis, "Archos Jukebox 6000 Challenges Nomad Jukebox", available at <<http://tidbits.com/article/6521>>, Aug. 13, 2001, 5 pages.
- Butler, Travis, "Portable MP3: The Nomad Jukebox", available at <<http://tidbits.com/article/6261>>, Jan. 8, 2001, 4 pages.
- Buxton et al., "EuroPARC's Integrated Interactive Multimedia Facility (IIIF): Early Experiences", Proceedings of the IFIP WG 8.4 Conference on Multi-User Interfaces and Applications, 1990, pp. 11-34.
- Buzo et al., "Speech Coding Based Upon Vector Quantization", IEEE Transactions on Acoustics, Speech and Signal Processing, vol. Assp-28, No. 5, Oct. 1980, 13 pages.
- CALL Centre, "Word Prediction", The CALL Centre & Scottish Executive Education Dept., 1999, pp. 63-73.
- Camirero-Gil et al., "Data-Driven Discourse Modeling for Semantic Interpretation", Proceedings of the IEEE International Conference on Acoustics, Speech and Signal Processing, May 1996, 6 pages.
- Campbell et al., "An Expandable Error-Protected 4800 BPS CELP Coder (U.S. Federal Standard 4800 BPS Voice Coder)", (Proceedings of IEEE Int'l Acoustics, Speech, and Signal Processing Conference, May 1983), as reprinted in Vector Quantization (IEEE Press, 1990), 1990, pp. 328-330.
- Cao et al., "Adapting Ranking SVM to Document Retrieval", SIGIR '06, Seattle, WA, Aug. 6-11, 2006, 8 pages.
- Car Working Group, "Hands-Free Profile 1.5 HF1.5\_SPEC", Bluetooth Doc, available at <[www.bluetooth.org](http://www.bluetooth.org)>, Nov. 25, 2005, 93 pages.
- Caraballo et al., "Language Identification Based on a Discriminative Text Categorization Technique", Iberspeech 2012—VII Jornadas En Tecnologia Del Habla And Iii Iberiansl Tech Workshop, Nov. 21, 2012, pp. 1-10.
- Card et al., "Readings in Information Visualization Using Vision to Think", Interactive Technologies, 1999, 712 pages.
- Carpendale et al., "3-Dimensional Pliable Surfaces: For the Effective Presentation of Visual Information", UIST '95 Proceedings of the 8th Annual ACM Symposium on User Interface and Software Technology, Nov. 14-17, 1995, pp. 217-226.
- Carpendale et al., "Extending Distortion Viewing from 2D to 3D", IEEE Computer Graphics and Applications, Jul./Aug. 1997, pp. 42-51.
- Carpendale et al., "Making Distortions Comprehensible", IEEE Proceedings of Symposium on Visual Languages, 1997, 10 pages.
- Carter et al., "The Speech-Language Interface in the Spoken Language Translator", SRI International, Nov. 23, 1994, 9 pages.
- Carter, D., "Lexical Acquisition in the Core Language Engine", Proceedings of the Fourth Conference of the European Chapter of the Association for Computational Linguistics, 1989, 8 pages.
- Casner et al., "N-Way Conferencing with Packet Video", The Third International Workshop on Packet Video, Mar. 22-23, 1990, pp. 1-6.
- Castleos, "Whole House Voice Control Demonstration", available online at: [https://www.youtube.com/watch?v=9SRCoxrZ\\_W4](https://www.youtube.com/watch?v=9SRCoxrZ_W4), Jun. 2, 2012, 26 pages.
- Cawley, Gavin C. "The Application of Neural Networks to Phonetic Modelling", PhD. Thesis, University of Essex, Mar. 1996, 13 pages.
- Chai et al., "Comparative Evaluation of a Natural Language Dialog Based System and a Menu Driven System for Information Access: A Case Study", Proceedings of the International Conference on Multimedia Information Retrieval (RIAO), Paris, Apr. 2000, 11 pages.
- Chakarova et al., "Digital Still Cameras—Downloading Images to a Computer", Multimedia Reporting and Convergence, available at <<http://journalism.berkeley.edu/multimedia/tutorials/stillcams/downloading.html>>, retrieved on May 9, 2005, 2 pages.
- Chamberlain, Kim, "Quick Start Guide Natural Reader", available online at <[http://atrc.colostate.edu/files/quickstarts/Natural\\_Reader\\_Quick\\_Start\\_Guide](http://atrc.colostate.edu/files/quickstarts/Natural_Reader_Quick_Start_Guide)>, Apr. 2008, 5 pages.
- Chang et al., "A Segment-Based Speech Recognition System for Isolated Mandarin Syllables", Proceedings TEN CON '93, IEEE Region 10 Conference on Computer, Communication, Control and Power Engineering, vol. 3, Oct. 1993, 6 pages.
- Chang et al., "Discriminative Training of Dynamic Programming based Speech Recognizers", IEEE Transactions on Speech and Audio Processing, vol. 1, No. 2, Apr. 1993, pp. 135-143.
- Chartier, David, "Using Multi-Network Meebo Chat Service on Your iPhone", available at <<http://www.tuaw.com/2007/07/04/using-multi-network-meebo-chat-service-on-your-iphone/>>, Jul. 4, 2007, 5 pages.
- Chelba et al., "Structured Language Modeling for Speech Recognition", Available online at : <http://arxiv.org/pdf/cs/0001023.pdf>, Jan. 25, 2000, 7 pages.
- Chen et al., "An Improved Method For Image Retrieval Using Speech Annotation", The 9th International Conference on Multimedia Modeling, Jan. 2003, pp. 1-17.
- Chen, Yi, "Multimedia Siri Finds and Plays Whatever You Ask For", PSFK Report, Feb. 9, 2012, 9 pages.

(56)

## References Cited

## OTHER PUBLICATIONS

- Cheyser et al., "Demonstration Video of Multimodal Maps Using an Agent Architecture", published by SRI International no later than 1996, as depicted in Exemplary Screenshots from video entitled Demonstration Video of Multimodal Maps Using an Agent Architecture, 1996, 6 pages.
- Cheyser et al., "Demonstration Video of Multimodal Maps Using an Open-Agent Architecture", published by SRI International no later than 1996, as depicted in Exemplary Screenshots from video entitled Demonstration Video of Multimodal Maps Using an Open-Agent Architecture, 6 pages.
- Cheyser et al., "Multimodal Maps: An Agent-Based Approach", International Conference on Co-operative Multimodal Communication, 1995, 15 pages.
- Cheyser et al., "Spoken Language and Multimodal Applications for Electronic Realities", *Virtual Reality*, vol. 3, 1999, pp. 1-15.
- Cheyser et al., "The Open Agent Architecture", *Autonomous Agents and Multi-Agent Systems*, vol. 4, Mar. 1, 2001, 6 pages.
- Cheyser et al., "The Open Agent Architecture: Building Communities of Distributed Software Agents", Artificial Intelligence Center, SRI International, Power Point Presentation, Available online at <<http://www.ai.sri.com/-oaa/>>, retrieved on Feb. 21, 1998, 25 pages.
- Cheyser, A., "Demonstration Video of Vanguard Mobile Portal", published by SRI International no later than 2004, as depicted in 'Exemplary Screenshots from video entitled Demonstration Video of Vanguard Mobile Portal', 2004, 10 pages.
- Cheyser, Adam, "A Perspective on AI & Agent Technologies for SCM", VerticalNet Presentation, 2001, 22 pages.
- Cheyser, Adam, "About Adam Cheyser", available at <<http://www.adam.cheyser.com/about.html>>, retrieved on Sep. 17, 2012, 2 pages.
- Choi et al., "Acoustic and Visual Signal based Context Awareness System for Mobile Application", *IEEE Transactions on Consumer Electronics*, vol. 57, No. 2, May 2011, pp. 738-746.
- Chomsky et al., "The Sound Pattern of English", New York, Harper and Row, 1968, 242 pages.
- Choularton et al., "User Responses to Speech Recognition Errors: Consistency of Behaviour Across Domains", Proceedings of the 10th Australian International Conference on Speech Science & Technology, Dec. 8-10, 2004, pp. 457-462.
- Church, Kenneth W., "Phonological Parsing in Speech Recognition", Kluwer Academic Publishers, 1987.
- Cisco Systems, Inc., "Cisco Unity Unified Messaging User Guide", Release 4.0(5), Apr. 14, 2005, 152 pages.
- Cisco Systems, Inc., "Installation Guide for Cisco Unity Unified Messaging with Microsoft Exchange 2003/2000 (With Failover Configured)", Release 4.0(5), Apr. 14, 2005, 152 pages.
- Cisco Systems, Inc., "Operations Manager Tutorial, Cisco's IPC Management Solution", 2006, 256 pages.
- Codd, E. F., "Databases: Improving Usability and Responsiveness—How About Recently", Copyright 1978, Academic Press, Inc., 1978, 28 pages.
- Cohen et al., "An Open Agent Architecture", available at <<http://citeseerx.ist.psu.edu/viewdoc/summary?doi=10.1.1.30.480>>, 1994, 8 pages.
- Cohen et al., "Voice User Interface Design.", Excerpts from Chapter 1 and Chapter 10, 2004, 36 pages.
- Coleman, David W., "Meridian Mail Voice Mail System Integrates Voice Processing and Personal Computing", *Speech Technology*, vol. 4, No. 2, Mar./Apr. 1988, pp. 84-87.
- Coles et al., "Chemistry Question-Answering", SRI International, Jun. 1969, 15 pages.
- Coles et al., "Techniques for Information Retrieval Using an Inferential Question-Answering System with Natural-Language Input", SRI International, Nov. 1972, 198 Pages.
- Coles et al., "The Application of Theorem Proving to Information Retrieval", SRI International, Jan. 1971, 21 pages.
- Colt, Sam, "Here's One Way Apple's Smartwatch Could Be Better Than Anything Else", *Business Insider*, Aug. 21, 2014, pp. 1-4.
- Combined Search Report and Examination Report under Sections 17 and 18(3) received for GB Patent Application No. 1009318.5, dated Oct. 8, 2010, 5 pages.
- Combined Search Report and Examination Report under Sections 17 and 18(3) received for GB Patent Application No. 1217449.6, dated Jan. 17, 2013, 6 pages.
- Compaq Inspiration Technology, "Personal Jukebox (PJB)—Systems Research Center and PAAD", Oct. 13, 2000, 25 pages.
- Compaq, "Personal Jukebox", available at <<http://research.compaq.com/SRC/pjb/>>, 2001, 3 pages.
- Conkie et al., "Preselection of Candidate Units in a Unit Selection-Based Text-to-Speech Synthesis System", ISCA, 2000, 4 pages.
- Conklin, Jeff, "Hypertext: An Introduction and Survey", *COMPUTER Magazine*, Sep. 1987, 25 pages.
- Conklin, Jeffrey, "A Survey of Hypertext", MCC Software Technology Program, Dec. 1987, 40 pages.
- Connolly et al., "Fast Algorithms for Complex Matrix Multiplication Using Surrogates", *IEEE Transactions on Acoustics, Speech and Signal Processing*, vol. 37, No. 6, Jun. 1989, 13 pages.
- Constantinides et al., "A Schema Based Approach to Dialog Control", Proceedings of the International Conference on Spoken Language Processing, 1998, 4 pages.
- Copperi et al., "CELP Coding for High Quality Speech at 8 kbits/s", Proceedings of IEEE International Acoustics, Speech and Signal Processing Conference, Apr. 1986), as reprinted in *Vector Quantization* (IEEE Press), 1990, pp. 324-327.
- Corporate Ladder, BLOC Publishing Corporation, 1991, 1 page.
- Corr, Paul, "Macintosh Utilities for Special Needs Users", available at <<http://homepage.mac.com/corrp/macsup/columns/specneeds.html>>, Feb. 1994 (content updated Sep. 19, 1999), 4 pages.
- Cox et al., "Speech and Language Processing for Next-Millennium Communications Services", Proceedings of the IEEE, vol. 88, No. 8, Aug. 2000, 24 pages.
- Craig et al., "Deacon: Direct English Access and Control", AFIPS Conference Proceedings, vol. 19, San Francisco, Nov. 1966, 18 pages.
- Creative Technology Ltd., "Creative NOMAD® II: Getting Started—User Guide (On Line Version)", available at <<http://ec1.images-amazon.com/media/i3d/01/A/man-migrate/MANUAL000026434.pdf>>, Apr. 2000, 46 pages.
- Creative Technology Ltd., "Creative NOMAD®: Digital Audio Player: User Guide (On-Line Version)", available at <<http://ec1.images-amazon.com/media/i3d/01/A/man-migrate/MANUAL000010757.pdf>>, Jun. 1999, 40 pages.
- Creative Technology Ltd., "Nomad Jukebox", User Guide, Version 1.0, Aug. 2000, 52 pages.
- Creative, "Creative NOMAD MuVo TX", available at <<http://web.archive.org/web/20041024175952/www.creative.com/products/pfriendly.asp?product=9672>>, retrieved on Jun. 6, 2006, 1 page.
- Creative, "Creative NOMAD MuVo", available at <<http://web.archive.org/web/20041024075901/www.creative.com/products/product.asp?category=213&subcategory=216&product=4983>>, retrieved on Jun. 7, 2006, 1 page.
- Creative, "Digital MP3 Player", available at <<http://web.archive.org/web/20041024074823/www.creative.com/products/product.asp?category=213&subcategory=216&product=4983>>, 2004, 1 page.
- Croft et al., "Task Support in an Office System", Proceedings of the Second ACM-SIGOA Conference on Office Information Systems, 1984, pp. 22-24.
- Crowley et al., "MMConf: An Infrastructure for Building Shared Multimedia Applications", CSCW 90 Proceedings, Oct. 1990, pp. 329-342.
- Cucerzan et al., "Bootstrapping a Multilingual Part-of-Speech Tagger in One Person-Day", In Proceedings of the 6th Conference on Natural Language Learning, vol. 20, 2002, pp. 1-7.
- Cuperman et al., "Vector Predictive Coding of Speech at 16 kbit s/s", (*IEEE Transactions on Communications*, Jul. 1985), as reprinted in *Vector Quantization* (IEEE Press, 1990), 1990, pp. 300-311.
- Cutkosky et al., "PACT: An Experiment in Integrating Concurrent Engineering Systems", *Journal & Magazines, Computer*, vol. 26, No. 1, Jan. 1993, 14 pages.



(56)

## References Cited

## OTHER PUBLICATIONS

- Dar et al., "DTL's DataSpot: Database Exploration Using Plain Language", Proceedings of the 24th VLDB Conference, New York, 1998, 5 pages.
- Database WPI Section Ch, Week 8733, Derwent Publications Ltd., London, GB; Class A17, AN 87-230826 & JP, A, 62 153 326 (Sanwa Kako KK (SANS) Sanwa Kako Co), Jul. 8, 1987, 6 pages.
- Database WPI Section Ch, Week 8947, Derwent Publications Ltd., London, GB; Class A17, AN 89-343299 & JP, A, 1 254 742 (Sekisui Plastics KK), Oct. 11, 1989, 7 pages.
- Davis et al., "A Personal Handheld Multi-Modal Shopping Assistant", International Conference on Networking and Services, IEEE, 2006, 9 pages.
- Davis et al., "Stone Soup Translation", Department of Linguistics, Ohio State University, 2001, 11 pages.
- De Herrera, Chris, "Microsoft ActiveSync 3.1", Version 1.02, available at <<http://www.cewindows.net/wce/activesync3.1.htm>>, Oct. 13, 2000, 8 pages.
- Decision on Appeal received for Korean Patent Application No. 10-2015-7035370, dated Jun. 7, 2019, 13 pages.
- Decision to Grant received for Russian Patent Application No. 2012135502, dated Sep. 11, 2014, 15 pages.
- Decision to Grant received for Russian Patent Application No. 2012144606, dated Nov. 19, 2014, 13 pages.
- Decision to Grant received for Russian Patent Application No. 2012144639, dated Nov. 28, 2014, 10 pages.
- Decision to Grant received for Russian Patent Application No. 2012144643, dated Nov. 20, 2014, 13 pages.
- Decision to Grant received for Russian Patent Application No. 2012144647, dated Jan. 27, 2015, 16 pages.
- Decision to Grant received for Russian Patent Application No. 2012144648, dated Nov. 19, 2014, 14 pages.
- Decision to Grant received for Russian Patent Application No. 2015120954, dated Feb. 14, 2018, 20 pages.
- Decision to Refuse received for European Patent Application No. 14737370.8, dated Jun. 26, 2019, 18 pages.
- Decker et al., "Designing Behaviors for Information Agents", The Robotics Institute, Carnegie-Mellon University, Paper, Jul. 1996, 15 pages.
- Decker et al., "Matchmaking and Brokering", The Robotics Institute, Carnegie-Mellon University, Paper, May 1996, 19 pages.
- Deedeuvuu, "Amazon Echo Alarm Feature", Available online at <https://www.youtube.com/watch?v=fjU8eRLk7c>, Feb. 16, 2015, 1 page.
- Deerwester et al., "Indexing by Latent Semantic Analysis", Journal of the American Society for Information Science, vol. 41, No. 6, Sep. 1990, 19 pages.
- Degani et al., "'Soft' Controls for Hard Displays: Still a Challenge", Proceedings of the 36th Annual Meeting of the Human Factors Society, 1992, pp. 52-56.
- Del Strother, Jonathan, "Coverflow", available at <<http://www.steelskies.com/coverflow>>, retrieved on Jun. 15, 2006, 14 pages.
- Deller, Jr. et al., "Discrete-Time Processing of Speech Signals", Prentice Hall, ISBN: 0-02-328301-7, 1987, 14 pages.
- Diagrammaker, Action Software, 1989.
- Diagram-Master, Ashton-Tate, 1989.
- Diamond Multimedia Systems, Inc., "Rio PMP300: User's Guide", available at <<http://ec1.images-amazon.com/media/i3d/01/A/man-migrate/MANUAL000022854.pdf>>, 1998, 28 pages.
- Dickinson et al., "Palmtips: Tiny Containers for All Your Data", PC Magazine, vol. 9, Mar. 1990, p. 218(3).
- Digital Audio in the New Era, Electronic Design and Application, No. 6, Jun. 30, 2003, 3 pages.
- Digital Equipment Corporation, "Open VMS Software Overview", Software Manual, Dec. 1995, 159 pages.
- Digital Equipment Corporation, "OpenVMS RTL DECTalk (DTKS) Manual", May 1993, 56 pages.
- Dittenbach et al., "A Natural Language Query Interface for Tourism Information", In: Information and Communication Technologies in Tourism 2003, XP055114393, Feb. 14, 2003, pp. 152-162.
- Dobrissek et al., "Evolution of the Information-Retrieval System for Blind and Visually-Impaired People", International Journal of Speech Technology, Kluwer Academic Publishers, Bo, vol. 6, No. 3, pp. 301-309.
- Domingue et al., "Web Service Modeling Ontology (WSMO)—An Ontology for Semantic Web Services", Position Paper at the W3C Workshop on Frameworks for Semantics in Web Services, Innsbruck, Austria, Jun. 2005, 6 pages.
- Donahue et al., "Whiteboards: A Graphical Database Tool", ACM Transactions on Office Information Systems, vol. 4, No. 1, Jan. 1986, pp. 24-41.
- Donovan, R. E., "A New Distance Measure for Costing Spectral Discontinuities in Concatenative Speech Synthesizers", available at <<http://citeseerx.ist.osu.edu/viewdoc/summary?doi=10.1.1.21.6398>>, 2001, 4 pages.
- Dourish et al., "Portholes: Supporting Awareness in a Distributed Work Group", CHI 1992, May 1992, pp. 541-547.
- Dowding et al., "Gemini: A Natural Language System for Spoken-Language Understanding", Proceedings of the Thirty-First Annual Meeting of the Association for Computational Linguistics, 1993, 8 pages.
- Dowding et al., "Interleaving Syntax and Semantics in An Efficient Bottom-Up Parser", Proceedings of the 32nd Annual Meeting of the Association for Computational Linguistics, 1994, 7 pages.
- Dragon Naturally Speaking Version 11 Users Guide, Nuance Communications, Inc., Copyright @2002-2010, 132 pages.
- Dual Rate Speech Coder for Multimedia Communications Transmitting at 5.3 and 6.3 kbit/s, International Telecommunication Union Recommendation G.723, 7 pages.
- Dusan et al., "Multimodal Interaction on PDA's Integrating Speech and Pen Inputs", Eurospeech Geneva, 2003, 4 pages.
- dyslexic.com, "AlphaSmart 3000 with CoWriter SmartApplet: Don Johnston Special Needs", available at <<http://www.dyslexic.com/procuts.php?catid=2&pid=465&PHPSESSID=2511b800000f7da>>, retrieved on Dec. 6, 2005, 13 pages.
- Eagle et al., "Social Serendipity: Proximity Sensing and Cueing", MIT Media Laboratory Technical Note 580, May 2004, 18 pages.
- Edwards, John R., "Q&A: Integrated Software with Macros and an Intelligent Assistant", Byte Magazine, vol. 11, No. 1, Jan. 1986, pp. 120-122.
- Egido, Carmen, "Video Conferencing as a Technology to Support Group Work: A Review of its Failures", Bell Communications Research, 1988, pp. 13-24.
- Elio et al., "On Abstract Task Models and Conversation Policies", Proc. Workshop on Specifying and Implementing Conversation Policies, Autonomous Agents'99 Conference, 1999, pp. 1-10.
- Elliot, Chip, "High-Quality Multimedia Conferencing Through a Long-Haul Packet Network", BBN Systems and Technologies, 1993, pp. 91-98.
- Elliott et al., "Annotation Suggestion and Search for Personal Multimedia Objects on the Web", CIVR, Jul. 7-9, 2008, pp. 75-84.
- Elofson et al., "Delegation Technologies: Environmental Scanning with Intelligent Agents", Jour. of Management Info. Systems, Summer 1991, vol. 8, No. 1, 1991, pp. 37-62.
- Eluminox, "Illuminated Keyboard", available at <<http://www.eluminox.com/>>, retrieved on Dec. 19, 2002, 1 page.
- Engst, Adam C., "SoundJam Keeps on Jammin", available at <<http://db.tidbits.com/getbits.cgi?bart=05988>>, Jun. 19, 2000, 3 pages.
- Epstein et al., "Natural Language Access to a Melanoma Data Base", SRI International, Sep. 1978, 7 pages.
- Ericsson et al., "Software Illustrating a Unified Approach to Multimodality and Multilinguality in the In-Home Domain", Talk and Look: Tools for Ambient Linguistic Knowledge, Dec. 2006, 127 pages.
- Ericsson Inc., "Cellular Phone with Integrated MP3 Player", Research Disclosure Journal No. 41815, Feb. 1999, 2 pages.
- Erol et al., "Multimedia Clip Generation From Documents for Browsing on Mobile Devices", IEEE Transactions on Multimedia, vol. 10, No. 5, Aug. 2008, 13 pages.
- Eslambolchilar et al., "Making Sense of Fisheye Views", Second Dynamics and Interaction Workshop at University of Glasgow, Aug. 2005, 6 pages.

(56)

**References Cited**

## OTHER PUBLICATIONS

Eslambolchilar et al., "Multimodal Feedback for Tilt Controlled Speed Dependent Automatic Zooming", UIST'04, Oct. 24-27, 2004, 2 pages.

European Search Report received for European Patent Application No. 01201774.5, dated Sep. 14, 2001, 3 pages.

European Search Report received for European Patent Application No. 99107544.1, dated Jul. 8, 1999, 4 pages.

European Search Report received for European Patent Application No. 99107545.8, dated Jul. 1, 1999, 3 pages.

Evermann et al., "Posterior Probability Decoding, Confidence Estimation and System Combination", Proceedings Speech Transcription Workshop, 2000, 4 pages.

Evi, "Meet Evi: The One Mobile Application that Provides Solutions for your Everyday Problems", Feb. 2012, 3 pages.

Ex Parte Quayle Action received for U.S. Appl. No. 13/725,713, mailed on Dec. 18, 2013, 5 pages.

Exhibit 1, "Natural Language Interface Using Constrained Intermediate Dictionary of Results", List of Publications Manually Reviewed for the Search of U.S. Pat. No. 7,177,798, Mar. 22, 2013, 1 page.

Extended European Search Report (includes European Search Report and European Search Opinion) received for European Patent Application No. 06256215.2, dated Feb. 20, 2007, 6 pages.

Extended European Search Report (includes European Search Report and European Search Opinion) received for European Patent Application No. 12186113.2, dated Apr. 28, 2014, 14 pages.

Extended European Search Report (includes Partial European Search Report and European Search Opinion) received for European Patent Application No. 13169672.6, dated Aug. 14, 2013, 11 pages.

Extended European Search Report (includes Partial European Search Report and European Search Opinion) received for European Patent Application No. 15169349.6, dated Jul. 28, 2015, 8 pages.

Extended European Search Report (includes Partial European Search Report and European Search Opinion) received for European Patent Application No. 15196748.6, dated Apr. 4, 2016.

Extended European Search Report (includes Partial European Search Report and European Search Opinion) received for European Patent Application No. 16150079.8, dated Feb. 18, 2016, 7 pages.

Extended European Search Report (includes Supplementary European Search Report and Search Opinion) received for European Patent Application No. 07863218.9, dated Dec. 9, 2010, 7 pages.

Extended European Search Report (includes Supplementary European Search Report and Search Opinion) received for European Patent Application No. 12727027.0, dated Sep. 26, 2014, 7 pages.

Extended European Search Report (inclusive of the Partial European Search Report and European Search Opinion) received for European Patent Application No. 12729332.2, dated Oct. 31, 2014, 6 pages.

Extended European Search Report and Search Opinion received for European Patent Application No. 12185276.8, dated Dec. 18, 2012, 4 pages.

Extended European Search Report received for European Patent Application No. 11159884.3, dated May 20, 2011, 8 pages.

Extended European Search Report received for European Patent Application No. 11707939.2, dated Nov. 18, 2016, 13 pages.

Extended European Search Report received for European Patent Application No. 12186663.6, dated Jul. 16, 2013, 6 pages.

Extended European Search Report received for European Patent Application No. 13726938.7, dated Dec. 14, 2015, 8 pages.

Extended European Search Report received for European Patent Application No. 13770552.1, dated Jan. 7, 2016, 5 pages.

Extended European Search Report received for European Patent Application No. 14719914.5, dated Oct. 10, 2016, 7 pages.

Extended European Search Report received for European Patent Application No. 14737370.8, dated May 19, 2016, 12 pages.

Extended European Search Report received for European Patent Application No. 16188272.5, dated Nov. 18, 2016, 12 pages.

Extended European Search Report received for European Patent Application No. 18202474.5, dated Feb. 12, 2019, 9 pages.

Extended European Search Report received for European Patent Application No. 19195766.1, dated Oct. 8, 2019, 15 pages.

Extended Search Report received for European Patent Application No. 16188055.4, dated Dec. 22, 2016, 8 pages.

Fanty et al., "A Comparison of DFT, PLP and Cochleagram for Alphabet Recognition", IEEE, Nov. 1991, pp. 326-329.

Feigenbaum et al., "Computer-Assisted Semantic Annotation of Scientific Life Works", Oct. 15, 2007, 22 pages.

Ferguson et al., "TRIPS: An Integrated Intelligent Problem-Solving Assistant", Proceedings of the Fifteenth National Conference on Artificial Intelligence (AAAI-98) and Tenth Conference on Innovative Applications of Artificial Intelligence (IAAI-98), 1998, 7 pages.

Fikes et al., "A Network-Based Knowledge Representation and its Natural Deduction System", SRI International, Jul. 1977, 43 pages.

Final Office Action received for U.S. Appl. No. 12/987,982, dated Jul. 25, 2014, 21 pages.

Final Office Action received for U.S. Appl. No. 13/492,809, dated Feb. 9, 2016, 11 pages.

Final Office Action received for U.S. Appl. No. 13/492,809, dated May 22, 2014, 10 pages.

Final Office Action received for U.S. Appl. No. 13/725,481, dated Dec. 19, 2013, 16 pages.

Final Office Action received for U.S. Appl. No. 13/725,550, dated Nov. 13, 2013, 10 pages.

Final Office Action received for U.S. Appl. No. 13/725,616, dated Nov. 15, 2013, 8 pages.

Final Office Action received for U.S. Appl. No. 13/725,742, dated Nov. 18, 2013, 6 pages.

Final office action received for U.S. Appl. No. 13/725,761, dated Dec. 19, 2013, 13 pages.

Final office action received for U.S. Appl. No. 13/725,761, dated Jul. 11, 2014, 5 pages.

Final Office Action received for U.S. Appl. No. 13/784,707, dated Nov. 6, 2013, 12 pages.

Final Office Action received for U.S. Appl. No. 13/913,336, dated Oct. 24, 2017, 9 pages.

Final Office Action received for U.S. Appl. No. 15/394,162, dated Oct. 29, 2019, 17 pages.

Findlater et al., "Beyond QWERTY: Augmenting Touch-Screen Keyboards with Multi-Touch Gestures for Non-Alphanumeric Input", CHI '12, Austin, Texas, USA, May 5-10, 2012, 4 pages.

Fiscus, J. G., "A Post-Processing System To Yield Reduced Word Error Rates: Recognizer Output Voting Error Reduction (ROVER)", IEEE Proceedings, Automatic Speech Recognition and Understanding, Dec. 14-17, 1997, pp. 347-354.

Fisher et al., "Virtual Environment Display System", Interactive 3D Graphics, Oct. 23- 24, 1986, pp. 77-87.

Forsdick, Harry, "Explorations into Real-Time Multimedia Conferencing", Proceedings of the Ifip Tc 6 International Symposium on Computer Message Systems, 1986, 331 pages.

Frisse, M. E., "Searching for Information in a Hypertext Medical Handbook", Communications of the ACM, vol. 31, No. 7, Jul. 1988, 8 pages.

Furnas et al., "Space-Scale Diagrams: Understanding Multiscale Interfaces", CHI '95 Proceedings of the SIGCHI Conference on Human Factors in Computing Systems, 1995, pp. 234-241.

Furnas, George W., "Effective View Navigation", Proceedings of the ACM SIGCHI Conference on Human Factors in Computing Systems, Mar. 1997, pp. 367-374.

Furnas, George W., "Generalized Fisheye Views", CHI '86 Proceedings of the SIGCHI Conference on Human Factors in Computing Systems, vol. 17, No. 4, Apr. 1986, pp. 16-23.

Furnas, George W., "The Fisheye Calendar System", Bellcore Technical Memorandum, Nov. 19, 1991, pp. 1-9.

Gamback et al., "The Swedish Core Language Engine", NOTEX Conference, 1992, 17 pages.

Gannes, Liz, "Alfred App Gives Personalized Restaurant Recommendations", AllThingsD, Jul. 18, 2011, pp. 1-3.

Gardner, Jr., P. C., "A System for the Automated Office Environment", IBM Systems Journal, vol. 20, No. 3, 1981, pp. 321-345.

Garretson, R., "IBM Adds 'Drawing Assistant' Design Tool to Graphic Series", PC Week, vol. 2, No. 32, Aug. 13, 1985, 1 page.

(56) **References Cited**

## OTHER PUBLICATIONS

- Gautier et al., "Generating Explanations of Device Behavior Using Compositional Modeling and Causal Ordering", *CiteSeerx*, 1993, pp. 89-97.
- Gaver et al., "One Is Not Enough: Multiple Views in a Media Space", *INTERCHI*, Apr. 24-29, 1993, pp. 335-341.
- Gaver et al., "Realizing a Video Environment: EuroPARC's RAVE System", *Rank Xerox Cambridge EuroPARC*, 1992, pp. 27-35.
- Gervasio et al., "Active Preference Learning for Personalized Calendar Scheduling Assistance", *CiteSeerx*, Proceedings of IUT'05, Jan. 2005, pp. 90-97.
- Giachin et al., "Word Juncture Modeling Using Inter-Word Context-Dependent Phone-Like Units", *Cselt Technical Reports*, vol. 20, No. 1, Mar. 1992, pp. 43-47.
- Gillespie, Kelly, "Adventures in Integration", *Data Based Advisor*, vol. 9, No. 9, Sep. 1991, pp. 90-92.
- Gillespie, Kelly, "Internationalize Your Applications with Unicode", *Data Based Advisor*, vol. 10, No. 10, Oct. 1992, pp. 136-137.
- Gilloire et al., "Innovative Speech Processing for Mobile Terminals: An Annotated Bibliography", *Signal Processing*, vol. 80, No. 7, Jul. 2000, pp. 1149-1166.
- Glass et al., "Multilingual Language Generation Across Multiple Domains", *International Conference on Spoken Language Processing*, Japan, Sep. 1994, 5 pages.
- Glass et al., "Multilingual Spoken-Language Understanding in the Mit Voyager System", Available online at <<http://groups.csail.mit.edu/SLS/publications/1995/speechcomm95-voyager.pdf>>, Aug. 1995, 29 pages.
- Glass, Alyssa, "Explaining Preference Learning", *CiteSeerx*, 2006, pp. 1-5.
- Glinert-Stevens, Susan, "Microsoft Publisher: Desktop Wizardry", *PC Sources*, vol. 3, No. 2, Feb. 1992, 1 page.
- Glossary of Adaptive Technologies: Word Prediction, available at <<http://www.utoronto.ca/atrc/reference/techwordpred.html>>, retrieved on Dec. 6, 2005, 5 pages.
- Gmail, "About Group Chat", available at <<http://mail.google.com/support/bin/answer.py?answer=81090>>, Nov. 26, 2007, 2 pages.
- Goddeau et al., "A Form-Based Dialogue Manager for Spoken Language Applications", Available online at <<http://phasedance.com/pdf/icslp96.pdf>>, Oct. 1996, 4 pages.
- Goddeau et al., "Galaxy: A Human-Language Interface to On-Line Travel Information", *International Conference on Spoken Language Processing*, Yokohama, 1994, pp. 707-710.
- Goldberg et al., "Using Collaborative Filtering to Weave an Information Tapestry", *Communications of the ACM*, vol. 35, No. 12, Dec. 1992, 10 pages.
- Goldberg, Cheryl, "IBM Drawing Assistant: Graphics for the EGA", *PC Magazine*, vol. 4, No. 26, Dec. 24, 1985, 1 page.
- Gomez et al., "Mouth Gesture and Voice Command Based Robot Command Interface", *IEEE International Conference on Robotics and Automation*, May 12-17, 2009, pp. 333-338.
- Gong et al., "Guidelines for Handheld Mobile Device Interface Design", *Proceedings of DSI 2004 Annual Meeting*, 2004, pp. 3751-3756.
- Gonnet et al., "Handbook of Algorithms and Data Structures: in Pascal and C. (2nd ed.)", Addison-Wesley Longman Publishing Co., 1991, 17 pages.
- Good et al., "Building a User-Derived Interface", *Communications of the ACM*; (Oct. 1984) vol. 27, No. 10, Oct. 1984, pp. 1032-1043.
- Gorin et al., "On Adaptive Acquisition of Language", *International Conference on Acoustics, Speech and Signal Processing (ICASSP'90)*, vol. 1, Apr. 1990, 5 pages.
- Gotoh et al., "Document Space Models Using Latent Semantic Analysis", In *Proceedings of Eurospeech*, 1997, 4 pages.
- Gray et al., "Rate Distortion Speech Coding with a Minimum Discrimination Information Distortion Measure", (*IEEE Transactions on Information Theory*, Nov. 1981), as reprinted in *Vector Quantization (IEEE Press)*, 1990, pp. 208-221.
- Gray, R. M., "Vector Quantization", *IEEE ASSP Magazine*, Apr. 1984, 26 pages.
- Green, C., "The Application of Theorem Proving to Question-Answering Systems", *SRI Stanford Research Institute, Artificial Intelligence Group*, Jun. 1969, 169 pages.
- Greenberg, Saul, "A Fisheye Text Editor for Relaxed-WYSIWIS Groupware", *CHI '96 Companion*, Vancouver, Canada, Apr. 13-18, 1996, 2 pages.
- Gregg et al., "DSS Access on the WWW: An Intelligent Agent Prototype", *Proceedings of the Americas Conference on Information Systems*, Association for Information Systems, 1998, 3 pages.
- Griffin et al., "Signal Estimation From Modified Short-Time Fourier Transform", *IEEE Transactions on Acoustics, Speech and Signal Processing*, vol. ASSP-32, No. 2, Apr. 1984, pp. 236-243.
- Grishman et al., "Computational Linguistics: An Introduction", Cambridge University Press, 1986, 172 pages.
- Grosz et al., "Dialogic: A Core Natural-Language Processing System", *SRI International*, Nov. 1982, 17 pages.
- Grosz et al., "Research on Natural-Language Processing at SRI", *SRI International*, Nov. 1981, 21 pages.
- Grosz et al., "TEAM: An Experiment in the Design of Transportable Natural-Language Interfaces", *Artificial Intelligence*, vol. 32, 1987, 71 pages.
- Grosz, B., "Team: A Transportable Natural-Language Interface System", *Proceedings of the First Conference on Applied Natural Language Processing*, 1983, 7 pages.
- Gruber et al., "An Ontology for Engineering Mathematics", *Fourth International Conference on Principles of Knowledge Representation and Reasoning*, Available online at <<http://www-ksl.stanford.edu/knowledge-sharing/papers/engmath.html>>, 1994, pp. 1-22.
- Gruber et al., "Generative Design Rationale: Beyond the Record and Replay Paradigm", *Knowledge Systems Laboratory, Technical Report KSL 92-59*, Dec. 1991, Updated Feb. 1993, 24 pages.
- Gruber et al., "Machine-Generated Explanations of Engineering Models: A Compositional Modeling Approach", *Proceedings of International Joint Conference on Artificial Intelligence*, 1993, 7 pages.
- Gruber et al., "NIKE: A National Infrastructure for Knowledge Exchange", *A Whitepaper Advocating and ATP Initiative on Technologies for Lifelong Learning*, Oct. 1994, pp. 1-10.
- Gruber et al., "Toward a Knowledge Medium for Collaborative Product Development", *Proceedings of the Second International Conference on Artificial Intelligence in Design*, Jun. 1992, pp. 1-19.
- Gruber, Thomas R., "A Translation Approach to Portable Ontology Specifications", *Knowledge Acquisition*, vol. 5, No. 2, Jun. 1993, pp. 199-220.
- Gruber, Thomas R., "Automated Knowledge Acquisition for Strategic Knowledge", *Machine Learning*, vol. 4, 1989, pp. 293-336.
- Gruber, Thomas R., "Interactive Acquisition of Justifications: Learning "Why" by Being Told "What"", *Knowledge Systems Laboratory, Technical Report KSL 91-17*, Original Oct. 1990, Revised Feb. 1991, 24 pages.
- Gruber, Thomas R., "Toward Principles for the Design of Ontologies used for Knowledge Sharing", *International Journal of Human-Computer Studies*, vol. 43, No. 5-6, Nov. 1995, pp. 907-928.
- Gruber, Thomas R., et al., U.S. Appl. No. 61/186,414, filed Jun. 12, 2009 titled "System and Method for Semantic Auto-Completion" 13 pages.
- Gruber, Thomas R., et al., U.S. Appl. No. 61/493,201, filed Jun. 3, 2011 titled "Generating and Processing Data Items That Represent Tasks to Perform", 68 pages.
- Gruber, Thomas R., et al., U.S. Appl. No. 61/657,744, filed Jun. 9, 2012 titled "Automatically Adapting User Interfaces For Hands-Free Interaction", 40 pages.
- Gruber, Thomas R., et al., U.S. Appl. No. 07/976,970, filed Nov. 16, 1992 titled "Status Bar for Application Windows".
- Gruber, Tom, "(Avoiding) The Travesty of the Commons", *Presentation at NPUC, New Paradigms for User Computing*, IBM Almaden Research Center, Jul. 24, 2006, 52 pages.
- Gruber, Tom, "2021: Mass Collaboration and the Really New Economy", *TNTY Futures*, vol. 1, No. 6, Available online at <<http://tomgruber.org/writing/tnty2001.htm>>, Aug. 2001, 5 pages.

(56)

## References Cited

## OTHER PUBLICATIONS

- Gruber, Tom, "Big Think Small Screen: How Semantic Computing in the Cloud will Revolutionize the Consumer Experience on the Phone", Keynote Presentation at Web 3.0 Conference, Jan. 2010, 41 pages.
- Gruber, Tom, "Collaborating Around Shared Content on the WWW, W3C Workshop on WWW and Collaboration", available at <<http://www.w3.org/Collaboration/Workshop/Proceedings/P9.html>>, Sep. 1995, 1 page.
- Gruber, Tom, "Collective Knowledge Systems: Where the Social Web Meets the Semantic Web", *Web Semantics: Science, Services and Agents on the World Wide Web*, 2007, pp. 1-19.
- Gruber, Tom, "Despite Our Best Efforts, Ontologies are not the Problem", AAAI Spring Symposium, Available online at <<http://tomgruber.org/writing/aaai-ss08.htm>>, Mar. 2008, pp. 1-40.
- Gruber, Tom, "Enterprise Collaboration Management with Intraspect", Intraspect Technical White Paper, Jul. 2001, pp. 1-24.
- Gruber, Tom, "Every Ontology is a Treaty—A Social Agreement—Among People with Some Common Motive in Sharing", Official Quarterly Bulletin of AIS Special Interest Group on Semantic Web and Information Systems, vol. 1, No. 3, 2004, pp. 1-5.
- Gruber, Tom, "Helping Organizations Collaborate, Communicate, and Learn", Presentation to NASA Ames Research, Available online at <<http://tomgruber.org/writing/organizational-intelligence-talk.htm>>, Mar.-Oct. 2003, 30 pages.
- Gruber, Tom, "Intelligence at the Interface: Semantic Technology and the Consumer Internet Experience", Presentation at Semantic Technologies Conference, Available online at <<http://tomgruber.org/writing/semtech08.htm>>, May 20, 2008, pp. 1-40.
- Gruber, Tom, "It Is What It Does: The Pragmatics of Ontology for Knowledge Sharing", Proceedings of the International CIDOC CRM Symposium, Available online at <<http://tomgruber.org/writing/cidoc-ontology.htm>>, Mar. 26, 2003, 21 pages.
- Gruber, Tom, "Ontologies, Web 2.0 and Beyond", Ontology Summit, Available online at <<http://tomgruber.org/writing/ontolog-social-web-keynote.htm>>, Apr. 2007, 17 pages.
- Gruber, Tom, "Ontology of Folksonomy: A Mash-Up of Apples and Oranges", *Int'l Journal on Semantic Web & Information Systems*, vol. 3, No. 2, 2007, 7 pages.
- Gruber, Tom, "Siri, A Virtual Personal Assistant—Bringing Intelligence to the Interface", Semantic Technologies Conference, Jun. 16, 2009, 21 pages.
- Gruber, Tom, "TagOntology", Presentation to Tag Camp, Oct. 29, 2005, 20 pages.
- Gruber, Tom, "Where the Social Web Meets the Semantic Web", Presentation at the 5th International Semantic Web Conference, Nov. 2006, 38 pages.
- Gruhn et al., "A Research Perspective on Computer-Assisted Office Work", *IBM Systems Journal*, vol. 18, No. 3, 1979, pp. 432-456.
- Guay, Matthew, "Location-Driven Productivity with Task Ave", available at <<http://iphone.appstom.net/reviews/productivity/location-driven-productivity-with-task-ave/>>, Feb. 19, 2011, 7 pages.
- Guida et al., "NLI: A Robust Interface for Natural Language Person-Machine Communication", *International Journal of Man-Machine Studies*, vol. 17, 1982, 17 pages.
- Guim, Mark, "How to Set a Person-Based Reminder with Cortana", available at <<http://www.wpcentral.com/how-to-person-based-reminder-cortana>>, Apr. 26, 2014, 15 pages.
- Gurevych et al., "Semantic Coherence Scoring Using an Ontology", North American Chapter of the Association for Computational Linguistics Archive, Proceedings of the 2003 Conference of the North American Chapter of the Association for Computational Linguistics on Human Language Technology, May 27, 2003, 8 pages.
- Guzzoni et al., "A Unified Platform for Building Intelligent Web Interaction Assistants", Proceedings of the 2006 IEEE/WIC/ACM International Conference on Web Intelligence and Intelligent Agent Technology, Computer Society, 2006, 4 pages.
- Guzzoni et al., "Active, A Platform for Building Intelligent Operating Rooms", *Surgetica 2007 Computer-Aided Medical Interventions: Tools and Applications*, 2007, pp. 191-198.
- Guzzoni et al., "Active, A platform for Building Intelligent Software", *Computational Intelligence*, available at <<http://www.informatik.uni-trier.de/~pers/hd/g/Guzzoni:Didier>>, 2006, 5 pages.
- Guzzoni et al., "Active, A Tool for Building Intelligent User Interfaces", *ASC 2007, Palma de Mallorca*, Aug. 2007, 6 pages.
- Guzzoni et al., "Many Robots Make Short Work", AAAI Robot Contest, SRI International, 1996, 9 pages.
- Guzzoni et al., "Modeling Human-Agent Interaction with Active Ontologies", AAAI Spring Symposium, Interaction Challenges for Intelligent Assistants, Stanford University, Palo Alto, California, 2007, 8 pages.
- Guzzoni, D., "Active: A Unified Platform for Building Intelligent Assistant Applications", Oct. 25, 2007, 262 pages.
- Haas et al., "An Approach to Acquiring and Applying Knowledge", *SRI international*, Nov. 1980, 22 pages.
- Hadidi et al., "Student's Acceptance of Web-Based Course Offerings: An Empirical Assessment", Proceedings of the Americas Conference on Information Systems (AMCIS), 1998, 4 pages.
- Haga et al., "A Usability Survey of a Contents-Based Video Retrieval System by Combining Digital Video and an Electronic Bulletin Board", *The Internet and Higher Education*, vol. 8, No. 3, 2005, pp. 251-262.
- Hain et al., "The Papageno TTS System", Siemens AG, Corporate Technology, Munich, Germany TC-STAR Workshop, 2006, 6 pages.
- Haitsma et al., "A Highly Robust Audio Fingerprinting System", In Proceedings of the International Symposium on Music Information Retrieval (ISMIR), 2002, 9 pages.
- Halbert, D. C., "Programming by Example", Dept. Electrical Engineering and Comp. Sciences, University of California, Berkeley, Nov. 1984, pp. 1-76.
- Hall, William S., "Adapt Your Program for Worldwide Use with Windows.TM. Internationalization Support", *Microsoft Systems Journal*, vol. 6, No. 6, Nov./Dec. 1991, pp. 29-58.
- Haoui et al., "Embedded Coding of Speech: A Vector Quantization Approach", (Proceedings of the IEEE International Acoustics, Speech and Signal Processing Conference, Mar. 1985), as reprinted in *Vector Quantization* (IEEE Press, 1990), 1990, pp. 297-299.
- Hardwar, Devindra, "Driving App Waze Builds its own Siri for Hands-Free Voice Control", Available online at <<http://venturebeat.com/2012/02/09/driving-app-waze-builds-its-own-siri-for-hands-free-voice-control/>>, retrieved on Feb. 9, 2012, 4 pages.
- Harris, F. J., "On the Use of Windows for Harmonic Analysis with the Discrete Fourier Transform", In Proceedings of the IEEE, vol. 66, No. 1, Jan. 1978, 34 pages.
- Hartson et al., "Advances in Human-Computer Interaction", Chapters 1, 5, and 6, vol. 3, 1992, 121 pages.
- Hashimoto, Yoshiyuki, "Simple Guide for iPhone Siri, Which Can Be Operated with Your Voice", *Shuwa System Co., Ltd.*, vol. 1, Jul. 5, 2012, pp. 8, 130, 131.
- Hawkins et al., "Hierarchical Temporal Memory: Concepts, Theory and Terminology", Numenta, Inc., Mar. 27, 2007, 20 pages.
- Hayashi et al., "Internet Information Navigation Service TITAN", *NTT Technology Journal*, JPN, vol. 8, No. 8, Aug. 1996, pp. 20-23.
- He et al., "Personal Security Agent: KQML-Based PKI", The Robotics Institute, Carnegie-Mellon University, Paper, 1997, 14 pages.
- Headset Button Controller v7.3 APK Full APP Download for Android, Blackberry, iPhone, 11 pages.
- Hear voice from Google translate, Available on URL: <<https://www.youtube.com/watch?v=18AvMhFqD28>>, Jan. 28, 2011, 1 page.
- Heger et al., "KNOWBOT: An Adaptive Data Base Interface", *Nuclear Science and Engineering*, V. 107, No. 2, Feb. 1991, pp. 142-157.
- Helm et al., "Building Visual Language Parsers", Proceedings of CHI'91, Proceedings of the SIGCHI Conference on Human Factors in Computing Systems, 1991, 8 pages.
- Hendrickson, Bruce, "Latent Semantic Analysis and Fiedler Retrieval", *Linear Algebra and its Applications*, vol. 421, 2007, pp. 345-355.

(56)

## References Cited

## OTHER PUBLICATIONS

- Hendrix et al., "Developing a Natural Language Interface to Complex Data", *ACM Transactions on Database Systems*, vol. 3, No. 2, Jun. 1978, pp. 105-147.
- Hendrix et al., "The Intelligent Assistant: Technical Considerations Involved in Designing Q&A's Natural-Language Interface", *Byte Magazine*, Issue 14, Dec. 1987, 1 page.
- Hendrix et al., "Transportable Natural-Language Interfaces to Databases", *SRI International, Technical Note 228*, Apr. 30, 1981, 18 pages.
- Hendrix, Gary G., "Human Engineering for Applied Natural Language Processing", *SRI International, Technical Note 139*, Feb. 1977, 27 pages.
- Hendrix, Gary G., "Klaus: A System for Managing Information and Computational Resources", *SRI International, Technical Note 230*, Oct. 1980, 34 pages.
- Hendrix, Gary G., "Lifer: A Natural Language Interface Facility", *SRI Stanford Research Institute, Technical Note 135*, Dec. 1976, 9 pages.
- Hendrix, Gary G., "Natural-Language Interface", *American Journal of Computational Linguistics*, vol. 8, No. 2, Apr.-Jun. 1982, pp. 56-61.
- Hendrix, Gary G., "The Lifer Manual: A Guide to Building Practical Natural Language Interfaces", *SRI International, Technical Note 138*, Feb. 1977, 76 pages.
- Henrich et al., "Language Identification for the Automatic Grapheme-To-Phoneme Conversion of Foreign Words in a German Text-To-Speech System", *Proceedings of the European Conference on Speech Communication and Technology*, vol. 2, Sep. 1989, pp. 220-223.
- Hermansky, H., "Perceptual Linear Predictive (PLP) Analysis of Speech", *Journal of the Acoustical Society of America*, vol. 87, No. 4, Apr. 1990, 15 pages.
- Hermansky, H., "Recognition of Speech in Additive and Convolutional Noise Based on Rasta Spectral Processing", *Proceedings of IEEE International Conference on Acoustics, Speech and Signal Processing (ICASSP'93)*, Apr. 1993, 4 pages.
- Heyer et al., "Exploring Expression Data: Identification and Analysis of Coexpressed Genes", *Genome Research*, vol. 9, 1999, pp. 1106-1115.
- Hill, R. D., "Some Important Features and Issues in User Interface Management System", *Dynamic Graphics Project, University of Toronto, CSRI*, vol. 21, No. 2, Apr. 1987, pp. 116-120.
- Hinckley et al., "A Survey of Design Issues in Spatial Input", *UIST '94 Proceedings of the 7th Annual ACM Symposium on User Interface Software and Technology*, 1994, pp. 213-222.
- Hiroshi, "TeamWork Station: Towards a Seamless Shared Workspace", *NTT Human Interface Laboratories, CSCW 90 Proceedings*, Oct. 1990, pp. 13-26.
- Hirschman et al., "Multi-Site Data Collection and Evaluation in Spoken Language Understanding", *Proceedings of the Workshop on Human Language Technology*, 1993, pp. 19-24.
- Hobbs et al., "Fastus: A System for Extracting Information from Natural-Language Text", *SRI International, Technical Note 519*, Nov. 19, 1992, 26 pages.
- Hobbs et al., "Fastus: Extracting Information from Natural-Language Texts", *SRI International*, 1992, pp. 1-22.
- Hobbs, Jerry R., "Sublanguage and Knowledge", *SRI International, Technical Note 329*, Jun. 1984, 30 pages.
- Hodjat et al., "Iterative Statistical Language Model Generation for use with an Agent-Oriented Natural Language Interface", *Proceedings of HCI International*, vol. 4, 2003, pp. 1422-1426.
- Hoehfeld et al., "Learning with Limited Numerical Precision Using the Cascade-Correlation Algorithm", *IEEE Transactions on Neural Networks*, vol. 3, No. 4, Jul. 1992, 18 pages.
- Holmes, "Speech System and Research", 1955, pp. 129-135, 152-153.
- Holmes, J. N., "Speech Synthesis and Recognition-Stochastic Models for Word Recognition", *Published by Chapman & Hall, London, ISBN 0 412 534304*, 1998, 7 pages.
- Hon et al., "CMU Robust Vocabulary-Independent Speech Recognition System", *IEEE International Conference on Acoustics, Speech and Signal Processing (ICASSP-91)*, Apr. 1991, 4 pages.
- Hon et al., "Towards Large Vocabulary Mandarin Chinese Speech Recognition", *Conference on Acoustics, Speech, and Signal Processing, ICASSP-94, IEEE International*, vol. 1, Apr. 1994, pp. 545-548.
- Hopper, Andy, "Pandora—An Experimental System for Multimedia Applications", *Olivetti Research Laboratory*, Apr. 1990, pp. 19-34.
- Horvitz et al., "Handsfree Decision Support: Toward a Non-invasive Human-Computer Interface", *Proceedings of the Symposium on Computer Applications in Medical Care, IEEE Computer Society Press*, 1995, p. 955.
- Horvitz et al., "In Pursuit of Effective Handsfree Decision Support: Coupling Bayesian Inference, Speech Understanding, and User Models", 1995, 8 pages.
- Howard, John H., "(Abstract) An Overview of the Andrew File System", *Information Technology Center, Carnegie Mellon University; (CMU-ITC-88-062) To Appear in a future issue of the ACM Transactions on Computer Systems*, 1988, pp. 1-6.
- Huang et al., "A Novel Approach to Robust Speech Endpoint Detection in Car Environments", *Acoustics, Speech, and Signal Processing 2000, ICASSP '00, Proceeding S. 2000 IEEE International Conference on Jun. 5-9, 2000*, vol. 3, Jun. 5, 2000, pp. 1751-1754.
- Huang et al., "Real-Time Software-Based Video Coder for Multimedia Communication Systems", *Department of Computer Science and Information Engineering*, 1993, 10 pages.
- Huang et al., "The SPHINX-II Speech Recognition System: An Overview", *Computer, Speech and Language*, vol. 7, No. 2, 1993, 14 pages.
- Hukin, R. W., "Testing an Auditory Model by Resynthesis", *European Conference on Speech Communication and Technology*, Sep. 26-29, 1989, pp. 243-246.
- Hunt, "Unit Selection In A Concatenative Speech Synthesis System Using A Large Speech Database", *Copyright 1996 IEEE. "To appear in Proc. ICASSP-96, May 7-10, Atlanta, GA" ATR Interpreting Telecommunications Research Labs, Kyoto Japan*, 1996, pp. 373-376.
- IAP Sports Lingo 0x09 Protocol V1.00, May 1, 2006, 17 pages.
- IBM Corporation, "Simon Says 'Here's How'", *Users Manual*, 1994, 3 pages.
- IBM, "Integrated Audio-Graphics User Interface", *IBM Technical Disclosure Bulletin*, vol. 33, No. 11, Apr. 1991, 4 pages.
- IBM, "Speech Editor", *IBM Technical Disclosure Bulletin*, vol. 29, No. 10, Mar. 10, 1987, 3 pages.
- IBM, "Speech Recognition with Hidden Markov Models of Speech Waveforms", *IBM Technical Disclosure Bulletin*, vol. 34, No. 1, Jun. 1991, 10 pages.
- IBM, "Why Buy: ThinkPad", available at <<http://www.pc.ibm.com/us/thinkpad/easeofuse.html>>, retrieved on Dec. 19, 2002, 2 pages.
- iChat AV, "Video Conferencing for the Rest of US", *Apple—Mac OS X—iChat AV*, available at <<http://www.apple.com/macosx/features/ichat/>>, retrieved on Apr. 13, 2006, 3 pages.
- id3.org, "id3v2.4.0-Frames", available at <<http://id3.org/id3v2.4.0-frames?action=print>>, retrieved on Jan. 22, 2015, 41 pages.
- IEEE 1394 (Redirected from Firewire, Wikipedia, The Free Encyclopedia, available at <<http://www.wikipedia.org/wiki/Firewire>>, retrieved on Jun. 8, 2003, 2 pages.
- Interactive Voice, available at <<http://www.helloivee.com/company/>>, retrieved on Feb. 10, 2014, 2 pages.
- International Preliminary Report on Patentability received for PCT Patent Application No. PCT/GB2009/051684, dated Jun. 23, 2011, 10 pages.
- International Preliminary Report on Patentability received for PCT Patent Application No. PCT/US1993/012637, dated Apr. 10, 1995, 7 pages.
- International Preliminary Report on Patentability received for PCT Patent Application No. PCT/US1993/012666, dated Mar. 1, 1995, 5 pages.
- International Preliminary Report on Patentability received for PCT Patent Application No. PCT/US1994/011011, dated Feb. 28, 1996, 4 pages.

(56)

**References Cited**

## OTHER PUBLICATIONS

International Preliminary Report on Patentability received for PCT Patent Application No. PCT/US1995/008369, dated Oct. 9, 1996, 4 pages.

International Preliminary Report on Patentability received for PCT Patent Application No. PCT/US2004/002873, dated Feb. 1, 2006, 5 pages.

International Preliminary report on Patentability received for PCT Patent Application No. PCT/US2004/016519, dated Jan. 23, 2006, 12 pages.

International Preliminary Report on Patentability received for PCT Patent Application No. PCT/US2005/030234, dated Mar. 20, 2007, 9 pages.

International Preliminary Report on Patentability received for PCT Patent Application No. PCT/US2008/000042, dated Jul. 7, 2009, 6 pages.

International Preliminary Report on Patentability received for PCT Patent Application No. PCT/US2008/000043, dated Jul. 7, 2009, 8 pages.

International Preliminary Report on Patentability received for PCT Patent Application No. PCT/US2008/000047, dated Jul. 7, 2009, 8 pages.

International Preliminary Report on Patentability received for PCT Patent Application No. PCT/US2009/051954, dated Mar. 24, 2011, 8 pages.

International Preliminary Report on Patentability received for PCT Patent Application No. PCT/US2009/055577, completed on Aug. 6, 2010, 12 pages.

International Preliminary Report on Patentability received for PCT Patent Application No. PCT/US2010/037378, dated Dec. 6, 2011, 9 pages.

International Preliminary Report on Patentability received for PCT Patent Application No. PCT/US2011/020350, dated Jul. 17, 2012, 12 pages.

International Preliminary Report on Patentability received for PCT Patent Application No. PCT/US2011/020825, dated Jan. 13, 2012, 17 pages.

International Preliminary Report on Patentability received for PCT Patent Application No. PCT/US2011/020861, dated Aug. 2, 2012, 11 pages.

International Preliminary Report on Patentability received for PCT Patent Application No. PCT/US2011/037014, dated Dec. 13, 2012, 10 pages.

International Preliminary Report on Patentability received for PCT Patent Application No. PCT/US2012/029810, dated Oct. 3, 2013, 9 pages.

International Preliminary Report on Patentability received for PCT Patent Application No. PCT/US2012/034028, dated Oct. 31, 2013, 7 pages.

International Preliminary Report on Patentability received for PCT Patent Application No. PCT/US2012/040571, dated Dec. 19, 2013, 10 pages.

International Preliminary Report on Patentability received for PCT Patent Application No. PCT/US2012/040801, dated Dec. 19, 2013, 16 pages.

International Preliminary Report on Patentability received for PCT Patent Application No. PCT/US2012/040931, dated Dec. 18, 2014, 9 pages.

International Preliminary Report on Patentability received for PCT Patent Application No. PCT/US2012/043098, dated Jan. 9, 2014, 8 pages.

International Preliminary Report on Patentability received for PCT Patent Application No. PCT/US2012/043100, dated Jan. 9, 2014, 7 pages.

International Preliminary Report on Patentability received for PCT Patent Application No. PCT/US2012/056382, dated Apr. 10, 2014, 9 pages.

International Preliminary Report on Patentability received for PCT Patent Application No. PCT/US2013/028412, dated Sep. 12, 2014, 12 pages.

International Preliminary Report on Patentability received for PCT Patent Application No. PCT/US2013/028920, dated Sep. 18, 2014, 11 pages.

International Preliminary Report on Patentability received for PCT Patent Application No. PCT/US2013/029156, dated Sep. 9, 2014, 7 pages.

International Preliminary Report on Patentability received for PCT Patent Application No. PCT/US2013/041225, dated Nov. 27, 2014, 9 pages.

International Preliminary Report on Patentability received for PCT Patent Application No. PCT/US2013/041233, dated Nov. 18, 2014, 8 pages.

International Preliminary Report on Patentability received for PCT Patent Application No. PCT/US2013/044574, dated Dec. 9, 2014, 8 pages.

International Preliminary Report on Patentability received for PCT Patent Application No. PCT/US2013/044834, dated Dec. 9, 2014, 9 pages.

International Preliminary Report on Patentability received for PCT Patent Application No. PCT/US2013/047659, dated Dec. 31, 2014, 15 pages.

International Preliminary Report on Patentability received for PCT Patent Application No. PCT/US2013/047668, dated Jan. 8, 2015, 13 pages.

International Preliminary Report on Patentability received for PCT Patent Application No. PCT/US2013/052558, dated Feb. 12, 2015, 12 pages.

International Preliminary Report on Patentability received for PCT Patent Application No. PCT/US2013/058916, dated Mar. 19, 2015, 8 pages.

International Preliminary Report on Patentability received for PCT Patent Application No. PCT/US2013/060121, dated Apr. 2, 2015, 6 pages.

International Preliminary Report on Patentability received for PCT Patent Application No. PCT/US2014/015418, dated Aug. 20, 2015, 12 pages.

International Preliminary Report on Patentability received for PCT Patent Application No. PCT/US2014/016988, dated Sep. 3, 2015, 8 pages.

International Preliminary Report on Patentability received for PCT Patent Application No. PCT/US2014/023822, dated Sep. 24, 2015, 12 pages.

International Preliminary Report on Patentability received for PCT Patent Application No. PCT/US2014/023826, dated Sep. 24, 2015, 9 pages.

International Preliminary Report on Patentability received for PCT Patent Application No. PCT/US2014/026871, dated Sep. 24, 2015, 7 pages.

International Preliminary Report on Patentability received for PCT Patent Application No. PCT/US2014/026873, dated Sep. 24, 2015, 9 pages.

International Preliminary Report on Patentability received for PCT Patent Application No. PCT/US2014/028785, dated Sep. 24, 2015, 15 pages.

International Preliminary Report on Patentability received for PCT Patent Application No. PCT/US2014/028950, dated Sep. 24, 2015, 8 pages.

International Preliminary Report on Patentability received for PCT Patent Application No. PCT/US2014/029050, dated Sep. 24, 2015, 7 pages.

International Preliminary Report on Patentability received for PCT Patent Application No. PCT/US2014/029562, dated Sep. 24, 2015, 16 pages.

International Preliminary Report on Patentability received for PCT Patent Application No. PCT/US2014/040393, dated Dec. 8, 2015, 15 pages.

International Preliminary Report on Patentability received for PCT Patent Application No. PCT/US2014/040394, dated Dec. 23, 2015, 7 pages.

International Preliminary Report on Patentability received for PCT Patent Application No. PCT/US2014/040397, dated Dec. 17, 2015, 8 pages.

(56)

**References Cited**

## OTHER PUBLICATIONS

International Preliminary Report on Patentability received for PCT Patent Application No. PCT/US2014/040401, dated Dec. 8, 2015, 6 pages.

International Preliminary Report on Patentability received for PCT Patent Application No. PCT/US2014/040403 dated Dec. 23, 2015, 7 pages.

International Preliminary Report on Patentability received for PCT Patent Application No. PCT/US2014/040961, dated Dec. 17, 2015, 20 pages.

International Preliminary Report on Patentability received for PCT Patent Application No. PCT/US2014/041159, dated Dec. 17, 2015, 8 pages.

International Preliminary Report on Patentability received for PCT Patent Application No. PCT/US2014/041173, dated Dec. 17, 2015, 9 pages.

International Preliminary Report on Patentability received for PCT Patent Application No. PCT/US2014/049568, dated Feb. 18, 2016, 10 pages.

International Preliminary Report on Patentability received for PCT Patent Application No. PCT/US2015/023593, dated Dec. 15, 2016, 12 pages.

International Preliminary Report on Patentability received for PCT Patent Application No. PCT/US2015/029554, dated Dec. 29, 2016, 8 pages.

International Preliminary Report on Patentability Received for PCT Patent Application No. PCT/US2015/032470, dated Dec. 15, 2016, 9 pages.

International Preliminary Report on Patentability received for PCT Patent Application No. PCT/US2015/032724, dated Dec. 15, 2016, 8 pages.

International Preliminary Report on Patentability received for PCT Patent Application No. PCT/US2015/033051, dated Dec. 15, 2016, 10 pages.

International Search Report & Written Opinion received for PCT Patent Application No. PCT/US2016/021410, dated Jul. 26, 2016, 19 pages.

International Search Report and Written Opinion received for PCT Patent Application No. PCT/US16/23312, dated Jun. 27, 2016, 7 pages.

International Search Report and Written Opinion received for PCT Patent Application No. PCT/US1994/011011, dated Feb. 8, 1995, 3 pages (International Search Report only).

International Search Report and Written Opinion received for PCT Patent Application No. PCT/US2004/002873, dated Oct. 13, 2005, 7 pages.

International Search Report and Written Opinion received for PCT Patent Application No. PCT/US2004/016519, dated Nov. 3, 2005, 6 pages.

International Search Report and Written Opinion received for PCT Patent Application No. PCT/US2005/030234, dated Mar. 17, 2006, 11 pages.

International Search Report and Written Opinion received for PCT Patent Application No. PCT/US2005/038819, dated Apr. 5, 2006, 12 pages.

International Search Report and Written Opinion received for PCT Patent Application No. PCT/US2006/048669, dated Jul. 2, 2007, 12 pages.

International Search Report and Written Opinion received for PCT Patent Application No. PCT/US2006/048670, dated May 21, 2007, 11 pages.

International Search Report and Written Opinion received for PCT Patent Application No. PCT/US2006/048753, dated Jun. 19, 2007, 15 pages.

International Search Report and Written Opinion received for PCT Patent Application No. PCT/US2007/026243, dated Mar. 31, 2008, 10 pages.

International Search Report and Written Opinion received for PCT Patent Application No. PCT/US2007/088872, dated May 8, 2008, 8 pages.

International Search Report and Written Opinion received for PCT Patent Application No. PCT/US2007/088873, dated May 8, 2008, 7 pages.

International Search Report and Written Opinion received for PCT Patent Application No. PCT/US2008/000032, dated Jun. 12, 2008, 7 pages.

International Search Report and Written Opinion received for PCT Patent Application No. PCT/US2008/000042, dated May 21, 2008, 7 pages.

International Search Report and Written Opinion received for PCT Patent Application No. PCT/US2008/000043, dated Oct. 10, 2008, 12 pages.

International Search Report and Written Opinion received for PCT Patent Application No. PCT/US2008/000045, dated Jun. 12, 2008, 7 pages.

International Search Report and Written Opinion received for PCT Patent Application No. PCT/US2008/000047, dated Sep. 11, 2008, 12 pages.

International Search Report and Written Opinion received for PCT Patent Application No. PCT/US2008/000059, dated Sep. 19, 2008, 18 pages.

International Search Report and Written Opinion received for PCT Patent Application No. PCT/US2008/000061, dated Jul. 1, 2008, 13 pages.

International Search Report and Written Opinion received for PCT Patent Application No. PCT/US2009/051954, dated Oct. 30, 2009, 10 pages.

International Search Report and Written Opinion received for PCT Patent Application No. PCT/US2009/055577, dated Jan. 26, 2010, 9 pages.

International Search Report and Written Opinion received for PCT Patent Application No. PCT/US2010/037378, dated Aug. 25, 2010, 14 pages.

International Search Report and Written Opinion received for PCT Patent Application No. PCT/US2011/020350, dated Jun. 30, 2011, 17 pages.

International Search Report and Written Opinion received for PCT Patent Application No. PCT/US2011/020825, dated Mar. 18, 2011, 9 pages.

International Search Report and Written Opinion received for PCT Patent Application No. PCT/US2011/020861, dated Nov. 29, 2011, 12 pages.

International Search Report and Written Opinion received for PCT Patent Application No. PCT/US2012/029810, dated Aug. 17, 2012, 11 pages.

International Search Report and Written Opinion received for PCT Patent Application No. PCT/US2012/034028, dated Jun. 11, 2012, 9 pages.

International Search Report and Written Opinion received for PCT Patent Application No. PCT/US2012/040571, dated Nov. 16, 2012, 14 pages.

International Search Report and Written Opinion received for PCT Patent Application No. PCT/US2012/040801, dated Oct. 22, 2012, 20 pages.

International Search Report and Written Opinion received for PCT Patent Application No. PCT/US2012/040931, dated Feb. 1, 2013, 4 pages (International Search Report only).

International Search Report and Written Opinion received for PCT Patent Application No. PCT/US2012/043098, dated Nov. 14, 2012, 9 pages.

International Search Report and Written Opinion received for PCT Patent Application No. PCT/US2012/043100, dated Nov. 15, 2012, 8 pages.

International Search Report and Written Opinion received for PCT Patent Application No. PCT/US2012/056382, dated Dec. 20, 2012, 11 pages.

International Search Report and Written Opinion received for PCT Patent Application No. PCT/US2013/028412, dated Sep. 26, 2013, 17 pages.

International Search Report and Written Opinion received for PCT Patent Application No. PCT/US2013/028920, dated Jun. 27, 2013, 14 pages.

(56)

**References Cited**

## OTHER PUBLICATIONS

International Search Report and Written Opinion received for PCT Patent Application No. PCT/US2013/029156, dated Jul. 15, 2013, 9 pages.

International Search Report and Written Opinion received for PCT Patent Application No. PCT/US2013/040971, dated Nov. 12, 2013, 11 pages.

International Search Report and Written Opinion received for PCT Patent Application No. PCT/US2013/041225, dated Aug. 23, 2013, 3 pages (International Search Report only).

International Search Report and Written Opinion received for PCT Patent Application No. PCT/US2013/044574, dated Sep. 27, 2013, 12 pages.

International Search Report and Written Opinion received for PCT Patent Application No. PCT/US2013/044834, dated Dec. 20, 2013, 13 pages.

International Search Report and Written Opinion received for PCT Patent Application No. PCT/US2013/047659, dated Jul. 7, 2014, 25 pages.

International Search Report and Written Opinion received for PCT Patent Application No. PCT/US2013/047668, dated Feb. 13, 2014, 17 pages.

International Search Report and Written Opinion received for PCT Patent Application No. PCT/US2013/052558, dated Jan. 30, 2014, 15 pages.

International Search Report and Written Opinion received for PCT Patent Application No. PCT/US2013/058916, dated Sep. 8, 2014, 10 pages.

International Search Report and Written Opinion received for PCT Patent Application No. PCT/US2013/060121, dated Dec. 6, 2013, 8 pages.

International Search Report and Written Opinion received for PCT Patent Application No. PCT/US2014/015418, dated Aug. 26, 2014, 17 pages.

International Search Report and Written Opinion received for PCT Patent Application No. PCT/US2014/016988, dated Apr. 29, 2014, 10 pages.

International Search Report and Written Opinion received for PCT Patent Application No. PCT/US2014/023822, dated Sep. 25, 2014, 14 pages.

International Search Report and Written Opinion received for PCT Patent Application No. PCT/US2014/023826, dated Oct. 9, 2014, 13 pages.

International Search Report and Written Opinion received for PCT Patent Application No. PCT/US2014/026871, dated Jul. 23, 2014, 9 pages.

International Search Report and Written Opinion received for PCT Patent Application No. PCT/US2014/026873, dated Jan. 5, 2015, 11 pages.

International Search Report and Written Opinion received for PCT Patent Application No. PCT/US2014/028785, dated Oct. 17, 2014, 23 pages.

International Search Report and Written Opinion received for PCT Patent Application No. PCT/US2014/028950, dated Nov. 25, 2014, 10 pages.

International Search Report and Written Opinion received for PCT Patent Application No. PCT/US2014/029050, dated Jul. 31, 2014, 9 pages.

International Search Report and Written Opinion received for PCT Patent Application No. PCT/US2014/029562, dated Sep. 18, 2014, 21 pages.

International Search Report and Written Opinion received for PCT Patent Application No. PCT/US2014/040393, dated Dec. 8, 2014, 23 pages.

International Search Report and Written Opinion received for PCT Patent Application No. PCT/US2014/040394, dated Aug. 8, 2014, 11 pages.

International Search Report and Written Opinion received for PCT Patent Application No. PCT/US2014/040397, dated Aug. 27, 2014, 12 pages.

International Search Report and Written Opinion received for PCT Patent Application No. PCT/US2014/040401, dated Sep. 4, 2014, 10 pages.

International Search Report and Written Opinion received for PCT Patent Application No. PCT/US2014/040403, dated Sep. 23, 2014, 9 pages.

International Search Report and Written Opinion received for PCT Patent Application No. PCT/US2014/040961, dated Mar. 10, 2015, 5 pages.

International Search Report and Written Opinion received for PCT Patent Application No. PCT/US2014/041159, dated Sep. 26, 2014, 10 pages.

International Search Report and Written Opinion received for PCT Patent Application No. PCT/US2014/041173, dated Sep. 10, 2014, 11 pages.

International Search Report and Written Opinion received for PCT Patent Application No. PCT/US2014/049568, dated Nov. 14, 2014, 12 pages.

International Search Report and Written Opinion received for PCT Patent Application No. PCT/US2014/053951, dated Dec. 8, 2014, 11 pages.

International Search Report and Written Opinion received for PCT Patent Application No. PCT/US2014/053957, dated Feb. 19, 2015, 11 pages.

International Search Report and Written Opinion received for PCT Patent Application No. PCT/US2014/053958, dated Feb. 19, 2015, 10 pages.

International Search Report and Written Opinion received for PCT Patent Application No. PCT/US2015/019320, dated Jul. 2, 2015, 14 pages.

International Search Report and Written Opinion received for PCT Patent Application No. PCT/US2015/019321, dated Jun. 3, 2015, 11 pages.

International Search Report and Written Opinion received for PCT Patent Application No. PCT/US2015/019322, dated Jun. 18, 2015, 16 pages.

International Search Report and Written Opinion received for PCT Patent Application No. PCT/US2015/023089, dated Aug. 20, 2015, 16 pages.

International Search Report and Written Opinion received for PCT Patent Application No. PCT/US2015/023097, dated Jul. 7, 2015, 15 pages.

International Search Report and Written Opinion received for PCT Patent Application No. PCT/US2015/023593, dated Aug. 14, 2015, 16 pages.

International Search Report and Written Opinion received for PCT Patent Application No. PCT/US2015/025188, dated Jun. 23, 2015, 11 pages.

International Search Report and Written Opinion received for PCT Patent Application No. PCT/US2015/029554, dated Jul. 16, 2015, 11 pages.

International Search Report and Written Opinion received for PCT Patent Application No. PCT/US2015/032470, dated Oct. 1, 2015, 13 pages.

International Search Report and Written Opinion received for PCT Patent Application No. PCT/US2015/032724, dated Jul. 27, 2015, 11 pages.

International Search Report and Written Opinion received for PCT Patent Application No. PCT/US2015/033051, dated Aug. 5, 2015, 14 pages.

International Search Report and Written Opinion received for PCT Patent Application No. PCT/US2015/047062, dated Jan. 13, 2016, 25 pages.

International Search Report and Written Opinion received for PCT Patent Application No. PCT/US2015/047064, dated Nov. 13, 2015, 13 pages.

International Search Report and Written Opinion received for PCT Patent Application No. PCT/US2015/047281, dated Dec. 17, 2015, 19 pages.

International Search Report and Written Opinion received for PCT Patent Application No. PCT/US2015/047553, dated Jan. 5, 2016, 10 pages.



(56)

**References Cited**

## OTHER PUBLICATIONS

International Search Report and Written opinion received for PCT Patent Application No. PCT/US2015/047583, dated Feb. 3, 2016, 11 pages.

International Search Report and Written Opinion received for PCT Patent Application No. PCT/US2015/047584, dated Nov. 9, 2015, 10 pages.

International Search Report and Written Opinion received for PCT Patent Application No. PCT/US2015/053365, dated Mar. 10, 2016, 20 pages.

International Search Report and Written Opinion received for PCT Patent Application No. PCT/US2015/053366, dated Apr. 26, 2016, 16 pages.

International Search Report and Written Opinion received for PCT Patent Application No. PCT/US2016/021103, dated Jun. 8, 2016, 15 pages.

International Search Report and Written Opinion received for PCT Patent Application No. PCT/US2016/021104, dated Jun. 8, 2016, 15 pages.

International Search Report and Written opinion received for PCT Patent Application No. PCT/US2016/021409, dated May 26, 2016, 22 pages.

International Search report and Written Opinion received for PCT Patent Application No. PCT/US2016/024666, dated Jun. 10, 2016, 13 pages.

International Search Report and Written Opinion received for PCT Patent Application No. PCT/US2016/025404, dated Jun. 24, 2016, 21 pages.

International Search Report and Written Opinion received for PCT Patent Application No. PCT/US2016/025407, dated Jun. 23, 2016, 18 pages.

International Search Report and Written Opinion received for PCT Patent Application No. PCT/US2016/025408, dated Aug. 11, 2016, 19 pages.

International Search Report and Written Opinion received for PCT Patent Application No. PCT/US2016/031059, dated Aug. 8, 2016, 11 pages.

International Search Report and Written Opinion received for PCT Patent Application No. PCT/US2016/031549, dated Aug. 5, 2016, 35 pages.

International Search Report and Written Opinion received for PCT Patent Application No. PCT/US2016/031550, dated Aug. 4, 2016, 13 pages.

International Search Report and Written Opinion received for PCT Patent Application No. PCT/US2016/035105, dated Aug. 29, 2016, 25 pages.

International Search Report and Written Opinion received for PCT Patent Application No. PCT/US2016/035107, dated Aug. 31, 2016, 26 pages.

International Search Report and Written Opinion received for PCT Patent Application No. PCT/US2016/035112, dated Aug. 22, 2016, 21 pages.

International Search Report and Written Opinion received for PCT Patent Application No. PCT/US2016/043005, dated Oct. 7, 2016, 17 pages.

International Search Report and Written Opinion received for PCT Patent Application No. PCT/US2016/047215, dated Oct. 24, 2016, 18 pages.

International Search Report and Written Opinion Received for PCT Patent Application No. PCT/US2016/051151, dated Nov. 22, 2016, 10 pages.

International Search Report and Written Opinion Received for PCT Patent Application No. PCT/US2016/051895, dated Nov. 18, 2016, 30 pages.

International Search Report and Written Opinion received for PCT Patent Application No. PCT/US2016/053313, dated Dec. 7, 2016, 23 pages.

International Search Report and Written Opinion received for PCT Patent Application No. PCT/US2016/053445, dated Dec. 6, 2016, 11 pages.

International Search Report received for PCT Patent Application No. PCT/GB2009/051684, dated Mar. 12, 2010, 4 pages.

International Search Report received for PCT Patent Application No. PCT/US1993/012666, dated Nov. 9, 1994, 8 pages.

International Search Report received for PCT Patent Application No. PCT/US1994/000687, dated Jun. 3, 1994, 1 page.

International Search Report received for PCT Patent Application No. PCT/US1994/00077, dated May 25, 1994, 2 pages.

International Search Report received for PCT Patent Application No. PCT/US1995/008369, dated Nov. 8, 1995, 6 pages.

International Search Report received for PCT Patent Application No. PCT/US1995/013076, dated Feb. 2, 1996, 1 page.

International Search Report received for PCT Patent Application No. PCT/US1996/01002, dated Oct. 30, 1996, 4 pages.

International Search Report received for PCT Patent Application No. PCT/US2002/024669, dated Nov. 5, 2002, 3 pages.

International Search Report received for PCT Patent Application No. PCT/US2002/024670, dated Sep. 26, 2002, 3 pages.

International Search Report received for PCT Patent Application No. PCT/US2002/033330, dated Feb. 4, 2003, 6 pages.

International Search Report received for PCT Patent Application No. PCT/US2005/046797, dated Nov. 24, 2006, 6 pages.

International Search Report received for PCT Patent Application No. PCT/US2011/037014, dated Oct. 4, 2011, 6 pages.

International Search Report received for PCT Patent Application No. PCT/US2013/041233, dated Nov. 22, 2013, 3 pages.

Intraspect Software, "The Intraspect Knowledge Management Solution: Technical Overview", available at <<http://tomgruber.org/writing/intraspect-whitepaper-1998.pdf>>, 1998, 18 pages.

Invitation to Pay Additional Fee Received for PCT Patent Application No. PCT/US2016/047184, dated Dec. 6, 2016, 9 pages.

Invitation to Pay Additional Fee Received for PCT Patent Application No. PCT/US2016/051927, dated Nov. 15, 2016, 2 pages.

Invitation to Pay Additional Fee Received for PCT Patent Application No. PCT/US2016/052440, dated Nov. 15, 2016, 2 pages.

Invitation to Pay Additional Fee Received for PCT Patent Application No. PCT/US2016/059953, dated Dec. 29, 2016, 2 pages.

Invitation to Pay Additional Fees and Partial International Search Report received for PCT Patent Application No. PCT/US2004/016519, dated Aug. 4, 2005, 6 pages.

Invitation to Pay Additional Fees and Partial International Search Report received for PCT Patent Application No. PCT/US2005/046797, dated Jul. 3, 2006, 6 pages.

Invitation to Pay Additional Fees and Partial International Search Report received for PCT Patent Application No. PCT/US2006/048738, dated Jul. 10, 2007, 4 pages.

Invitation to Pay Additional Fees and Partial International Search Report received for PCT Patent Application No. PCT/US2011/020350, dated Apr. 14, 2011, 5 pages.

Invitation to Pay Additional Fees and Partial International Search Report received for PCT Patent Application No. PCT/US2015/023089, dated Jun. 17, 2015, 7 pages.

Invitation to Pay Additional Fees received for PCT Application No. PCT/US2016/021410, dated Apr. 28, 2016, 2 pages.

Invitation to Pay Additional Fees received for PCT Patent Application No. PCT/US2008/000043, dated Jun. 27, 2008, 4 pages.

Invitation to Pay Additional Fees received for PCT Patent Application No. PCT/US2008/000047, dated Jul. 4, 2008, 4 pages.

Invitation to Pay Additional Fees received for PCT Patent Application No. PCT/US2011/037014, dated Aug. 2, 2011, 6 pages.

Invitation to Pay Additional Fees received for PCT Patent Application No. PCT/US2012/040801, dated Aug. 8, 2012, 2 pages.

Invitation to Pay Additional Fees received for PCT Patent Application No. PCT/US2013/047659, dated Feb. 27, 2014, 7 pages.

Invitation to Pay Additional Fees received for PCT Patent Application No. PCT/US2013/052558, dated Nov. 7, 2013, 6 pages.

Invitation to pay additional fees received for PCT Patent Application No. PCT/US2014/029562, dated Jul. 4, 2014, 7 pages.

Invitation to Pay Additional Fees received for PCT Patent Application No. PCT/US2014/040393, dated Sep. 17, 2014, 7 pages.

Invitation to Pay Additional Fees received for PCT Patent Application No. PCT/US2014/040961, dated Jan. 14, 2015, 3 pages.

(56)

## References Cited

## OTHER PUBLICATIONS

- Invitation to Pay Additional Fees received for PCT Patent Application No. PCT/US2015/047281, dated Oct. 8, 2015, 6 pages.
- Invitation to Pay Additional Fees received for PCT Patent Application No. PCT/US2015/053366, dated Feb. 19, 2016, 8 pages.
- Invitation to Pay Additional Fees received for PCT Patent Application No. PCT/US2016/025408, dated May 13, 2016, 2 pages.
- Invitation to Pay Additional Fees received for PCT Patent Application No. PCT/US2014/028785, dated Jul. 4, 2014, 7 pages.
- Invitation to pay additional fees received for the PCT Patent Application No. PCT/US2014/015418, dated May 26, 2014, 5 pages.
- Iowegian International, "FIR Filter Properties, DSPGuru, Digital Signal Processing Central", available at <<http://www.dspguru.com/dsp/faq/fir/properties>> retrieved on Jul. 28, 2010, 6 pages.
- iPhone Hacks, "Native iPhone MMS Application Released", available at <<http://www.iphonhacks.com/2007/12/iphone-mms-app.html>>, retrieved on Dec. 25, 2007, 5 pages.
- Iphonechat, "iChat for iPhone in JavaScript", available at <<http://www.publicity.com/iPhoneChat/>>, retrieved on Dec. 25, 2007, 2 pages.
- Iso-Sipila et al., "Multi-Lingual Speaker-Independent Voice User Interface for Mobile Devices", ICASSP 2006 Proceedings, IEEE International Conference on Acoustics, Speech and Signal Processing May 14, 2006, pp. 1-1081.
- Issar et al., "CMU's Robust Spoken Language Understanding System", Proceedings of Eurospeech, 1993, 4 pages.
- Issar, Sunil, "Estimation of Language Models for New Spoken Language Applications", Proceedings of 4th International Conference on Spoken language Processing, Oct. 1996, 4 pages.
- Jabra Corporation, "FreeSpeak: BT200 User Manual", 2002, 42 pages.
- Jabra, "Bluetooth Headset: User Manual", 2005, 17 pages.
- Jabra, "Bluetooth Introduction", 2004, 15 pages.
- Jacobs et al., "Scisor: Extracting Information from On-Line News", Communications of the ACM, vol. 33, No. 11, Nov. 1990, 10 pages.
- Janas, Jurgen M., "The Semantics-Based Natural Language Interface to Relational Databases", Chapter 6, Cooperative Interfaces to Information Systems, 1986, pp. 143-188.
- Jawaid et al., "Machine Translation with Significant Word Reordering and Rich Target-Side Morphology", WDS'11 Proceedings of Contributed Papers, Part I, 2011, pp. 161-166.
- Jaybird, "Everything Wrong with AIM: Because We've All Thought About It", available at <<http://www.psychonoble.com/archives/articles/82.html>>, May 24, 2006, 3 pages.
- Jeffay et al., "Kernel Support for Live Digital Audio and Video", In Proc. of the Second Intl. Workshop on Network and Operating System Support for Digital Audio and Video, vol. 614, Nov. 1991, pp. 10-21.
- Jelinek et al., "Interpolated Estimation of Markov Source Parameters from Sparse Data", In Proceedings of the Workshop on Pattern Recognition in Practice., May 1980, pp. 381-397.
- Jelinek, F., "Self-Organized Language Modeling for Speech Recognition", Readings in Speech Recognition, Edited by Alex Waibel and Kai-Fu Lee, Morgan Kaufmann Publishers, Inc., ISBN: 1-55860-124-4, 1990, 63 pages.
- Jennings et al., "A Personal News Service Based on a User Model Neural Network", IEICE Transactions on Information and Systems, vol. E75-D, No. 2, Mar. 1992, 12 pages.
- Jensvoll, Maja Henriette, "The Acquisition of Past Tense in English/Norwegian Bilingual Children Single versus Dual Mechanisms", Proceedings of the 19th Scandinavian Conference of Linguistics, vol. 31, No. 3, 2003, pp. 545-557.
- Ji et al., "A Method for Chinese Syllables Recognition Based upon Sub-syllable Hidden Markov Model", 1994 International Symposium on Speech, Image Processing and Neural Networks, Hong Kong, Apr. 1994, 4 pages.
- Jiang et al., "A Syllable-based Name Transliteration System", Proc. of the 2009 Named Entities Workshop, Aug. 7, 2009, pp. 96-99.
- Johnson, Jeff A., "A Comparison of User Interfaces for Panning on a Touch-Controlled Display", CHI '95 Proceedings, 1995, 8 pages.
- Johnson, Julia Ann., "A Data Management Strategy for Transportable Natural Language Interfaces", Doctoral Thesis Submitted to the Department of Computer Science, University of British Columbia, Canada, Jun. 1989, 285 pages.
- Jones, J., "Speech Recognition for Cyclone", Apple Computer, Inc., E.R.S. Revision 2.9, Sep. 10, 1992, 93 pages.
- Jouvet et al., "Evaluating Grapheme-to-phoneme Converters in Automatic Speech Recognition Context", IEEE., 2012., pp. 4821-4824.
- Julia et al., "http://www.speech.sri.com/demos/atis.html", Proceedings of AAAI, Spring Symposium, 1997, 5 pages.
- Julia et al., "Un Editeur Interactif De Tableaux Dessines a Main Levee (An Interactive Editor for Hand-Sketched Tables)", Traitement du Signal, vol. 12, No. 6, 1995, pp. 619-626.
- Kaepfner et al., "Architecture of HeiPhone: A Testbed for Audio/Video Teleconferencing", IBM European Networking Center, 1993.
- Kahn et al., "CoABS Grid Scalability Experiments", Autonomous Agents and MultiAgent Systems, vol. 7, 2003, pp. 171-178.
- Kamba et al., "Using Small Screen Space More Efficiently", CHI '96 Proceedings of the SIGCHI Conference on Human Factors in Computing Systems, Apr. 13-18, 1996, pp. 383-390.
- Kamel et al., "A Graph Based Knowledge Retrieval System", IEEE International Conference on Systems, Man and Cybernetics, 1990, pp. 269-275.
- Kanda et al., "Robust Domain Selection Using Dialogue History in Multi-domain Spoken Dialogue Systems", Journal of Information Processing Society, vol. 48, No. 5, May 15, 2007, pp. 1980-1989. (English Abstract Submitted).
- Kanda et al., "Spoken Language Understanding Using Dialogue Context in Database Search Task", Journal of Information Processing Society of Japan, vol. 47, No. 6, Jun. 15, 2016, pp. 1802-1811. (English Abstract Submitted).
- Kane et al., "Slide Rule: Making Mobile Touch Screens Accessible to Blind People Using Multi-Touch Interaction Techniques", ASSETS, Oct. 13-15, 2008, pp. 73-80.
- Kang et al., "Quality Improvement of LPC-Processed Noisy Speech by Using Spectral Subtraction", IEEE Transactions on Acoustics, Speech and Signal Processing, vol. 37, No. 6, Jun. 1989, pp. 939-942.
- Karp, P. D., "A Generic Knowledge-Base Access Protocol", Available online at <<http://lecture.cs.buu.ac.th/~f50353/Document/gfp.pdf>>, May 12, 1994, 66 pages.
- Katz et al., "Exploiting Lexical Regularities in Designing Natural Language Systems", Proceedings of the 12th International Conference on Computational Linguistics, 1988, pp. 1-22.
- Katz et al., "REXTOR: A System for Generating Relations from Natural Language", Proceedings of the ACL Workshop on Natural Language Processing and Information Retrieval (NLP&IR), Oct. 2000, 11 pages.
- Katz, Boris, "A Three-Step Procedure for Language Generation", Massachusetts Institute of Technology, A.I. Memo No. 599, Dec. 1980, pp. 1-40.
- Katz, Boris, "Annotating the World Wide Web Using Natural Language", Proceedings of the 5th RIAO Conference on Computer Assisted Information Searching on the Internet, 1997, 7 pages.
- Katz, Boris, "Using English for Indexing and Retrieving", Proceedings of the 1st RIAO Conference on User-Oriented Content-Based Text and Image Handling, 1988, pp. 314-332.
- Katz, S. M., "Estimation of Probabilities from Sparse Data for the Language Model Component of a Speech Recognizer", IEEE Transactions on Acoustics, Speech and Signal Processing, vol. ASSP-35, No. 3, Mar. 1987, 3 pages.
- Katzenmaier et al., "Identifying the Addressee in Human-Human-Robot Interactions based on Head Pose and Speech", Proc. ICMI '04, ACM, 2004, pp. 144-151.
- Kawamae et al., "Study on the Structure of Index Data for Metasearch System", Material of 38th SIG of Artificial Intelligence Foundation & 45th SIG of Knowledge Base System, JPN, Sep. 29, 1999, pp. 37-42.

(56)

## References Cited

## OTHER PUBLICATIONS

- Kazemzadeh et al., "Acoustic Correlates of User Response to Error in Human-Computer Dialogues", *Automatic Speech Recognition and Understanding*, 2003, pp. 215-220.
- Kazmucha, Allyson, "How to Send Map Locations Using iMessage", iMore.com, Available at <<http://www.imore.com/how-use-imessage-share-your-location-your-iphone>>, Aug. 2, 2012, 6 pages.
- Keahey et al., "Non-Linear Image Magnification", Apr. 24, 1996, 11 pages.
- Keahey et al., "Nonlinear Magnification Fields", *Proceedings of the 1997 IEEE Symposium on Information Visualization*, 1997, 12 pages.
- Keahey et al., "Techniques for Non-Linear Magnification Transformations", *IEEE Proceedings of Symposium on Information Visualization*, Oct. 1996, pp. 38-45.
- Keahey et al., "Viewing Text With Non-Linear Magnification: An Experimental Study", Department of Computer Science, Indiana University, Apr. 24, 1996, pp. 1-9.
- Kennedy, P. J., "Digital Data Storage Using Video Disc", *IBM Technical Disclosure Bulletin*, vol. 24, No. 2, Jul. 1981, p. 1171.
- Kerr, "An Incremental String Search in C: This Data Matching Algorithm Narrows the Search Space with each Keystroke", *Computer Language*, vol. 6, No. 12, Dec. 1989, pp. 35-39.
- Kickstarter, "Ivee Sleek: Wi-Fi Voice-Activated Assistant", available at <<https://www.kickstarter.com/projects/ivee/ivee-sleek-wi-fi-voice-activated-assistant>>, retrieved on Feb. 10, 2014, 13 pages.
- Kikui, Gen-Itiro, "Identifying the Coding System and Language of On-Line Documents on the Internet", *International Conference on Computational*, Aug. 1996, pp. 652-657.
- Kim, E.A. S., "The Structure and Processing of Fundamental Frequency Contours", University of Cambridge, Doctoral Thesis, Apr. 1987, 378 pages.
- Kirstein et al., "Piloting of Multimedia Integrated Communications for European Researchers", *Proc. INET '93*, 1993, pp. 1-12.
- Kitano, H., "PhiDM-Dialog, An Experimental Speech-to-Speech Dialog Translation System", *Computer*, vol. 24, No. 6, Jun. 1991, 13 pages.
- Kitaoka et al., "Detection and Recognition of Correction Utterances on Misrecognition of Spoken Dialog System", *Systems and Computers in Japan*, vol. 36, No. Oct. 11, 2005, pp. 24-33.
- Kjelldahl et al., "Multimedia—Principles, Systems, and Applications", *Proceedings of the 1991 Eurographics Workshop on Multimedia Systems, Applications, and Interaction*, Apr. 1991.
- Klabbers et al., "Reducing Audible Spectral Discontinuities", *IEEE Transactions on Speech and Audio Processing*, vol. 9, No. 1, Jan. 2001, 13 pages.
- Klatt et al., "Linguistic Uses of Segmental Duration in English: Acoustic and Perpetual Evidence", *Journal of the Acoustical Society of America*, vol. 59, No. 5, May 1976, 16 pages.
- Kline et al., "Improving GUI Accessibility for People with Low Vision", *CHI '95 Proceedings of the SIGCHI Conference on Human Factors in Computing Systems*, May 7-11, 1995, pp. 114-121.
- Kline et al., "UnWindows 1.0: X Windows Tools for Low Vision Users", *ACM SIGCAPH Computers and the Physically Handicapped*, No. 49, Mar. 1994, pp. 1-5.
- Knight et al., "Heuristic Search", *Production Systems, Artificial Intelligence*, 2nd ed., McGraw-Hill, Inc., 1983-1991.
- Knownav, "Knowledge Navigator", YouTube Video available at <[http://www.youtube.com/watch?v=QRH8eimU\\_20](http://www.youtube.com/watch?v=QRH8eimU_20)>, Apr. 29, 2008, 1 page.
- Kohler, Joachim, "Multilingual Phone Models for Vocabulary-Independent Speech Recognition Tasks", *Speech Communication*, vol. 35, No. 1-2, Aug. 2001, pp. 21-30.
- Komatani et al., "Multi-domain Spoken Dialogue System with Extensibility and Robustness Against Speech Recognition Errors", *Proceedings of the 7th SIGdial Workshop on Discourse and Dialogue*, Association for Computational Linguistics, Jul. 2006, pp. 9-17.
- Kominek et al., "Impact of Durational Outlier Removal from Unit Selection Catalogs", 5th ISCA Speech Synthesis Workshop, Jun. 14-16, 2004, 6 pages.
- Konolige, Kurt, "A Framework for a Portable Natural-Language Interface to Large Data Bases", SRI International, Technical Note 197, Oct. 12, 1979, 54 pages.
- Kroon et al., "Pitch Predictors with High Temporal Resolution", *IEEE*, vol. 2, 1990, pp. 661-664.
- Kroon et al., "Quantization Procedures for the Excitation in CELP Coders", (*Proceedings of IEEE International Acoustics, Speech, and Signal Processing Conference*, Apr. 1987), as reprinted in *Vector Quantization* (IEEE Press, 1990), 1990, pp. 320-323.
- Kubala et al., "Speaker Adaptation from a Speaker-Independent Training Corpus", *International Conference on Acoustics, Speech and Signal Processing (ICASSP'90)*, Apr. 1990, 4 pages.
- Kubala et al., "The Hub and Spoke Paradigm for CSR Evaluation", *Proceedings of the Spoken Language Technology Workshop*, Mar. 1994, 9 pages.
- Küleki et al., "Turkish Word Segmentation Using Morphological Analyzer", 7th European Conference on Speech Communication and Technology, 2nd Interspeech Event, 2001, 4 pages.
- Kuo et al., "A Radical-Partitioned coded Block Adaptive Neural Network Structure for Large-Volume Chinese Characters Recognition", *International Joint Conference on Neural Networks*, vol. 3, Jun. 1992, pp. 597-601.
- Kuo et al., "A Radical-Partitioned Neural Network System Using a Modified Sigmoid Function and a Weight-Dotted Radical Selector for Large-Volume Chinese Character Recognition VLSI", *IEEE Int. Symp. Circuits and Systems*, Jun. 1994, pp. 3862-3865.
- Kurlander et al., "Comic Chat", [Online], 1996 [Retrieved on: Feb. 4, 2013], *SIGGRAPH '96 Proceedings of the 23rd annual conference on Computer graphics and interactive techniques*, [Retrieved from: <http://delivery.acm.org/10.1145/240000/237260/p225-kurlander.pdf>], 1996, pp. 225-236.
- Ladefoged, Peter, "A Course in Phonetics", New York, Harcourt, Brace, Jovanovich, Second Edition, 1982.
- Laface et al., "A Fast Segmental Viterbi Algorithm For Large Vocabulary Recognition", *International Conference on Acoustics, Speech, and Signal Processing*, vol. 1, May 1995, pp. 560-563.
- Lafferty et al., "Conditional Random Fields: Probabilistic Models for Segmenting and Labeling Sequence Data", *Proceedings of the 18th International Conference on Machine Learning*, 2001, 9 pages.
- Laird et al., "SOAR: An Architecture for General Intelligence", *Artificial Intelligence*, vol. 33, 1987, pp. 1-64.
- Lamel et al., "Generation and synthesis of Broadcast Messages", *Proceedings of ESCA-NATO Workshop: Applications of Speech Technology*, Sep. 1, 1993, 4 pages.
- Lamping et al., "Laying Out and Visualizing Large Trees Using a Hyperbolic Space", *Proceedings of the ACM Symposium on User Interface Software and Technology*, Nov. 1994, pp. 13-14.
- Lamping et al., "Visualizing Large Trees Using the Hyperbolic Browser", Apple Inc., Video Clip, MIT Media Library, on a CD, 1995.
- Langley et al., "A Design for the ICARUS Architecture", *SIGART Bulletin*, vol. 2, No. 4, 1991, pp. 104-109.
- Lantz et al., "Towards a Universal Directory Service", *Departments of Computer Science and Electrical Engineering, Stanford University*, 1985, pp. 250-260.
- Lantz, Keith, "An Experiment in Integrated Multimedia Conferencing", 1986, pp. 267-275.
- Larks, "Intelligent Software Agents", available at <<http://www.cs.cmu.edu/~softagents/larks.html>> retrieved on Mar. 15, 2013, 2 pages.
- Lau et al., "Trigger-Based Language Models: A Maximum Entropy Approach", *ICASSP'93 Proceedings of the 1993 IEEE international conference on Acoustics, speech, and signal processing: speech processing—vol. II*, 1993, pp. 45-48.
- Lauwers et al., "Collaboration Awareness in Support of Collaboration Transparency: Requirements for the Next Generation of Shared Window Systems", *CHI'90 Proceedings*, 1990, pp. 303-311.
- Lauwers et al., "Replicated Architectures for Shared Window Systems: A Critique", *COCS '90 Proceedings of the ACM SIGOIS and*

(56)

## References Cited

## OTHER PUBLICATIONS

- IEEE CS TC-OA conference on Office information systems, ACM SIGOIS Bulletin, 1990, pp. 249-260.
- Lazzaro, Joseph J., "Adapting Desktop Computers to Meet the Needs of Disabled Workers is Easier Than You Might Think", Computers for the Disabled, BYTE Magazine, Jun. 1993, 4 pages.
- Leahy et al., "Effect of Touch Screen Target Location on User Accuracy", Proceedings of the Human Factors Society 34th Annual Meeting, 1990, 5 pages.
- Lee et al., "A Multi-Touch Three Dimensional Touch-Sensitive Tablet", CHI '85 Proceedings of the SIGCHI Conference on Human Factors in Computing Systems, Apr. 1985, pp. 21-25.
- Lee et al., "A Real-Time Mandarin Dictation Machine for Chinese Language with Unlimited Texts and Very Large Vocabulary", International Conference on Acoustics, Speech and Signal Processing, vol. 1, Apr. 1990, 5 pages.
- Lee et al., "Golden Mandarin (II)—An Improved Single-Chip Real-Time Mandarin Dictation Machine for Chinese Language with Very Large Vocabulary", IEEE International Conference of Acoustics, Speech and Signal Processing, vol. 2, 1993, 4 pages.
- Lee et al., "Golden Mandarin (II)—An Intelligent Mandarin Dictation Machine for Chinese Character Input with Adaptation/Learning Functions", International Symposium on Speech, Image Processing and Neural Networks, Hong Kong, Apr. 1994, 5 pages.
- Lee et al., "On URL Normalization", Proceedings of the International Conference on Computational Science and its Applications, ICCSA 2005, pp. 1076-1085.
- Lee et al., "System Description of Golden Mandarin (I) Voice Input for Unlimited Chinese Characters", International Conference on Computer Processing of Chinese & Oriental Languages, vol. 5, No. 3 & 4, Nov. 1991, 16 pages.
- Lee, K. F., "Large-Vocabulary Speaker-Independent Continuous Speech Recognition: The SPHINX System", Partial Fulfillment of the Requirements for the Degree of Doctor of Philosophy, Computer Science Department, Carnegie Mellon University, Apr. 1988, 195 pages.
- Lee, Kai-Fu, "Automatic Speech Recognition", 1989, 14 pages (Table of Contents).
- Lemon et al., "Multithreaded Context for Robust Conversational Interfaces: Context-Sensitive Speech Recognition and Interpretation of Corrective Fragments", ACM Transactions on Computer-Human Interaction, vol. 11, No. 3, Sep. 2004, pp. 241-267.
- Leong et al., "CASIS: A Context-Aware Speech Interface System", Proceedings of the 10th International Conference on Intelligent User Interfaces, Jan. 2005, pp. 231-238.
- Leung et al., "A Review and Taxonomy of Distortion-Oriented Presentation Techniques", ACM Transactions on Computer-Human Interaction (TOCHI), vol. 1, No. 2, Jun. 1994, pp. 126-160.
- Levesque et al., "A Fundamental Tradeoff in Knowledge Representation and Reasoning", Readings in Knowledge Representation, 1985, 30 pages.
- Levinson et al., "Speech synthesis in telecommunications", IEEE Communications Magazine, vol. 31, No. 11, Nov. 1993, pp. 46-53.
- Lewis, "Speech synthesis in a computer aided learning environment", UK IT, Mar. 19-22, 1990, pp. 294-298.
- Lewis, Cameron, "Task Ave for iPhone Review", Mac Life, Available at <[http://www.maclife.com/article/reviews/task\\_ave\\_iphone\\_review](http://www.maclife.com/article/reviews/task_ave_iphone_review)>, Mar. 3, 2011, 5 pages.
- Lewis, Peter, "Two New Ways to Buy Your Bits", CNN Money, available at <<http://money.cnn.com/2003/12/30/commentary/ontechnology/download/>>., Dec. 31, 2003, 4 pages.
- Li et al., "A Phonotactic Language model for Spoken Language Identification", Proceedings of the 43rd Annual Meeting of the ACL, Jun. 25, 2005, pp. 515-522.
- Lieberman et al., "Out of Context: Computer Systems that Adapt to, and Learn from, Context", IBM Systems Journal, vol. 39, No. 3 & 4, 2000, pp. 617-632.
- Lieberman, Henry, "A Multi-Scale, Multi-Layer, Translucent Virtual Space", Proceedings of IEEE Conference on Information Visualization, Aug. 1997, pp. 124-131.
- Lieberman, Henry, "Powers of Ten Thousand: Navigating in Large Information Spaces", Proceedings of the ACM Symposium on User Interface Software and Technology, Nov. 1994, pp. 1-2.
- Lin et al., "A Distributed Architecture for Cooperative Spoken Dialogue Agents with Coherent Dialogue State and History", Available on line at <<http://citeseerx.ist.psu.edu/viewdoc/summary?doi=10.1.1.42.272>>, 1999, 4 pages.
- Lin et al., "A New Framework for Recognition of Mandarin Syllables with Tones Using Sub-syllabic Unites", IEEE International Conference on Acoustics, Speech and Signal Processing (ICASSP-93), Apr. 1993, 4 pages.
- Linde et al., "An Algorithm for Vector Quantizer Design", IEEE Transactions on Communications, vol. 28, No. 1, Jan. 1980, 12 pages.
- Liu et al., "Efficient Joint Compensation of Speech for the Effects of Additive Noise and Linear Filtering", IEEE International Conference of Acoustics, Speech and Signal Processing, ICASSP-92, Mar. 1992, 4 pages.
- Logan et al., "Mel Frequency Cepstral Co-efficients for Music Modeling", International Symposium on Music Information Retrieval, 2000, 2 pages.
- Loverre, B. T., "The-Harpy Speech Recognition System", Doctoral Dissertation, Department of Computer Science, Carnegie Mellon University, Apr. 1976, 20 pages.
- Lyon, R., "A Computational Model of Binaural Localization and Separation", Proceedings of IEEE International Conference on Acoustics, Speech and Signal Processing, Apr. 1983, pp. 1148-1151.
- Lyons et al., "Augmenting Conversations Using Dual-Purpose Speech", Proceedings of the 17th Annual ACM Symposium on User interface Software and Technology, 2004, 10 pages.
- Lyons, Richard F., "CCD Correlators for Auditory Models", Proceedings of the Twenty-Fifth Asilomar Conference on Signals, Systems and Computers, Nov. 4-6, 1991, pp. 785-789.
- Macchi, Marian, "Issues in Text-to-Speech Synthesis" Proceedings of IEEE International Joint Symposia on Intelligence and Systems, May 21, 1998, pp. 318-325.
- Mackenzie et al., "Alphanumeric Entry on Pen-Based Computers", International Journal of Human-Computer Studies, vol. 41, 1994, pp. 775-792.
- Mackinlay et al., "The Perspective Wall: Detail and Context Smoothly Integrated", ACM, 1991, pp. 173-179.
- Macsim News, "Apple Files Patent for an Audio Interface for the iPod", available at <[http://www.macsimnews.com/index.php/archive/apple\\_files\\_patent\\_for\\_an\\_audio\\_interface\\_for\\_the\\_ipod](http://www.macsimnews.com/index.php/archive/apple_files_patent_for_an_audio_interface_for_the_ipod)>, retrieved on Jul. 13, 2006, 8 pages.
- Mactech, "Keystrokes 3.5 for Mac OS X Boosts Word Prediction", available at <<http://www.mactech.com/news/?p=1007129>>, retrieved on Jan. 7, 2008, 3 pages.
- Maghbooleh, Arman, "An Empirical Comparison of Automatic Decision Tree and Linear Regression Models for Vowel Durations", Revised Version of a Paper Presented at the Computational Phonology in Speech Technology Workshop, 1996 Annual Meeting of the Association for Computational Linguistics in Santa Cruz, California, 7 pages.
- Mahedero et al., "Natural Language Processing of Lyrics", In Proceedings of the 13th Annual ACM International Conference on Multimedia, ACM, Nov. 6-11, 2005, 4 pages.
- Mangu et al., "Finding Consensus in Speech Recognition: Word Error Minimization and Other Applications of Confusion Networks", Computer Speech and Language, vol. 14, No. 4, 2000, pp. 291-294.
- Manning et al., "Foundations of Statistical Natural Language Processing", The MIT Press, Cambridge Massachusetts, 1999, pp. 10-11.
- Marcus et al., "Building a Large Annotated Corpus of English: The Penn Treebank", Computational Linguistics, vol. 19, No. 2, 1993, pp. 313-330.
- Markel et al., "Linear Prediction of Speech", Springer-Verlag, Berlin, Heidelberg, New York, 1976, 12 pages.
- Markel et al., "Linear Production of Speech", Reviews, 1976, pp. xii, 288.
- Martin et al., "Building and Using Practical Agent Applications", SRI International, PAAM Tutorial, 1998, 78 pages.

(56)

## References Cited

## OTHER PUBLICATIONS

- Martin et al., "Building Distributed Software Systems with the Open Agent Architecture", Proceedings of the Third International Conference on the Practical Application of Intelligent Agents and Multi-Agent Technology, Mar. 1998, pp. 355-376.
- Martin et al., "Development Tools for the Open Agent Architecture", Proceedings of the International Conference on the Practical Application of Intelligent Agents and Multi-Agent Technology, Apr. 1996, pp. 1-17.
- Martin et al., "Information Brokering in an Agent Architecture", Proceedings of the Second International Conference on the Practical Application of Intelligent Agents and Multi-Agent Technology, Apr. 1997, pp. 1-20.
- Martin et al., "The Open Agent Architecture: A Framework for Building Distributed Software Systems", Applied Artificial Intelligence: An International Journal, vol. 13, No. 1-2, available at <<http://adam.cheyer.com/papers/oa.pdf>>, retrieved from internet on Jan.-Mar. 1999.
- Martin et al., "Transportability and Generality in a Natural-Language Interface System", Proceedings of the Eighth International Joint Conference on Artificial Intelligence, Technical Note 293, Aug. 1983, 21 pages.
- Martins et al., "Extracting and Exploring the Geo-Temporal Semantics of Textual Resources", Semantic Computing, IEEE International Conference, 2008, pp. 1-9.
- Masui, Toshiyuki, "POBox: An Efficient Text Input Method for Handheld and Ubiquitous Computers", Proceedings of the 1st International Symposium on Handheld and Ubiquitous Computing, 1999, 12 pages.
- Matiasek et al., "Tamic-P: A System for NL Access to Social Insurance Database", 4th International Conference on Applications of Natural Language to Information Systems, Jun. 1999, 7 pages.
- Matsui et al., "Speaker Adaptation of Tied-Mixture-Based Phoneme Models for Text-Prompted Speaker Recognition", 1994 IEEE International Conference on Acoustics, Speech and Signal Processing, Apr. 19-22, 1994, pp. 1-125-1-128.
- Matsuzawa, A., "Low-Voltage and Low-Power Circuit Design for Mixed Analog/Digital Systems in Portable Equipment", IEEE Journal of Solid-State Circuits, vol. 29, No. 4, 1994, pp. 470-480.
- Mcguire et al., "SHADE: Technology for Knowledge-Based Collaborative Engineering", Journal of Concurrent Engineering Applications and Research (CERA), 1993, 18 pages.
- Meet Ivey, Your Wi-Fi Voice Activated Assistant, available at <<http://www.helloivee.com/>>, retrieved on Feb. 10, 2014, 8 pages.
- Mel Scale, Wikipedia the Free Encyclopedia, Last modified on Oct. 13, 2009 and retrieved on Jul. 28, 2010, available at <[http://en.wikipedia.org/wiki/Mel\\_scale](http://en.wikipedia.org/wiki/Mel_scale)>, 2 pages.
- Mellinger, David K., "Feature-Map Methods for Extracting Sound Frequency Modulation", IEEE Computer Society Press, 1991, pp. 795-799.
- Meng et al., "Generating Phonetic Cognates to Handle Named Entities in English-Chinese Cross-Language Spoken Document Retrieval", Automatic Speech Recognition and Understanding, Dec. 2001, pp. 311-314.
- Meng et al., "Wheels: A Conversational System in the Automobile Classified Domain", Proceedings of Fourth International Conference on Spoken Language, ICSLP 96, vol. 1, Oct. 1996, 4 pages.
- Menico, Costas, "Faster String Searches", Dr. Dobbs's Journal, vol. 14, No. 7, Jul. 1989, pp. 74-77.
- Menta, Richard, "1200 Song MP3 Portable is a Milestone Player", available at <<http://www.mp3newswire.net/stories/personaljuke.html>>, Jan. 11, 2000, 4 pages.
- Merlin et al., "Non Directly Acoustic Process For Costless Speaker Recognition and Indexation", International Workshop on Intelligent Communication Technologies and Applications, Jan. 1, 1999, 5 pages.
- Meyer, Mike, "A Shell for Modern Personal Computers", University of California, Aug. 1987, pp. 13-19.
- Meyrowitz et al., "Bruwin: An Adaptable Design Strategy for Window Manager/Virtual Terminal Systems", Department of Computer Science, Brown University, 1981, pp. 180-189.
- Miastkowski, Stan, "paperWorks Makes Paper Intelligent", Byte Magazine, Jun. 1992.
- Michos et al., "Towards an Adaptive Natural Language Interface to Command Languages", Natural Language Engineering, vol. 2, No. 3, 1996, pp. 191-209.
- Microsoft Corporation, "Microsoft MS-DOS Operating System User's Guide", Microsoft Corporation, 1982, pp. 4-1 to 4-16, 5-1 to 5-19.
- Microsoft Corporation, Microsoft Office Word 2003 (SP2), Microsoft Corporation, SP3 as of 2005, pages MSWord 2003 Figures 1-5, 1983-2003.
- Microsoft Press, "Microsoft Windows User's Guide for the Windows Graphical Environment", version 3.0, 1985-1990, pp. 33-41 & 70-74.
- Microsoft Windows XP, "Magnifier Utility", Oct. 25, 2001, 2 pages.
- Microsoft Word 2000 Microsoft Corporation, pages MSWord Figures 1-5, 1999.
- Microsoft, "Turn On and Use Magnifier", available at <<http://www.microsoft.com/windowsxp/using/accessibility/magnifierturnon.mspx>>, retrieved on Jun. 6, 2009.
- Microsoft/Ford, "Basic Sync Commands", www.SyncMyRide.com, Sep. 14, 2007, 1 page.
- Miller, Chance, "Google Keyboard Updated with New Personalized Suggestions Feature", available at <<http://9to5google.com/2014/03/19/google-keyboard-updated-with-new-personalized-suggestions-feature/>>, Mar. 19, 2014, 4 pages.
- Milner, N. P., "A Review of Human Performance and Preferences with Different Input Devices to Computer Systems", Proceedings of the Fourth Conference of the British Computer Society on People and Computers, Sep. 5-9, 1988, pp. 341-352.
- Milstead et al., "Metadata: Cataloging by Any Other Name", available at <[http://www.iicm.tugraz.at/thesis/cguetl\\_diss/literatur/Kapitel06/References/Milstead\\_et\\_al\\_1999/metadata.html](http://www.iicm.tugraz.at/thesis/cguetl_diss/literatur/Kapitel06/References/Milstead_et_al_1999/metadata.html)>, Jan. 1999, 18 pages.
- Milward et al., "D2.2: Dynamic Multimodal Interface Reconfiguration, Talk and Look: Tools for Ambient Linguistic Knowledge", available at <[http://www.ihmc.us/users/nblylock!Pubs/Files/talk\\_d2.2.pdf](http://www.ihmc.us/users/nblylock!Pubs/Files/talk_d2.2.pdf)>, Aug. 8, 2006, 69 pages.
- Miniman, Jared, "Applian Software's Replay Radio and Player v1.02", pocketnow.com—Review, available at <<http://www.pocketnow.com/reviews/replay/replay.htm>>, Jul. 31, 2001, 16 pages.
- Minimum Phase, Wikipedia the free Encyclopedia, Last modified on Jan. 12, 2010 and retrieved on Jul. 28, 2010, available at <[http://en.wikipedia.org/wiki/Minimum\\_phase](http://en.wikipedia.org/wiki/Minimum_phase)>, 8 pages.
- Minker et al., "Hidden Understanding Models for Machine Translation", Proceedings of ETRW on Interactive Dialogue in Multimodal Systems, Jun. 1999, pp. 1-4.
- Minutes of the Oral Proceedings received for European Patent Application No. 14737370.8, mailed on Jun. 26, 2019, 3 pages.
- Mitra et al., "A Graph-Oriented Model for Articulation of Ontology Interdependencies", Advances in Database Technology, Lecture Notes in Computer Science, vol. 1777, 2000, pp. 1-15.
- Moberg et al., "Cross-Lingual Phoneme Mapping for Multilingual Synthesis Systems", Proceedings of the 8th International Conference on Spoken Language Processing, Jeju Island, Korea, INTERSPEECH 2004, Oct. 4-8, 2004, 4 pages.
- Moberg, M., "Contributions to Multilingual Low-Footprint TTS System for Hand-Held Devices", Doctoral Thesis, Tampere University of Technology, Aug. 17, 2007, 82 pages.
- Mobile Speech Solutions, Mobile Accessibility, SVOX AG Product Information Sheet, available at <<http://www.svox.com/site/bra840604/con782768/mob965831936.aSQ?osLang=1>>, Sep. 27, 2012, 1 page.
- Mobile Tech News, "T9 Text Input Software Updated", available at <<http://www.mobiletechnews.com/info/2004/11/23/122155.html>>, Nov. 23, 2004, 4 pages.
- Modi et al., "CMRadar: A Personal Assistant Agent for Calendar Management", AAAI, Intelligent Systems Demonstrations, 2004, pp. 1020-1021.
- Mok et al., "Media Searching on Mobile Devices", IEEE EIT 2007 Proceedings, 2007, pp. 126-129.

(56)

## References Cited

## OTHER PUBLICATIONS

- Moore et al., "Combining Linguistic and Statistical Knowledge Sources in Natural-Language Processing for ATIS", SRI International, Artificial Intelligence Center, 1995, 4 pages.
- Moore et al., "SRI's Experience with the ATIS Evaluation", Proceedings of the Workshop on Speech and Natural Language, Jun. 1990, pp. 147-148.
- Moore et al., "The Information Warfare Advisor: An Architecture for Interacting with Intelligent Agents Across the Web", Proceedings of Americas Conference on Information Systems (AMCIS), Dec. 31, 1998, pp. 186-188.
- Moore, Robert C., "Handling Complex Queries in a Distributed Data Base", SRI International, Technical Note 170, Oct. 8, 1979, 38 pages.
- Moore, Robert C., "Practical Natural-Language Processing by Computer", SRI International, Technical Note 251, Oct. 1981, 34 pages.
- Moore, Robert C., "The Role of Logic in Knowledge Representation and Commonsense Reasoning", SRI International, Technical Note 264, Jun. 1982, 19 pages.
- Moore, Robert C., "Using Natural-Language Knowledge Sources in Speech Recognition", SRI International, Artificial Intelligence Center, Jan. 1999, pp. 1-24.
- Moran et al., "Intelligent Agent-Based User Interfaces", Proceedings of International Workshop on Human Interface Technology, Oct. 1995, pp. 1-4.
- Moran et al., "Multimodal User Interfaces in the Open Agent Architecture", International Conference on Intelligent User Interfaces (IUI97), 1997, 8 pages.
- Moran, Douglas B., "Quantifier Scoping in the SRI Core Language Engine", Proceedings of the 26th Annual Meeting on Association for Computational Linguistics, 1988, pp. 33-40.
- Morgan, B., "Business Objects (Business Objects for Windows) Business Objects Inc.", DBMS, vol. 5, No. 10, Sep. 1992, 3 pages.
- Morland, D. V., "Human Factors Guidelines for Terminal Interface Design", Communications of the ACM vol. 26, No. 7, Jul. 1983, pp. 484-494.
- Morris et al., "Andrew: A Distributed Personal Computing Environment", Communications of the ACM, (Mar. 1986); vol. 29 No. 3., Mar. 1986, pp. 184-201.
- Morrison, Jonathan, "iPhone 5 Siri Demo", Online Available at <[https://www.youtube.com/watch?v=\\_wHWwG5lhWc](https://www.youtube.com/watch?v=_wHWwG5lhWc)>, Sep. 21, 2012, 3 pages.
- Morton, Philip, "Checking If An Element Is Hidden", StackOverflow, Available at <<http://stackoverflow.com/questions/178325/checking-if-an-element-is-hidden>>, Oct. 7, 2008, 12 pages.
- Motro, Amihai, "Flex: A Tolerant and Cooperative User Interface to Databases", IEEE Transactions on Knowledge and Data Engineering, vol. 2, No. 2, Jun. 1990, pp. 231-246.
- Mountford et al., "Talking and Listening to Computers", The Art of Human-Computer Interface Design, Apple Computer, Inc., Addison-Wesley Publishing Company, Inc., 1990, 17 pages.
- Mozer, Michael C., "An Intelligent Environment must be Adaptive", IEEE Intelligent Systems, 1999, pp. 11-13.
- Muller et al., "CSCW'92 Demonstrations", 1992, pp. 11-14.
- Murty et al., "Combining Evidence from Residual Phase and MFCC Features for Speaker Recognition", IEEE Signal Processing Letters, vol. 13, No. 1, Jan. 2006, 4 pages.
- Murveit et al., "Integrating Natural Language Constraints into HMM-Based Speech Recognition", International Conference on Acoustics, Speech and Signal Processing, Apr. 1990, 5 pages.
- Murveit et al., "Speech Recognition in SRI's Resource Management and ATIS Systems", Proceedings of the Workshop on Speech and Natural Language, 1991, pp. 94-100.
- Musicmatch, "Musicmatch and Xing Technology Introduce Musicmatch Jukebox", Press Releases, available at <<http://www.musicmatch.com/info/company/press/releases/?year=1998&release=2>>, May 18, 1998, 2 pages.
- Muthusamy et al., "Speaker-Independent Vowel Recognition: Spectrograms versus Cochleagrams", IEEE, Apr. 1990, pp. 533-536.
- My CoolAids, "What's New", available at <<http://www.mycoolaids.com/>>, 2012, 1 page.
- Myers, Brad A., "Shortcutter for Palm", available at <<http://www.cs.cmu.edu/~pebbles/v5/shortcutter/palm/index.html>>, retrieved on Jun. 18, 2014, 10 pages.
- N200 Hands-Free Bluetooth Car Kit, available at <[www.wirelessground.com](http://www.wirelessground.com/)>, retrieved on Mar. 19, 2007, 3 pages.
- Nadoli et al., "Intelligent Agents in the Simulation of Manufacturing Systems", Proceedings of the SCS Multiconference on AI and Simulation, 1989, 1 page.
- Nakagawa et al., "Speaker Recognition by Combining MFCC and Phase Information", IEEE International Conference on Acoustics, Speech and Signal Processing (ICASSP), Mar. 2010, 4 pages.
- Nakagawa et al., "Unknown Word Guessing and Part-of-Speech Tagging Using Support Vector Machines", Proceedings of the 6th NLPRS, 2001, pp. 325-331.
- Naone, Erica, "TR10: Intelligent Software Assistant", Technology Review, Mar.-Apr. 2009, 2 pages.
- Navigli, Roberto, "Word Sense Disambiguation: A Survey", ACM Computing Surveys, vol. 41, No. 2, Feb. 2009, 70 pages.
- NCIP Staff, "Magnification Technology", available at <<http://www2.edc.org/ncip/library/vi/magnifi.htm>>, 1994, 6 pages.
- NCIP, "NCIP Library: Word Prediction Collection", available at <<http://www2.edc.org/ncip/library/wp/toc.htm>>, 1998, 4 pages.
- NCIP, "What is Word Prediction?", available at <[http://www2.edc.org/NCIP/library/wp/what\\_is.htm](http://www2.edc.org/NCIP/library/wp/what_is.htm)>, 1998, 2 pages.
- NDTV, "Sony SmartWatch 2 Launched in India for Rs. 14,990", available at <<http://gadgets.ndtv.com/others/news/sony-smartwatch-2-launched-in-india-for-rs-14990-420319>>, Sep. 18, 2013, 4 pages.
- Neches et al., "Enabling Technology for Knowledge Sharing", Fall, 1991, pp. 37-56.
- Newton, Harry, "Newton's Telecom Dictionary", Mar. 1998, pp. 62, 155, 610-611, 771.
- Ng, Simon, "Google's Task List Now Comes to Iphone", SimonBlog, Available at <<http://www.simonblog.com/2009/02/04/googles-task-list-now-comes-to-iphone/>>, Feb. 4, 2009, 33 pages.
- Nguyen et al., "Generic Manager for Spoken Dialogue Systems", In DiaBruck: 7th Workshop on the Semantics and Pragmatics of Dialogue, Proceedings, 2003, 2 pages.
- Niesler et al., "A Variable-Length Category-Based N-Gram Language Model", IEEE International Conference on Acoustics, Speech and Signal Processing (ICASSP'96), vol. 1, May 1996, 6 pages.
- Nilsson, B. A., "Microsoft Publisher is an Honorable Start for DTP Beginners", Computer Shopper, Feb. 1, 1992, 2 pages.
- Noik, Emanuel G., "Layout-Independent Fisheye Views of Nested Graphs", IEEE Proceedings of Symposium on Visual Languages, 1993, 6 pages.
- Non Final Office Action received for U.S. Appl. No. 13/725,481, dated Jul. 5, 2013, 13 pages.
- Non Final Office Action received for U.S. Appl. No. 13/725,550, dated Apr. 16, 2013, 8 pages.
- Non Final Office Action received for U.S. Appl. No. 13/725,616, dated Jun. 28, 2013, 9 pages.
- Non Final Office Action received for U.S. Appl. No. 13/725,713, dated Jul. 5, 2013, 14 pages.
- Non Final Office Action received for U.S. Appl. No. 13/725,742, dated Jun. 27, 2013, 9 pages.
- Non Final office action received for U.S. Appl. No. 13/725,761, dated Jul. 2, 2013, 12 pages.
- Non Final Office Action received for U.S. Appl. No. 13/784,694, dated May 23, 2013, 7 pages.
- Non Final Office Action received for U.S. Appl. No. 13/784,694, dated Oct. 10, 2013, 9 pages.
- Non Final Office Action received for U.S. Appl. No. 13/784,707, dated Jul. 11, 2013, 9 pages.
- Non-Final Office Action received for U.S. Appl. No. 12/987,982, dated Dec. 2, 2013, 18 pages.
- Non-Final Office Action received for U.S. Appl. No. 12/987,982, dated Mar. 5, 2015, 24 pages.
- Non-Final Office Action received for U.S. Appl. No. 12/987,982, dated Mar. 14, 2013, 28 pages.
- Non-Final Office Action received for U.S. Appl. No. 13/492,809, dated Jun. 11, 2015, 9 pages.

(56)

**References Cited**

## OTHER PUBLICATIONS

Non-Final Office Action received for U.S. Appl. No. 13/492,809, dated Mar. 7, 2013, 7 pages.

Non-Final Office Action received for U.S. Appl. No. 13/492,809, dated Nov. 27, 2013, 8 pages.

Non-Final Office Action received for U.S. Appl. No. 13/725,512, dated Jul. 26, 2013, 14 pages.

Non-Final Office Action received for U.S. Appl. No. 13/725,656, dated Mar. 27, 2013, 7 pages.

Non-Final Office Action received for U.S. Appl. No. 13/913,336, dated Jan. 30, 2017, 17 pages.

Non-Final Office Action received for U.S. Appl. No. 13/913,336, dated Jul. 2, 2018, 8 pages.

Non-Final Office Action received for U.S. Appl. No. 15/394,162, dated Feb. 28, 2019, 23 pages.

Nonhoff-Arps et al., "StraBenmusik: Portable MP3-Spieler mit USB Anschluss", CT Magazin Fuer Computer Technik, Verlag Heinz Heise GMBH, Hannover DE, No. 25, 2000, pp. 166-175.

Northern Telecom, "Meridian Mail PC User Guide", 1988, 17 Pages.

Notenboom, Leo A., "Can I Retrieve Old MSN Messenger Conversations?", available at <[http://ask-leo.com/can\\_i\\_retrieve\\_old\\_msn\\_messenger\\_conversations.html](http://ask-leo.com/can_i_retrieve_old_msn_messenger_conversations.html)>, Mar. 11, 2004, 23 pages.

Noth et al., "Verbmobil: The Use of Prosody in the Linguistic Components of a Speech Understanding System", IEEE Transactions On Speech and Audio Processing, vol. 8, No. 5, Sep. 2000, pp. 519-532.

Notice of Acceptance received for Australian Patent Application No. 2017204217, dated Oct. 8, 2018, 3 pages.

Notice of Acceptance received for Australian Patent application No. 2011205426, dated Jan. 6, 2014, 2 pages.

Notice of Acceptance received for Australian Patent application No. 2013205568, dated May 20, 2015, 2 pages.

Notice of Acceptance received for Australian Patent application No. 2013205569, dated Feb. 15, 2016, 2 pages.

Notice of Acceptance received for Australian Patent application No. 2013205571, dated Jun. 1, 2015, 2 pages.

Notice of Acceptance received for Australian Patent application No. 2013205586, dated Aug. 6, 2015, 2 pages.

Notice of Acceptance received for Australian Patent application No. 2013205588, dated Feb. 12, 2016, 2 pages.

Notice of Acceptance received for Australian Patent application No. 2013205590, dated May 20, 2015, 2 pages.

Notice of Acceptance received for Australian Patent application No. 2013205591, dated Feb. 12, 2016, 2 pages.

Notice of Acceptance received for Australian Patent application No. 2014274913, dated May 1, 2017, 3 pages.

Notice of Acceptance received for Australian Patent application No. 2016204262, dated Dec. 22, 2017, 3 pages.

Notice of Acceptance received for Australian Patent Application No. 2018202411, dated Sep. 18, 2019, 3 pages.

Notice of Acceptance received for Australian Patent Application No. 2019200296, dated Sep. 5, 2019, 3 pages.

Notice of Acceptance received for Canadian Patent application No. 2,793,118, dated May 12, 2017, 1 page.

Notice of Acceptance received for U.S. Patent Application No. 2013205584, dated Mar. 9, 2016, 2 pages.

Notice of Allowance received for Canadian Patent Application No. 2,787,351, dated Aug. 6, 2015, 1 page.

Notice of Allowance received for Canadian Patent Application No. 2,791,791, dated Aug. 9, 2016, 1 page.

Notice of Allowance received for Canadian Patent Application No. 2,792,412, dated Sep. 14, 2015, 1 page.

Notice of Allowance received for Canadian Patent Application No. 2,792,570, dated Sep. 16, 2015, 1 page.

Notice of Allowance received for Canadian Patent Application No. 2,793,002, dated Feb. 23, 2016, 1 page.

Notice of Allowance received for Canadian Patent Application No. 2,793,248, dated Aug. 24, 2016, 2 pages.

Notice of Allowance received for Canadian Patent Application No. 2,793,741, dated Sep. 16, 2015, 1 page.

Notice of Allowance received for Canadian Patent Application No. 2,793,743, dated May 20, 2015, 1 page.

Notice of Allowance received for Canadian Patent Application No. 2,954,559, dated Jun. 14, 2018, 1 page.

Notice of Allowance received for Canadian Patent Application No. 2,954,559, dated Oct. 20, 2017, 1 page.

Notice of Allowance received for Canadian Patent Application No. 3,000,109, dated Oct. 16, 2019, 1 page.

Notice of Allowance received for Chinese Patent Application No. 201610126045.2, dated Jul. 16, 2019, 2 pages.

Notice of Allowance received for Japanese Patent Application No. 2014-127579, dated Sep. 16, 2016, 3 pages.

Notice of Allowance received for Japanese Patent Application No. 2014-127580, dated Jun. 30, 2017, 3 pages.

Notice of Allowance received for Japanese Patent Application No. 2014-127581, dated May 21, 2018, 3 pages.

Notice of Allowance received for Japanese Patent Application No. 2014-127582, dated Jun. 24, 2016, 3 pages.

Notice of Allowance received for Japanese Patent Application No. 2014-127583, dated May 27, 2016, 3 pages.

Notice of Allowance received for Japanese Patent Application No. 2014-127584, dated May 30, 2016, 3 pages.

Notice of Allowance received for Japanese Patent Application No. 2014-127585, dated Jul. 10, 2017, 3 pages.

Notice of Allowance received for Japanese Patent Application No. 2014-127586, dated May 9, 2016, 3 pages.

Notice of Allowance received for Japanese Patent Application No. 2014-127587, dated May 21, 2018, 3 pages.

Notice of Allowance received for Japanese Patent Application No. 2017-117880, dated Feb. 12, 2019, 4 pages.

Notice of Allowance received for Korean Patent Application No. 10-2012-7021659, dated Jan. 20, 2016, 3 pages.

Notice of Allowance received for Korean Patent Application No. 10-2012-7028786, dated Feb. 27, 2015, 2 pages.

Notice of Allowance received for Korean Patent Application No. 10-2012-7028802, dated Feb. 27, 2015, 2 pages.

Notice of Allowance received for Korean Patent Application No. 10-2012-7028805, dated Aug. 28, 2015, 3 pages.

Notice of Allowance received for Korean Patent Application No. 10-2012-7029183, dated Dec. 16, 2015, 5 pages.

Notice of Allowance received for Korean Patent Application No. 10-2012-7029195, dated May 30, 2016, 3 pages.

Notice of Allowance received for Korean Patent Application No. 10-2012-7029197, dated Feb. 27, 2015, 2 pages.

Notice of Allowance received for Korean Patent Application No. 10-2012-7029381, dated Nov. 27, 2015, 3 pages.

Notice of Allowance received for Korean Patent Application No. 10-2012-7029382, dated Nov. 20, 2015, 3 pages.

Notice of Allowance received for Korean Patent Application No. 10-2012-7029385, dated Aug. 21, 2015, 3 pages.

Notice of Allowance received for Korean Patent Application No. 10-2016-7023962, dated May 31, 2017, 4 pages.

Notice of Allowance received for Korean Patent Application No. 10-2017-7024596, dated Dec. 19, 2018, 4 pages.

Notice of Allowance received for Korean Patent Application No. 10-2017-7035711, dated Mar. 28, 2019, 4 pages.

Notice of Allowance received for Korean Patent Application No. 10-2019-7007971, dated Dec. 26, 2019, 5 pages.

Notice of Allowance received for Mexican Patent Application No. MX/a/2012/011794, dated Nov. 19, 2014, 1 page.

Notice of Allowance received for Mexican Patent Application No. MX/a/2012/011795, dated Nov. 20, 2014, 1 page.

Notice of Allowance received for Mexican Patent Application No. MX/a/2012/011797, dated Nov. 20, 2014, 1 page.

Notice of Allowance received for Mexican Patent Application No. MX/a/2012/011798, dated Nov. 28, 2014, 1 page.

Notice of Allowance received for Mexican Patent Application No. MX/a/2012/011799, dated Nov. 27, 2014, 1 page.

Notice of Allowance received for Mexican Patent Application No. MX/a/2012/011800, dated Feb. 9, 2016, 2 pages.

(56)

**References Cited**

## OTHER PUBLICATIONS

- Notice of Allowance received for Mexican Patent Application No. MX/a/2012/011803, dated Nov. 28, 2014, 1 page.
- Notice of Allowance received for Mexican Patent Application No. MX/a/2012/011807, dated Nov. 28, 2014, 1 page.
- Notice of Allowance received for Mexican Patent Application No. MX/a/2012/011808, dated Jan. 23, 2015, 1 page.
- Notice of Allowance received for Mexican Patent Application No. MX/a/2015/004983, dated Dec. 16, 2015, 2 pages.
- Notice of Allowance received for Mexican Patent Application No. MX/a/2015/004983, dated Jun. 10, 2016, 1 page.
- Notice of Allowance received for Mexican Patent Application No. MX/a/2016/011562, dated Mar. 31, 2017, 1 page.
- Notice of Allowance received for Russian Patent Application No. 2012144637, dated Oct. 17, 2014, 15 pages.
- Notice of Allowance received for U.S. Appl. No. 12/987,982, dated Dec. 15, 2015, 9 pages.
- Notice of Allowance received for U.S. Appl. No. 13/492,809, dated Sep. 8, 2016, 14 pages.
- Notice of Allowance received for U.S. Appl. No. 13/725,481, dated Jul. 23, 2014, 7 pages.
- Notice of Allowance received for U.S. Appl. No. 13/725,481, dated May 12, 2014, 7 pages.
- Notice of Allowance received for U.S. Appl. No. 13/725,512, dated Dec. 17, 2013, 9 pages.
- Notice of Allowance received for U.S. Appl. No. 13/725,550, dated Jun. 11, 2014, 10 pages.
- Notice of Allowance received for U.S. Appl. No. 13/725,550, dated Sep. 18, 2014, 10 pages.
- Notice of Allowance received for U.S. Appl. No. 13/725,616, dated Apr. 3, 2014, 8 pages.
- Notice of Allowance received for U.S. Appl. No. 13/725,616, dated Jul. 17, 2014, 8 pages.
- Notice of Allowance received for U.S. Appl. No. 13/725,656, dated Dec. 4, 2013, 10 pages.
- Notice of Allowance received for U.S. Appl. No. 13/725,656, dated Jul. 10, 2013, 10 pages.
- Notice of Allowance received for U.S. Appl. No. 13/725,713, dated Jan. 30, 2014, 5 pages.
- Notice of Allowance received for U.S. Appl. No. 13/725,742, dated Feb. 19, 2014, 7 pages.
- Notice of Allowance received for U.S. Appl. No. 13/725,761, dated Apr. 10, 2015, 5 pages.
- Notice of Allowance received for U.S. Appl. No. 13/784,694, dated Aug. 1, 2014, 8 pages.
- Notice of Allowance received for U.S. Appl. No. 13/784,694, dated Feb. 21, 2014, 7 pages.
- Notice of Allowance received for U.S. Appl. No. 13/784,694, dated Jun. 2, 2014, 8 pages.
- Notice of Allowance received for U.S. Appl. No. 13/784,707, dated Feb. 20, 2014, 7 pages.
- Notice of Allowance received for U.S. Appl. No. 13/784,707, dated Mar. 20, 2014, 2 pages.
- Notice of Allowance received for U.S. Appl. No. 13/913,336, dated Dec. 14, 2018, 9 pages.
- Notice of Allowance received for U.S. Appl. No. 15/394,162, dated Feb. 20, 2020, 6 pages.
- Notification to Grant received for Chinese Patent Application No. 201180013559.2, dated Jan. 18, 2016, 3 pages.
- O'Connor, Rory J., "Apple Banking on Newton's Brain", San Jose Mercury News, Apr. 22, 1991.
- Odubiyi et al., "SAIRE—A Scalable Agent-Based Information Retrieval Engine", Proceedings of the First International Conference on Autonomous Agents, 1997, 12 pages.
- Office Action received for Australian Patent Application No. 2013205568, dated Feb. 13, 2015, 3 pages.
- Office Action received for Australian Patent application No. 2013205569, dated Feb. 16, 2015, 3 pages.
- Office Action received for Australian Patent application No. 2013205571, dated Feb. 16, 2015, 3 pages.
- Office Action received for Australian Patent Application No. 2013205584, dated Dec. 7, 2015, 3 pages.
- Office Action received for Australian Patent Application No. 2013205584, dated Feb. 18, 2015, 3 pages.
- Office Action received for Australian Patent Application No. 2013205585, dated Feb. 19, 2015, 3 pages.
- Office Action received for Australian Patent Application No. 2013205586, dated Feb. 17, 2015, 3 pages.
- Office Action received for Australian Patent Application No. 2013205588, dated Feb. 17, 2015, 3 pages.
- Office Action received for Australian Patent Application No. 2013205590, dated Feb. 16, 2015, 3 pages.
- Office Action received for Australian Patent Application No. 2013205591, dated Feb. 16, 2015, 3 pages.
- Office Action received for Australian Patent Application No. 2014274913, dated Aug. 5, 2016, 3 pages.
- Office Action received for Australian Patent Application No. 2016204262, dated Feb. 24, 2017, 3 pages.
- Office Action received for Australian Patent Application No. 2017204217, dated Feb. 12, 2018, 3 pages.
- Office Action received for Australian Patent Application No. 2018202411, dated Jan. 23, 2019, 2 pages.
- Office Action received for Australian Patent Application No. 2019200296, dated Jul. 19, 2019, 2 pages.
- Office Action received for Brazilian Patent Application No. 112012017826-1, dated Sep. 6, 2019, 5 pages.
- Office Action received for Canadian Patent Application No. 2,787,351, dated May 28, 2014, 4 pages.
- Office Action received for Canadian Patent Application No. 2,791,791, dated Aug. 13, 2014, 3 pages.
- Office Action received for Canadian Patent Application No. 2,791,791, dated Aug. 25, 2015, 4 pages.
- Office Action received for Canadian Patent Application No. 2,792,412, dated Aug. 21, 2014, 3 pages.
- Office Action received for Canadian Patent Application No. 2,792,442, dated Aug. 25, 2015, 3 pages.
- Office Action received for Canadian Patent Application No. 2,792,442, dated Feb. 4, 2016, 1 page.
- Office Action received for Canadian Patent Application No. 2,792,570, dated Sep. 3, 2014, 3 pages.
- Office Action received for Canadian Patent Application No. 2,793,002, dated Sep. 3, 2014, 3 pages.
- Office Action received for Canadian Patent Application No. 2,793,002, dated Sep. 22, 2015, 3 pages.
- Office Action received for Canadian Patent Application No. 2,793,118, dated Aug. 21, 2015, 4 pages.
- Office Action received for Canadian Patent Application No. 2,793,118, dated Jul. 11, 2016, 4 pages.
- Office Action received for Canadian Patent Application No. 2,793,118, dated Mar. 19, 2015, 3 pages.
- Office Action received for Canadian Patent Application No. 2,793,248, dated Sep. 3, 2014, 3 pages.
- Office Action received for Canadian Patent Application No. 2,793,248, dated Sep. 10, 2015, 3 pages.
- Office Action received for Canadian Patent Application No. 2,793,741, dated Aug. 21, 2014, 2 pages.
- Office Action received for Canadian Patent Application No. 2,793,743, dated May 20, 2014, 4 pages.
- Office Action received for Canadian Patent Application No. 2,954,559, dated Mar. 27, 2017, 3 pages.
- Office Action received for Canadian Patent Application No. 3,000,109, dated Jan. 14, 2019, 3 pages.
- Office Action received for Chinese Patent Application No. 201180013559.2, dated Feb. 28, 2015, 14 pages.
- Office Action received for Chinese Patent Application No. 201480030811.4, dated Jan. 28, 2019, 11 pages.
- Office Action received for Chinese Patent Application No. 201480030811.4, dated Mar. 1, 2018, 17 pages.
- Office Action received for Chinese Patent Application No. 201480030811.4, dated Mar. 3, 2017, 19 pages.
- Office Action received for Chinese Patent Application No. 201480030811.4, dated Sep. 8, 2017, 17 pages.



(56)

**References Cited**

## OTHER PUBLICATIONS

Office Action received for Chinese Patent Application No. 201480030811.4, dated Sep. 30, 2018, 19 pages.

Office Action received for Chinese Patent Application No. 201610126045.2, dated May 8, 2018, 10 pages.

Office Action received for Chinese Patent Application No. 201610126045.2, dated Nov. 12, 2018, 5 pages.

Office Action received for European Patent Application No. 11707-939.2, dated Jan. 18, 2019, 8 pages.

Office Action received for European Patent Application No. 14737370.8, dated Dec. 21, 2017, 5 pages.

Office Action received for European Patent Application No. 16188272.5, dated May 10, 2019, 8 pages.

Office Action received for Indian Patent Application No. 6734/CHENP/2012, dated Oct. 30, 2018, 8 pages.

Office Action received for Indian Patent Application No. 8902/CHENP/2012, dated Oct. 30, 2018, 6 pages.

Office Action received for Indian Patent Application No. 8903/CHENP/2012, dated Aug. 9, 2018, 6 pages.

Office Action received for Indian Patent Application No. 8904/CHENP/2012, dated Oct. 23, 2018, 6 pages.

Office Action received for Indian Patent Application No. 8905/CHENP/2012, dated Oct. 8, 2018, 7 pages.

Office Action received for Indian Patent Application No. 8906/CHENP/2012, dated Oct. 24, 2018, 6 pages.

Office Action received for Indian Patent Application No. 8907/CHENP/2012, dated Oct. 24, 2018, 6 pages.

Office Action received for Indian Patent Application No. 8908/CHENP/2012, dated Oct. 24, 2018, 6 pages.

Office Action received for Indian Patent Application No. 8909/CHENP/2012, dated Oct. 25, 2018, 6 pages.

Office Action received for Indian Patent Application No. 8910/CHENP/2012, dated Oct. 25, 2018, 6 pages.

Office Action received for Japanese Patent Application No. 2012-549003, dated Dec. 20, 2013, 3 pages.

Office Action received for Japanese Patent Application No. 2012-549003, dated Feb. 22, 2016, 15 pages.

Office Action received for Japanese Patent Application No. 2012-549003, dated Jun. 26, 2017, 138 pages.

Office Action received for Japanese Patent Application No. 2012-549003, dated Mar. 2, 2015, 10 pages.

Office Action received for Japanese Patent Application No. 2012-549003, dated Oct. 21, 2016, 51 pages.

Office Action received for Japanese Patent Application No. 2014-127579, dated Apr. 4, 2016, 6 pages.

Office Action received for Japanese Patent Application No. 2014-127579, dated Sep. 14, 2015, 5 pages.

Office Action received for Japanese Patent Application No. 2014-127580, dated Jan. 20, 2017, 10 pages.

Office Action received for Japanese Patent Application No. 2014-127580, dated Jun. 21, 2016, 12 pages.

Office Action received for Japanese Patent Application No. 2014-127580, dated Sep. 28, 2015, 7 pages.

Office Action received for Japanese Patent Application No. 2014-127581, dated Aug. 31, 2015, 9 pages.

Office Action received for Japanese Patent Application No. 2014-127581, dated Jun. 24, 2016, 4 pages.

Office Action received for Japanese Patent Application No. 2014-127581, dated Nov. 24, 2016, 4 pages.

Office Action received for Japanese Patent Application No. 2014-127581, dated Oct. 2, 2017, 44 pages.

Office Action received for Japanese Patent Application No. 2014-127582, dated Aug. 31, 2015, 11 pages.

Office Action received for Japanese Patent Application No. 2014-127583, dated Sep. 7, 2015, 3 pages.

Office Action received for Japanese Patent Application No. 2014-127584, dated Sep. 4, 2015, 3 pages.

Office Action received for Japanese Patent Application No. 2014-127585, dated Feb. 17, 2017, 9 pages.

Office Action received for Japanese Patent Application No. 2014-127585, dated Jul. 15, 2016, 8 pages.

Office Action received for Japanese Patent Application No. 2014-127585, dated Sep. 10, 2015, 4 pages.

Office Action received for Japanese Patent Application No. 2014-127586, dated Sep. 14, 2015, 8 pages.

Office Action received for Japanese Patent Application No. 2014-127587, dated Aug. 23, 2017, 6 pages.

Office Action received for Japanese Patent Application No. 2014-127587, dated Jan. 27, 2017, 6 pages.

Office Action received for Japanese Patent Application No. 2014-127587, dated Jul. 4, 2016, 7 pages.

Office Action received for Japanese Patent Application No. 2014-127587, dated Mar. 19, 2018, 3 pages.

Office Action received for Japanese Patent Application No. 2014-127587, dated Sep. 14, 2015, 9 pages.

Office Action received for Japanese Patent Application No. 2017-117880, dated May 11, 2018, 9 pages.

Office Action received for Japanese Patent Application No. 2017-117880, dated Sep. 29, 2017, 6 pages.

Office Action received for Japanese Patent Application No. 2018-050944, dated Feb. 28, 2020, 6 pages.

Office Action received for Japanese Patent Application No. 2018-050944, dated Mar. 29, 2019, 8 pages.

Office Action received for Korean Patent Application No. 10-2012-7021659, dated Apr. 30, 2014, 8 pages.

Office Action received for Korean Patent Application No. 10-2012-7021659, dated Feb. 27, 2015, 15 pages.

Office Action received for Korean Patent Application No. 10-2012-7028786, dated Apr. 30, 2014, 15 pages.

Office Action received for Korean Patent Application No. 10-2012-7028802, dated Apr. 30, 2014, 10 pages.

Office Action received for Korean Patent Application No. 10-2012-7028805, dated Feb. 27, 2015, 14 pages.

Office Action received for Korean Patent Application No. 10-2012-7029183, dated Apr. 30, 2014, 11 pages.

Office Action received for Korean Patent Application No. 10-2012-7029183, dated Jan. 28, 2015, 10 pages.

Office Action received for Korean Patent Application No. 10-2012-7029183, dated Sep. 7, 2015, 7 pages.

Office Action received for Korean Patent Application No. 10-2012-7029195, dated Apr. 30, 2014, 11 pages.

Office Action received for Korean Patent Application No. 10-2012-7029195, dated Feb. 27, 2015, 16 pages.

Office Action received for Korean Patent Application No. 10-2012-7029195, dated Jan. 28, 2016, 6 pages.

Office Action received for Korean Patent Application No. 10-2012-7029197, dated Apr. 30, 2014, 10 pages.

Office Action received for Korean Patent Application No. 10-2012-7029381, dated Apr. 30, 2014, 12 pages.

Office Action received for Korean Patent Application No. 10-2012-7029381, dated Mar. 28, 2015, 5 pages.

Office Action received for Korean Patent Application No. 10-2012-7029382, dated Apr. 30, 2014, 9 pages.

Office Action received for Korean Patent Application No. 10-2012-7029382, dated Jan. 28, 2015, 7 pages.

Office Action received for Korean Patent Application No. 10-2012-7029382, dated Jul. 31, 2015, 12 pages.

Office Action received for Korean Patent Application No. 10-2012-7029385, dated Apr. 30, 2015, 13 pages.

Office Action received for Korean Patent Application No. 10-2012-7029385, dated Jun. 27, 2014, 13 pages.

Office Action received for Korean Patent Application No. 10-2015-7035370, dated Jul. 11, 2016, 12 pages.

Office Action received for Korean Patent Application No. 10-2015-7035370, dated May 31, 2017, 6 pages.

Office Action received for Korean Patent Application No. 10-2015-7035370, dated Oct. 11, 2017, 7 pages.

Office Action received for Korean Patent Application No. 10-2016-7023962, dated Oct. 20, 2016, 5 pages.

Office Action received for Korean Patent Application No. 10-2017-7024596, dated Feb. 22, 2018, 10 pages.

(56)

## References Cited

## OTHER PUBLICATIONS

- Office Action received for Korean Patent Application No. 10-2017-7035711, dated May 18, 2018, 14 pages.
- Office Action received for Korean Patent Application No. 10-2019-7007971, dated May 17, 2019, 12 pages.
- Office Action received for Korean Patent Application No. 10-2019-7018332, dated Mar. 12, 2020, 9 pages.
- Office Action received for Korean Patent Application No. 10-2019-7018332, dated Sep. 10, 2019, 5 pages.
- Office Action received for Mexican Patent Application No. MX/a/2012/008369, dated Oct. 21, 2013, 6 pages.
- Office Action received for Mexican Patent Application No. MX/a/2012/011794, dated Jun. 13, 2014, 2 pages.
- Office Action received for Mexican Patent Application No. MX/a/2012/011795, dated Feb. 19, 2014, 1 page.
- Office Action received for Mexican Patent Application No. MX/a/2012/011795, dated Jun. 13, 2014, 2 pages.
- Office Action received for Mexican Patent Application No. MX/a/2012/011797, dated Feb. 19, 2014, 1 page.
- Office Action received for Mexican Patent Application No. MX/a/2012/011797, dated Jun. 13, 2014, 2 pages.
- Office Action received for Mexican Patent Application No. MX/a/2012/011798, dated Feb. 19, 2014, 1 page.
- Office Action received for Mexican Patent Application No. MX/a/2012/011798, dated Jun. 24, 2014, 3 pages.
- Office Action received for Mexican Patent Application No. MX/a/2012/011799, dated Jun. 25, 2014, 2 pages.
- Office Action received for Mexican Patent Application No. MX/a/2012/011800, dated Aug. 20, 2015, 9 pages.
- Office Action received for Mexican Patent Application No. MX/a/2012/011800, dated Dec. 5, 2014, 5 pages.
- Office Action received for Mexican Patent Application No. MX/a/2012/011803, dated Feb. 19, 2014, 1 page.
- Office Action received for Mexican Patent Application No. MX/a/2012/011803, dated Jun. 25, 2014, 2 pages.
- Office Action received for Mexican Patent Application No. MX/a/2012/011807, dated Feb. 19, 2014, 1 page.
- Office Action received for Mexican Patent Application No. MX/a/2012/011807, dated Jun. 26, 2014, 2 pages.
- Office Action received for Mexican Patent Application No. MX/a/2012/011808, dated Feb. 19, 2014, 1 page.
- Office Action received for Mexican Patent Application No. MX/a/2012/011799, dated Feb. 1, 2014, 1 page.
- Office Action received for Russian Patent Application No. 2012135502, dated Feb. 18, 2014, 8 pages.
- Office Action received for Russian Patent Application No. 2012144605, dated Mar. 26, 2014, 7 pages.
- Office Action received for Russian Patent Application No. 2012144606, dated Mar. 25, 2014, 7 pages.
- Office Action received for Russian Patent Application No. 2012144637, dated Mar. 25, 2014, 8 pages.
- Office Action received for Russian Patent Application No. 2012144640, dated Mar. 24, 2014, 9 pages.
- Office Action received for Russian Patent Application No. 2012144640, dated Nov. 28, 2014, 8 pages.
- Office Action received for Russian Patent Application No. 2012144644, dated Mar. 24, 2014, 8 pages.
- Office Action received for Russian Patent Application No. 2012144647, dated Jun. 20, 2014, 8 pages.
- Office Action received for United Kingdom Patent Application No. 1213633.9, dated Feb. 16, 2017, 5 pages.
- Office Action received for United Kingdom Patent Application No. 1213633.9, dated Sep. 28, 2017, 5 pages.
- Ohsawa et al., "A computational Model of an Intelligent Agent Who Talks with a Person", Research Reports on Information Sciences, Series C, No. 92, Apr. 1989, pp. 1-18.
- Ohtomo et al., "Two-Stage Recognition Method of Hand-Written Chinese Characters Using an Integrated Neural Network Model", Denshi Joohoo Tsuushin Gakkai Ronbunshi, D-II, vol. J74, Feb. 1991, pp. 158-165.
- Okazaki et al., "Multi-Fisheye Transformation Method for Large-Scale Network Maps", IEEE Japan, vol. 44, No. 6, 1995, pp. 495-500.
- Omologo et al., "Microphone Array Based Speech Recognition with Different Talker-Array Positions", IEEE International Conference on Acoustics, Speech, and Signal Processing, vol. 1, Apr. 21-24, 1997, pp. 227-230.
- Oregon Scientific, "512MB Waterproof MP3 Player with FM Radio & Built-in Pedometer", available at <<http://www2.oregonscientific.com/shop/product.asp?cid=4&scid=11 &pid=581>>, retrieved on Jul. 31, 2006, 2 pages.
- Oregon Scientific, "Waterproof Music Player with FM Radio and Pedometer (MP121)—User Manual", 2005, 24 pages.
- Oxsdaily, "Get a List of Siri Commands Directly from Siri", Available at <<http://osxdaily.com/2013/02/05/list-siri-commands/>>, Feb. 5, 2013, 15 pages.
- Owei et al., "Natural Language Query Filtration in the Conceptual Query Language", IEEE, 1997, pp. 539-549.
- Padilla, Alfredo, "Palm Treo 750 Cell Phone Review—Messaging", available at <<http://www.wirelessinfo.com/content/palm-Treo-750-Cell-Phone-Review/Messaging.htm>>, Mar. 17, 2007, 6 pages.
- Palay et al., "The Andrew Toolkit: An Overview", Information Technology Center, Carnegie-Mellon University, 1988, pp. 1-15.
- Palm, Inc., "User Guide: Your Palm® Treo.TM. 755p Smartphone", 2005-2007, 304 pages.
- Pan et al., "Natural Language Aided Visual Query Building for Complex Data Access", In proceeding of: Proceedings of the Twenty-Second Conference on Innovative Applications of Artificial Intelligence, XP055114607, Jul. 11, 2010.
- Panasonic, "Toughbook 28: Powerful, Rugged and Wireless", Panasonic: Toughbook Models, available at <[http://www.panasonic.com/computer/notebook/html/01a\\_s8.htm](http://www.panasonic.com/computer/notebook/html/01a_s8.htm)>, retrieved on Dec. 19, 2002, 3 pages.
- Pannu et al., "A Learning Personal Agent for Text Filtering and Notification", Proceedings of the International Conference of Knowledge Based Systems, 1996, pp. 1-11.
- Papadimitriou et al., "Latent Semantic Indexing: A Probabilistic Analysis", Available online at <<http://citeseerx.ist.psu.edu/messages/downloadsexceeded.html>>, Nov. 14, 1997, 21 pages.
- Parks et al., "Classification of Whale and Ice Sounds with a cochlear Model", IEEE, Mar. 1992.
- Parson, T. W., "Voice and Speech Processing", Pitch and Formant Estimation, McGraw-Hill, Inc., ISBN: 0-07-0485541-0, 1987, 15 pages.
- Parsons, T. W., "Voice and Speech Processing", Linguistics and Technical Fundamentals, Articulatory Phonetics and Phonemics, McGraw-Hill, Inc., ISBN: 0-07-0485541-0, 1987, 5 pages.
- Patent Abstracts of Japan, vol. 014, No. 273 (E-0940)Jun. 13, 1990 (Jun. 13, 1990)-& JP 02 086057 A (Japan Storage Battery Co Ltd), Mar. 27, 1990 (Mar. 27, 1990), 3 pages.
- Pathak et al., "Privacy-preserving Speech Processing: Cryptographic and String-matching Frameworks Show Promise", In: IEEE signal processing magazine, retrieved from <<http://www.merl.com/publications/docs/TR2013-063.pdf>>, Feb. 13, 2013, 16 pages.
- Patterson et al., "Rendezvous: An Architecture for Synchronous Multi-User Applications", CSCW '90 Proceedings, 1990, pp. 317-328.
- Pearl, Amy, "System Support for Integrated Desktop Video Conferencing", Sunmicrosystems Laboratories, Dec. 1992, pp. 1-15.
- Penn et al., "Ale for Speech: A Translation Prototype", Bell Laboratories, 1999, 4 pages.
- Pereira, Fernando, "Logic for Natural Language Analysis", SRI International, Technical Note 275, Jan. 1983, 194 pages.
- Perrault et al., "Natural-Language Interfaces", SRI International, Technical Note 393, Aug. 22, 1986, 48 pages.
- PhatNoise, Voice Index on Tap, Kenwood Music Keg, available at <<http://www.phatnoise.com/kenwood/kenwoodssmail.html>>, retrieved on Jul. 13, 2006, 1 page.
- Phillipps, Ben, "Touchscreens are Changing the Face of Computers—Today's Users Have Five Types of Touchscreens to Choose from, Each with its Own Unique Characteristics", Electronic Products, Nov. 1994, pp. 63-70.

(56)

## References Cited

## OTHER PUBLICATIONS

- Phillips, Dick, "The Multi-Media Workstation", SIGGRAPH '89 Panel Proceedings, 1989, pp. 93-109.
- Phoenix Solutions, Inc., "Declaration of Christopher Schmandt Regarding the MIT Galaxy System", West Interactive Corp., A Delaware Corporation, Document 40, Jul. 2, 2010, 162 pages.
- Pickering, J. A., "Touch-Sensitive Screens: The Technologies and Their Application", International Journal of Man-Machine Studies, vol. 25, No. 3, Sep. 1986, pp. 249-269.
- Picone, J., "Continuous Speech Recognition using Hidden Markov Models", IEEE Assp Magazine, vol. 7, No. 3, Jul. 1990, 16 pages.
- Pingali et al., "Audio-Visual Tracking for Natural Interactivity", ACM Multimedia, Oct. 1999, pp. 373-382.
- Plaisant et al., "Touchscreen Interfaces for Alphanumeric Data Entry", Proceedings of the Human Factors and Ergonomics Society 36th Annual Meeting, 1992, pp. 293-297.
- Plaisant et al., "Touchscreen Toggle Design", CHI'92, May 3-7, 1992, pp. 667-668.
- Pollock, Stephen, "A Rule-Based Message Filtering System", Published in: Journal, ACM Transactions on Information Systems (TOIS), vol. 6, Issue 3, Jul. 1988, pp. 232-254.
- Poly-Optical Products, Inc., "Poly-Optical Fiber Optic Membrane Switch Backlighting", available at <[http://www.poly-optical.com/membrane\\_switches.html](http://www.poly-optical.com/membrane_switches.html)>, retrieved on Dec. 19, 2002, 3 pages.
- Poor, Alfred, "Microsoft Publisher", PC Magazine, vol. 10, No. 20, Nov. 26, 1991, 1 page.
- Potter et al., "An Experimental Evaluation of Three Touch Screen Strategies within a Hypertext Database", International Journal of Human-Computer Interaction, vol. 1, No. 1, 1989, pp. 41-52.
- Potter et al., "Improving the Accuracy of Touch Screens: An Experimental Evaluation of Three Strategies", CHI '88 ACM, 1988, pp. 27-32.
- Powell, Josh, "Now You See Me . . . Show/Hide Performance", available at <http://www.learningquery.com/2010/05/now-you-see-me-showhide-performance>, May 4, 2010, 3 pages.
- Public Safety Technologies, "Tracer 2000 Computer", available at <<http://www.pst911.com/tracer.html>>, retrieved on Dec. 19, 2002, 3 pages.
- Pulman et al., "Clare: A Combined Language and Reasoning Engine", Proceedings of JFIT Conference, available at <<http://www.cam.sri.com/tr/crc042/paper.ps.Z>>, 1993, 8 pages.
- Quazza et al., "Actor: A Multilingual Unit-Selection Speech Synthesis System", Proceedings of 4th ISCA Tutorial and Research Workshop on Speech Synthesis, Jan. 1, 2001, 6 pages.
- Quick Search Algorithm, Communications of the ACM, 33(8), 1990, pp. 132-142.
- Rabiner et al., "Digital Processing of Speech Signals", Prentice Hall, 1978, pp. 274-277.
- Rabiner et al., "Fundamental of Speech Recognition", AT&T, Published by Prentice-Hall, Inc., ISBN: 0-13-285826-6, 1993, 17 pages.
- Rabiner et al., "Note on the Properties of a Vector Quantizer for LPC Coefficients", Bell System Technical Journal, vol. 62, No. 8, Oct. 1983, 9 pages.
- Rampe et al., "SmartForm Designer and SmartForm Assistant", News release, Claris Corp., Jan. 9, 1989, 1 page.
- Rao et al., "Exploring Large Tables with the Table Lens", Apple Inc., Video Clip, Xerox Corp., on a CD, 1994.
- Rao et al., "Exploring Large Tables with the Table Lens", CHI'95 Mosaic of Creativity, ACM, May 7-11, 1995, pp. 403-404.
- Rao et al., "The Table Lens: Merging Graphical and Symbolic Representations in an Interactive Focus+Context Visualization for Tabular Information", Proceedings of the ACM SIGCHI Conference on Human Factors in Computing Systems, Apr. 1994, pp. 1-7.
- Raper, Larry K., "The C-MU PC Server Project", (CMU-ITC-86-051), Dec. 1986, pp. 1-30.
- Ratcliffe et al., "Intelligent Agents Take U.S. Bows", MacWeek, vol. 6, No. 9, Mar. 2, 1992, 1 page.
- Ratcliffe, M., "ClearAccess 2.0 Allows SQL Searches Off-Line (Structured Query Language) (ClearAccess Corp. Preparing New Version of Data-Access Application with Simplified User Interface, New Features) (Product Announcement)", MacWeek, vol. 6, No. 41, Nov. 16, 1992, 2 pages.
- Ravishankar, Mosur K., "Efficient Algorithms for Speech Recognition", Doctoral Thesis Submitted to School of Computer Science, Computer Science Division, Carnegie Mellon University, Pittsburgh, May 15, 1996, 146 pages.
- Rayner et al., "Adapting the Core Language Engine to French and Spanish", Cornell University Library, available at <<http://arxiv.org/abs/cmp-1g/9605015>>, May 10, 1996, 9 pages.
- Rayner et al., "Deriving Database Queries from Logical Forms by Abductive Definition Expansion", Proceedings of the Third Conference on Applied Natural Language Processing, ANLC, 1992, 8 pages.
- Rayner et al., "Spoken Language Translation with Mid-90's Technology: A Case Study", Eurospeech, ISCA, Available online at <<http://citeseerx.ist.psu.edu/viewdoc/summary?doi=10.1.1.54.8608>>, 1993, 4 pages.
- Rayner, M., "Abductive Equivalential Translation and its Application to Natural Language Database Interfacing", Dissertation Paper, SRI International, Sep. 1993, 162 pages.
- Rayner, Manny, "Linguistic Domain Theories: Natural-Language Database Interfacing from First Principles", SRI International, Cambridge, 1993, 11 pages.
- Reddy, D. R., "Speech Recognition by Machine: A Review", Proceedings of the IEEE, Apr. 1976, pp. 501-531.
- Reininger et al., "Speech and Speaker Independent Codebook Design in VQ Coding Schemes", (Proceedings of the IEEE International Acoustics, Speech and Signal Processing Conference, Mar. 1985), as reprinted in Vector Quantization (IEEE Press, 1990), 1990, pp. 271-273.
- Remde et al., "SuperBook: An Automatic Tool for Information Exploration-Hypertext?", In Proceedings of Hypertext, 87 Papers, Nov. 1987, 14 pages.
- Ren et al., "Efficient Strategies for Selecting Small Targets on Pen-Based Systems: An Evaluation Experiment for Selection Strategies and Strategy Classifications", Proceedings of the IFIP TC2/TC13 WG2.7/WG13.4 Seventh Working Conference on Engineering for Human-Computer Interaction, vol. 150, 1998, pp. 19-37.
- Ren et al., "Improving Selection Performance on Pen-Based Systems: A Study of Pen-Based Interaction for Selection Tasks", ACM Transactions on Computer-Human Interaction, vol. 7, No. 3, Sep. 2000, pp. 384-416.
- Ren et al., "The Best among Six Strategies for Selecting a Minute Target and the Determination of the Minute Maximum Size of the Targets on a Pen-Based Computer", Human-Computer Interaction INTERACT, 1997, pp. 85-92.
- Reynolds, C. F., "On-Line Reviews: A New Application of the HICOM Conferencing System", IEEE Colloquium on Human Factors in Electronic Mail and Conferencing Systems, Feb. 3, 1989, 4 pages.
- Rice et al., "Monthly Program: Nov. 14, 1995", The San Francisco Bay Area Chapter of ACM SIGCHI, available at <<http://www.baychi.org/calendar/19951114>>, Nov. 14, 1995, 2 pages.
- Rice et al., "Using the Web Instead of a Window System", Proceedings of the SIGCHI Conference on Human Factors in Computing Systems, CHI'96, 1996, pp. 1-14.
- Ricker, Thomas, "Apple Patents Audio User Interface", Engadget, available at <<http://www.engadget.com/2006/05/04/apple-patents-audio-user-interface/>>, May 4, 2006, 6 pages.
- Riecken, R. D., "Adaptive Direct Manipulation", IEEE Xplore, 1991, pp. 1115-1120.
- Rigoll, G., "Speaker Adaptation for Large Vocabulary Speech Recognition Systems Using Speaker Markov Models", International Conference on Acoustics, Speech and Signal Processing (ICASSP'89), May 1989, 4 pages.
- Riley, M. D., "Tree-Based Modelling of Segmental Durations", Talking Machines Theories, Models and Designs, Elsevier Science Publishers B.V., North-Holland, ISBN: 08-444-89115.3, 1992, 15 pages.
- Rioport, "Rio 500: Getting Started Guide", available at <<http://ec1.images-amazon.com/media/i3d/01/A/man-migrate/MANUAL.000023453.pdf>>, 1999, 2 pages.

(56)

## References Cited

## OTHER PUBLICATIONS

- Rivlin et al., "Maestro: Conductor of Multimedia Analysis Technologies", SRI International, 1999, 7 pages.
- Rivoira et al., "Syntax and Semantics in a Word-Sequence Recognition System", IEEE International Conference on Acoustics, Speech and Signal Processing (ICASSP'79), Apr. 1979, 5 pages.
- Robbin et al., "MP3 Player and Encoder for Macintosh!", SoundJam MP Plus, Version 2.0, 2000, 76 pages.
- Robertson et al., "Information Visualization Using 3D Interactive Animation", Communications of the ACM, vol. 36, No. 4, Apr. 1993, pp. 57-71.
- Robertson et al., "The Document Lens", UIST'93, Nov. 3-5, 1993, pp. 101-108.
- Roddy et al., "Communication and Collaboration in a Landscape of B2B eMarketplaces", VerticalNet Solutions, White Paper, Jun. 15, 2000, 23 pages.
- Roddy et al., "Interface Issues in Text Based Chat Rooms", SIGCHI Bulletin, vol. 30, No. 2, Apr. 1998, pp. 119-123.
- Root, Robert, "Design of a Multi-Media Vehicle for Social Browsing", Bell Communications Research, 1988, pp. 25-38.
- Rose et al., "Inside Macintosh", vols. I, II, and III, Addison-Wesley Publishing Company, Inc., Jul. 1988, 1284 pages.
- Roseberry, Catherine, "How To Pair a Bluetooth Headset & Cell Phone", available at <[http://mobileoffice.about.com/od/usingyourphone/ht/blueheadset\\_p.htm](http://mobileoffice.about.com/od/usingyourphone/ht/blueheadset_p.htm)>, retrieved on Apr. 29, 2006, 2 pages.
- Rosenberg et al., "An Overview of the Andrew Message System", Information Technology Center Carnegie-Mellon University, Jul. 1987, pp. 99-108.
- Rosenfeld, R., "A Maximum Entropy Approach to Adaptive Statistical Language Modelling", Computer Speech and Language, vol. 10, No. 3, Jul. 1996, 25 pages.
- Rosner et al., "In Touch: A Graphical User Interface Development Tool", IEEE Colloquium on Software Tools for Interface Design, Nov. 8, 1990, pp. 12/1-12/7.
- Rossfrank, "Konstnlose Sprachmitteilungs Festnetz", XP002234425, Dec. 10, 2000, pp. 1-4.
- Roszkiewicz, A., "Extending your Apple", Back Talk-Lip Service, A+ Magazine, The Independent Guide for Apple Computing, vol. 2, No. 2, Feb. 1984, 5 pages.
- Roucos et al., "A Segment Vocoder at 150 B/S", (Proceedings of the IEEE International Acoustics, Speech and Signal Processing Conference, Apr. 1983), as reprinted in Vector Quantization (IEEE Press, 1990), 1990, pp. 246-249.
- Roucos et al., "High Quality Time-Scale Modification for Speech", Proceedings of the 1985 IEEE Conference on Acoustics, Speech and Signal Processing, 1985, pp. 493-496.
- Routines, "SmartThings Support", Available online at <<https://web.archive.org/web/20151207165701/https://support.smartthings.com/hc/en-us/articles/205380034-Routines>>, 2015, 2 pages.
- Rubine, Dean Harris, "Combining Gestures and Direct Manipulation", CHI '92, May 3-7, 1992, pp. 659-660.
- Rubine, Dean Harris, "The Automatic Recognition of Gestures", CMU-CS-91-202, Thesis Submitted in Partial Fulfillment of the Requirements for the Degree of Doctor of Philosophy in Computer Science at Carnegie Mellon University, Dec. 1991, 285 pages.
- Ruch et al., "Using Lexical Disambiguation and Named-Entity Recognition to Improve Spelling Correction in the Electronic Patient Record", Artificial Intelligence in Medicine, Sep. 2003, pp. 169-184.
- Rudnick et al., "Creating Natural Dialogs in the Carnegie Mellon Communicator System", Proceedings of Eurospeech, vol. 4, 1999, pp. 1531-1534.
- Russell et al., "Artificial Intelligence, A Modern Approach", Prentice Hall, Inc., 1995, 121 pages.
- Russo et al., "Urgency is a Non-Monotonic Function of Pulse Rate", Journal of the Acoustical Society of America, vol. 122, No. 5, 2007, 6 pages.
- Sabin et al., "Product Code Vector Quantizers for Waveform and Voice Coding", (IEEE Transactions on Acoustics, Speech and Signal Processing, Jun. 1984), as reprinted in Vector Quantization (IEEE Press, 1990), 1990, pp. 274-288.
- Sacerdoti et al., "A Ladder User's Guide (Revised)", SRI International Artificial Intelligence Center, Mar. 1980, 39 pages.
- Sagalowicz, D., "AD-Ladder User's Guide", SRI International, Sep. 1980, 42 pages.
- Sakoe et al., "Dynamic Programming Algorithm Optimization for Spoken Word Recognition", IEEE Transactions on Acoustics, Speech and Signal Processing, vol. ASSP-26, No. 1, Feb. 1978, 8 pages.
- Salton et al., "On the Application of Syntactic Methodologies in Automatic Text Analysis", Information Processing and Management, vol. 26, No. 1, Great Britain, 1990, 22 pages.
- Sameshima et al., "Authorization with Security Attributes and Privilege Delegation Access control beyond the ACL", Computer Communications, vol. 20, 1997, 9 pages.
- Sankar, Ananth, "Bayesian Model Combination (BAYCOM) for Improved Recognition", IEEE International Conference on Acoustics, Speech, and Signal Processing (ICASSP), Mar. 18-23, 2005, pp. 845-848.
- San-Segundo et al., "Confidence Measures for Dialogue Management in the CU Communicator System", Proceedings of Acoustics, Speech and Signal Processing (ICASSP'00), Jun. 2000, 4 pages.
- Santaholma, Marianne E., "Grammar Sharing Techniques for Rule-based Multilingual NLP Systems", Proceedings of the 16th Nordic Conference of Computational Linguistics, NODALIDA 2007, May 25, 2007, 8 pages.
- Santen, Jan P., "Assignment of Segmental Duration in Text-to-Speech Synthesis", Computer Speech and Language, vol. 8, No. 2, Apr. 1994, pp. 95-128.
- Sarawagi, Sunita, "CRF Package Page", available at <<http://crf.sourceforge.net/>>, retrieved on Apr. 6, 2011, 2 pages.
- Sarkar et al., "Graphical Fisheye Views of Graphs", CHI '92 Proceedings of the SIGCHI Conference on Human Factors in Computing Systems, May 3-7, 1992, pp. 83-91.
- Sarkar et al., "Graphical Fisheye Views of Graphs", Systems Research Center, Digital Equipment Corporation, Mar. 17, 1992, 31 pages.
- Sarkar et al., "Graphical Fisheye Views", Communications of the ACM, vol. 37, No. 12, Dec. 1994, pp. 73-83.
- Sarkar et al., "Stretching the Rubber Sheet: A Metaphor for Viewing Large Layouts on Small Screens", UIST'93, ACM, Nov. 3-5, 1993, pp. 81-91.
- Sarvas et al., "Metadata Creation System for Mobile Images", Conference Proceedings, The Second International Conference On Mobile Systems, Applications And Services, Jun. 6, 2004, pp. 36-48.
- Sastry, Ravindra W., "A Need for Speed: A New Speedometer for Runners", submitted to the Department of Electrical Engineering and Computer Science at the Massachusetts Institute of Technology, 1999, pp. 1-42.
- Sato, H., "A Data Model, Knowledge Base and Natural Language Processing for Sharing a Large Statistical Database", Statistical and Scientific Database Management, Lecture Notes in Computer Science, vol. 339, 1989, 20 pages.
- Savoy, J., "Searching Information in Hypertext Systems Using Multiple Sources of Evidence", International Journal of Man-Machine Studies, vol. 38, No. 6, Jun. 1996, 15 pages.
- Scagliola, C., "Language Models and Search Algorithms for Real-Time Speech Recognition", International Journal of Man-Machine Studies, vol. 22, No. 5, 1985, 25 pages.
- Schafer et al., "Digital Representations of Speech Signals", Proceedings of the IEEE, vol. 63, No. 4, Apr. 1975, pp. 662-677.
- Schaffer et al., "Navigating Hierarchically Clustered Networks through Fisheye and Full-Zoom Methods", ACM Transactions on Computer-Human Interaction, vol. 3, No. 2, Jun. 1996, pp. 162-188.
- Scheifler, R. W., "The X Window System", MIT Laboratory for Computer Science and Gettys, Jim Digital Equipment Corporation and MIT Project Athena; ACM Transactions on Graphics, vol. 5, No. 2, Apr. 1986, pp. 79-109.
- Schluter et al., "Using Phase Spectrum Information for Improved Speech Recognition Performance", IEEE International Conference on Acoustics, Speech, and Signal Processing, 2001, pp. 133-136.

(56)

## References Cited

## OTHER PUBLICATIONS

- Schmandt et al., "A Conversational Telephone Messaging System", IEEE Transactions on Consumer Electronics, vol. CE-30, Aug. 1984, pp. xxi-xxiv.
- Schmandt et al., "Augmenting a Window System with Speech Input", IEEE Computer Society, Computer, vol. 23, No. 8, Aug. 1990, 8 pages.
- Schmandt et al., "Phone Slave: A Graphical Telecommunications Interface", Proceedings of the SID, vol. 26, No. 1, 1985, pp. 79-82.
- Schmandt et al., "Phone Slave: A Graphical Telecommunications Interface", Society for Information Display, International Symposium Digest of Technical Papers, Jun. 1984, 4 pages.
- Schmid, H., "Part-of-speech tagging with neural networks", COLING '94 Proceedings of the 15th conference on Computational linguistics—vol. 1, 1994, pp. 172-176.
- Schnelle, Dirk, "Context Aware Voice User Interfaces for Workflow Support", Dissertation paper, Aug. 27, 2007, 254 pages.
- Schone et al., "Knowledge-Free Induction of Morphology Using Latent Semantic Analysis", Proceedings of the 2nd Workshop on Learning Language in Logic and the 4th Conference on Computational Natural Language Learning, vol. 7, 2000, pp. 67-72.
- Schooler et al., "A Packet-switched Multimedia Conferencing System", By Eve Schooler, et al; ACM SIGOIS Bulletin, vol. I, No. 1, Jan. 1989, pp. 12-22.
- Schooler et al., "An Architecture for Multimedia Connection Management", Proceedings IEEE 4th Comsoc International Workshop on Multimedia Communications, Apr. 1992, pp. 271-274.
- Schooler et al., "Multimedia Conferencing: Has it Come of Age?", Proceedings 24th Hawaii International Conference on System Sciences, vol. 3, Jan. 1991, pp. 707-716.
- Schooler et al., "The Connection Control Protocol: Architecture Overview", USC/Information Sciences Institute, Jan. 28, 1992, pp. 1-6.
- Schooler, Eve M., "Case Study: Multimedia Conference Control in a Packet-Switched Teleconferencing System", Journal of Internetworking: Research and Experience, vol. 4, No. 2, Jun. 1993, pp. 99-120.
- Schooler, Eve M., "The Impact of Scaling on a Multimedia Connection Architecture", Multimedia Systems, vol. 1, No. 1, 1993, pp. 2-9.
- Schooler, Eve, "A Distributed Architecture for Multimedia Conference Control", ISI Research Report, Nov. 1991, pp. 1-18.
- Schultz, Tanja, "Speaker Characteristics", In: Speaker Classification I, retrieved from <<http://ccc.inaoep.mx/~villasen/bib/Speaker%20Characteristics.pdf>>, 2007, pp. 47-74.
- Schütze, H., "Dimensions of Meaning", Proceedings of Supercomputing'92 Conference, Nov. 1992, 10 pages.
- Schütze, H., "Distributional part-of-speech tagging", EACL '95 Proceedings of the seventh conference on European chapter of the Association for Computational Linguistics, 1995, pp. 141-148.
- Schütze, Hinrich, "Part-of-speech induction from scratch", ACL '93 Proceedings of the 31st annual meeting on Association for Computational Linguistics, 1993, pp. 251-258.
- Schwartz et al., "Context-Dependent Modeling for Acoustic-Phonetic Recognition of Continuous Speech", IEEE International Conference on Acoustics, Speech, and Signal Processing, vol. 10, Apr. 1985, pp. 1205-1208.
- Schwartz et al., "Improved Hidden Markov Modeling of Phonemes for Continuous Speech Recognition", IEEE International Conference on Acoustics, Speech, and Signal Processing, vol. 9, 1984, pp. 21-24.
- Schwartz et al., "The N-Best Algorithm: An Efficient And Exact Procedure For Finding The N Most Likely Sentence Hypotheses", IEEE, 1990, pp. 81-84.
- Scott et al., "Designing Touch Screen Numeric Keypads: Effects of Finger Size, Key Size, and Key Spacing", Proceedings of the Human Factors and Ergonomics Society 41st Annual Meeting, Oct. 1997, pp. 360-364.
- Seagrave, Jim, "A Faster Way to Search Text", EXE, vol. 5, No. 3, Aug. 1990, pp. 50-52.
- Sears et al., "High Precision Touchscreens: Design Strategies and Comparisons with a Mouse", International Journal of Man-Machine Studies, vol. 34, No. 4, Apr. 1991, pp. 593-613.
- Sears et al., "Investigating Touchscreen Typing: The Effect of Keyboard Size on Typing Speed", Behavior & Information Technology, vol. 12, No. 1, 1993, pp. 17-22.
- Sears et al., "Touchscreen Keyboards", Apple Inc., Video Clip, Human-Computer Interaction Laboratory, on a CD, Apr. 1991.
- Seide et al., "Improving Speech Understanding by Incorporating Database Constraints and Dialogue History", Proceedings of Fourth International Conference on Philadelphia, 1996, pp. 1017-1020.
- Sen et al., "Indian Accent Text-to-Speech System for Web Browsing", Sadhana, vol. 27, No. 1, Feb. 2002, pp. 113-126.
- Seneff et al., "A New Restaurant Guide Conversational System: Issues in Rapid Prototyping for Specialized Domains", Proceedings of Fourth International Conference on Spoken Language, vol. 2, 1996, 4 pages.
- Sethy et al., "A Syllable Based Approach for Improved Recognition of Spoken Names", ITRW on Pronunciation Modeling and Lexicon Adaptation for Spoken language Technology (PMLA2002), Sep. 14-15, 2002, pp. 30-35.
- Sharoff et al., "Register-Domain Separation as a Methodology for Development of Natural Language Interfaces to Databases", Proceedings of Human-Computer Interaction (INTERACT'99), 1999, 7 pages.
- Sheth et al., "Evolving Agents for Personalized Information Filtering", Proceedings of the Ninth Conference on Artificial Intelligence for Applications, Mar. 1993, 9 pages.
- Sheth et al., "Relationships at the Heart of Semantic Web: Modeling, Discovering, and Exploiting Complex Semantic Relationships", Enhancing the Power of the Internet: Studies in Fuzziness and Soft Computing, Oct. 13, 2002, pp. 1-38.
- Shikano et al., "Speaker Adaptation through Vector Quantization", IEEE International Conference on Acoustics, Speech and Signal Processing (ICASSP'86), vol. 11, Apr. 1986, 4 pages.
- Shimazu et al., "CAPIT: Natural Language Interface Design Tool with Keyword Analyzer and Case-Based Parser", NEG Research & Development, vol. 33, No. 4, Oct. 1992, 11 pages.
- Shinkle, L., "Team User's Guide", SRI International, Artificial Intelligence Center, Nov. 1984, 78 pages.
- Shiraki et al., "LPC Speech Coding Based on Variable-Length Segment Quantization", (IEEE Transactions on Acoustics, Speech and Signal Processing, Sep. 1988), as reprinted in Vector Quantization (IEEE Press, 1990), 1990, pp. 250-257.
- Shklar et al., "InfoHarness: Use of Automatically Generated Metadata for Search and Retrieval of Heterogeneous Information", Proceedings of CAISE'95, Finland, 1995, 14 pages.
- Shneiderman, Ben, "Designing the User Interface: Strategies for Effective Human-Computer Interaction", Second Edition, 1992, 599 pages.
- Shneiderman, Ben, "Designing the User Interface: Strategies for Effective Human-Computer Interaction", Third Edition, 1998, 669 pages.
- Shneiderman, Ben, "Direct Manipulation for Comprehensible, Predictable and Controllable User Interfaces", Proceedings of the 2nd International Conference on Intelligent User Interfaces, 1997, pp. 33-39.
- Shneiderman, Ben, "Sparks of Innovation in Human-Computer Interaction", 1993, (Table of Contents, Title Page, Ch. 4, Ch. 6 and List of References).
- Shneiderman, Ben, "The Eyes Have It: A Task by Data Type Taxonomy for Information Visualizations", IEEE Proceedings of Symposium on Visual Languages, 1996, pp. 336-343.
- Shneiderman, Ben, "Touch Screens Now Offer Compelling Uses", IEEE Software, Mar. 1991, pp. 93-94.
- Shoham et al., "Efficient Bit and Allocation for an Arbitrary Set of Quantizers", (IEEE Transactions on Acoustics, Speech, and Signal Processing, Sep. 1988) as reprinted in Vector Quantization (IEEE Press, 1990), 1990, pp. 289-296.
- Sigurdsson et al., "Mel Frequency Cepstral Co-efficients: An Evaluation of Robustness of MP3 Encoded Music", Proceedings of the 7th International Conference on Music Information Retrieval, 2006, 4 pages.

(56)

## References Cited

## OTHER PUBLICATIONS

- Silverman et al., "Using a Sigmoid Transformation for Improved Modeling of Phoneme Duration", Proceedings of the IEEE International Conference on Acoustics, Speech and Signal Processing, Mar. 1999, 5 pages.
- Simkowitz, Daniel, "LP-DOS Magnifies the PC Screen", IEEE, 1992, pp. 203-204.
- Simonite, Tom, "One Easy Way to Make Siri Smarter", Technology Review, Oct. 18, 2011, 2 pages.
- Singh et al., "Automatic Generation of Phone Sets and Lexical Transcriptions", Acoustics, Speech and Signal Processing (ICASSP'00), 2000, 1 page.
- Singh, N., "Unifying Heterogeneous Information Models", Communications of the ACM, 1998, 13 pages.
- Sinitsyn, Alexander, "A Synchronization Framework for Personal Mobile Servers", Proceedings of the Second IEEE Annual Conference on Pervasive Computing and Communications Workshops, Piscataway, 2004, pp. 1, 3 and 5.
- Slaney et al., "On the Importance of Time—A Temporal Representation of Sound", Visual Representation of Speech Signals, 1993, pp. 95-116.
- Smeaton, Alan F., "Natural Language Processing and Information Retrieval", Information Processing and Management, vol. 26, No. 1, 1990, pp. 19-20.
- Smith et al., "Guidelines for Designing User Interface Software", User Lab, Inc., Aug. 1986, pp. 1-384.
- Smith et al., "Relating Distortion to Performance in Distortion Oriented Displays", Proceedings of Sixth Australian Conference on Computer-Human Interaction, Nov. 1996, pp. 6-11.
- Sony Ericsson Corporate, "Sony Ericsson to introduce Auto pairing, TM. to Improve Bluetooth.TM. Connectivity Between Headsets and Phones", Press Release, available at <[http://www.sonyericsson.com/spg.jsp?cc=global&lc=en&ver=4001&template=pc3\\_1\\_1&z...](http://www.sonyericsson.com/spg.jsp?cc=global&lc=en&ver=4001&template=pc3_1_1&z...)>, Sep. 28, 2005, 2 pages.
- Soong et al., "A High Quality Subband Speech Coder with Backward Adaptive Predictor and Optimal Time-Frequency Bit Assignment", (Proceedings of the IEEE International Acoustics, Speech, and Signal Processing Conference, Apr. 1986), as reprinted in Vector Quantization (IEEE Press, 1990), 1990, pp. 316-319.
- Speaker Recognition, Wikipedia, The Free Encyclopedia, Nov. 2, 2010, 4 pages.
- Spiller, Karen, "Low-Decibel Earbuds Keep Noise at a Reasonable Level", available at <<http://www.nashuatelegraph.com/apps/pbcs.dll/article?Date=20060813&Cate...>>, Aug. 13, 2006, 3 pages.
- Spivack, Nova, "Sneak Preview of Siri—Part Two—Technical Foundations—Interview with Tom Gruber, CTO of Siri", Online Available at <<https://web.archive.org/web/20100114234454/http://www.twine.com/item/12vhy39k4-22m/interview-with-tom-gruber-of-siri>>, Jan. 14, 2010, 5 pages.
- SRI International, "The Open Agent Architecture TM 1.0 Distribution", Open Agent Architecture (OAA), 1999, 2 pages.
- SRI, "SRI Speech: Products: Software Development Kits: EduSpeak", available at <<http://web.archive.org/web/20090828084033/http://www.speechatsri.com/products/eduspeak>html>>, retrieved on Jun. 20, 2013, 2 pages.
- Srihari, R. K., "Use of Multimedia Input In Automated Image Annotation And Content-based Retrieval", Proceedings Of Spie, International Society For Optical Engineering, vol. 2420, Feb. 9, 1995., pp. 249-260.
- Srinivas et al., "Monet: A Multi-Media System for Conferencing and Application Sharing in Distributed Systems", CERC Technical Report Series Research Note, Feb. 1992.
- Starr et al., "Knowledge-Intensive Query Processing", Proceedings of the 5th KRDB Workshop, Seattle, May 31, 1998, 6 pages.
- Stealth Computer Corporation, "Peripherals for Industrial Keyboards & Pointing Devices", available at <[http://www.stealthcomputer.com/peripherals\\_oem.htm](http://www.stealthcomputer.com/peripherals_oem.htm)>, retrieved on Dec. 19, 2002, 6 pages.
- Steinberg, Gene, "Sonicblue Rio Car (10 GB, Reviewed: 6 GB)", available at <<http://electronics.cnet.com/electronics/0-6342420-1304-4098389.html>>, Dec. 12, 2000, 2 pages.
- Stent et al., "Geo-Centric Language Models for Local Business Voice Search", AT&T Labs—Research, 2009, pp. 389-396.
- Stent et al., "The CommandTalk Spoken Dialogue System", SRI International, 1999, pp. 183-190.
- Stern et al., "Multiple Approaches to Robust Speech Recognition", Proceedings of Speech and Natural Language Workshop, 1992, 6 pages.
- Stickel, Mark E., "A Nonclausal Connection-Graph Resolution Theorem-Proving Program", Proceedings of AAAI'82, 1982, 5 pages.
- Stifleman, L., "Not Just Another Voice Mail System", Proceedings of 1991 Conference, American Voice, Atlanta GA, Sep. 24-26, 1991, pp. 21-26.
- Stone et al., "The Movable Filter as a User Interface Tool", CHI '94 Human Factors in Computing Systems, 1994, pp. 306-312.
- Strom et al., "Intelligent Barge-In in Conversational Systems", MIT laboratory for Computer Science, 2000, 4 pages.
- Stuker et al., "Cross-System Adaptation and Combination for Continuous Speech Recognition: The Influence of Phoneme Set and Acoustic Front-End", Influence of Phoneme Set and Acoustic Front-End, Interspeech, Sep. 17-21, 2006, pp. 521-524.
- Su et al., "A Review of ZoomText Xtra Screen Magnification Program for Windows 95", Journal of Visual Impairment & Blindness, Feb. 1998, pp. 116-119.
- Su, Joseph C., "A Review of Telesensory's Vista PCI Screen Magnification System", Journal of Visual Impairment & Blindness, Oct. 1998, pp. 705, 707-710.
- Sugumaran, V., "A Distributed Intelligent Agent-Based Spatial Decision Support System", Proceedings of the Americas Conference on Information systems (AMCIS), Dec. 31, 1998, 4 pages.
- Sullivan, Danny, "How Google Instant's Autocomplete Suggestions Work", available at <<http://searchengineland.com/how-google-instant-autocomplete-suggestions-work-62592>>, Apr. 6, 2011, 12 pages.
- Summerfield et al., "ASIC Implementation of the Lyon Cochlea Model", Proceedings of the 1992 International Conference on Acoustics, Speech and Signal Processing, IEEE, vol. V, 1992, pp. 673-676.
- Summons to Attend Oral Proceedings received for European Patent Application No. 11707939.2, mailed on Mar. 20, 2020, 12 pages.
- Summons to Attend Oral Proceedings received for European Patent Application No. 14737370.8, mailed on Jan. 21, 2019, 12 pages.
- Sundaram et al., "Latent Perceptual Mapping with Data-Driven Variable-Length Acoustic Units for Template-Based Speech Recognition", ICASSP 2012, Mar. 2012, pp. 4125-4128.
- Supplemental Notice of Allowance received for U.S. Appl. No. 15/394,162, dated Apr. 9, 2020, 2 pages.
- Susaki et al., "A New Decision Factor for IR System Extracted from Structure of Hypertexts", Report of Information Processing Society of Japan, JPN, vol. 99, No. 57, Jul. 16, 1999, pp. 73-80.
- Sycara et al., "Coordination of Multiple Intelligent Software Agents", International Journal of Cooperative Information Systems (IJCS), vol. 5, No. 2 & 3, 1996, 31 pages.
- Sycara et al., "Distributed Intelligent Agents", IEEE Expert, vol. 11, No. 6, Dec. 1996, 32 pages.
- Sycara et al., "Dynamic Service Matchmaking among Agents in Open Information Environments", SIGMOD Record, 1999, 7 pages.
- Sycara et al., "The RETSINA MAS Infrastructure", Autonomous Agents and Multi-Agent Systems, vol. 7, 2003, 20 pages.
- T3 Magazine, "Creative MuVo TX 256MB", available at <[http://www.t3.co.uk/reviews/entertainment/mp3\\_player/creative\\_muvo\\_tx\\_256mb](http://www.t3.co.uk/reviews/entertainment/mp3_player/creative_muvo_tx_256mb)>, Aug. 17, 2004, 1 page.
- Taos, "TAOS, Inc. Announces Industry's First Ambient Light Sensor to Convert Light Intensity to Digital Signals", News Release, available at <[http://www.taosinc.com/pressrelease\\_090902.htm](http://www.taosinc.com/pressrelease_090902.htm)>, Sep. 16, 2002, 3 pages.
- Tatsuya et al., "Open-Source Speech Recognition Software Julius", Journal of Japanese Society for Artificial Intelligence, vol. 20, No. 1, Jan. 2005, pp. 41-49.
- Taylor et al., "Speech Synthesis by Phonological Structure Matching", International Speech Communication Association, vol. 2, Section 3, 1999, 4 pages.
- Tello, Ernest R., "Natural-Language Systems", Mastering AI Tools and Techniques, Howard W. Sams & Company, 1988, pp. 25-64.

(56)

## References Cited

## OTHER PUBLICATIONS

- Tenenbaum et al., "Data Structure Using Pascal", Prentice-Hall, Inc., 1981, 34 pages.
- Textndrive, "Text'nDrive App Demo-Listen and Reply to your Messages by Voice while Driving!", YouTube Video available at <<http://www.youtube.com/watch?v=WaGfzoHsAMw>>, Apr. 27, 2010, 1 page.
- TG3 Electronics, Inc., "BL82 Series Backlit Keyboards", available at <<http://www.tg3electronics.com/products/backlit/backlit.htm>>, retrieved on Dec. 19, 2002, 2 pages.
- The HP 150, "Hardware: Compact, Powerful, and Innovative", vol. 8, No. 10, Oct. 1983, pp. 36-50.
- Tidwell, Jenifer, "Animated Transition", Designing Interfaces, Patterns for effective Interaction Design, Nov. 2005, First Edition, 4 pages.
- Timothy et al., "Speech-Based Annotation and Retrieval of Digital Photographs", Interspeech. 8th Annual Conference Of The International Speech Communication Association, Aug. 27, 2007, pp. 2165-2168.
- Tofel, Kevin C., "SpeakTolt: A Personal Assistant for Older iPhones, iPads", Apple News, Tips and Reviews, Feb. 9, 2012, 7 pages.
- Tombros et al., "Users' Perception of Relevance of Spoken Documents", Journal of the American Society for Information Science, New York, Aug. 2000, pp. 929-939.
- Tomita et al., "Multi-database Searching System Based on WWW: WebSENA", NTT Technology Journal, JPN, vol. 10, No. 5 (serial No. 100), 1998, pp. 55-58.
- Top 10 Best Practices for Voice User Interface Design available at <<http://www.developer.com/voice/article.php/1567051/Top-10-Best-Practices-for-Voice-User-Interface-Design.htm>>, Nov. 1, 2002, 4 pages.
- Touch, Joseph, "Zoned Analog Personal Teleconferencing", USC / Information Sciences Institute, 1993, pp. 1-19.
- Toutanova et al., "Feature-Rich Part-of-Speech Tagging with a Cyclic Dependency Network", Computer Science Dept., Stanford University, Stanford CA 94305-9040, 2003, 8 pages.
- Trigg et al., "Hypertext Habitats: Experiences of Writers in NoteCards", Hypertext '87 Papers; Intelligent Systems Laboratory, Xerox Palo Alto Research Center, 1987, pp. 89-108.
- Trowbridge, David, "Using Andrew for Development of Educational Applications", Center for Design of Educational Computing, Carnegie-Mellon University (CMU-ITC-85-065), Jun. 2, 1985, pp. 1-6.
- Tsai et al., "Attributed Grammar—A Tool for Combining Syntactic and Statistical Approaches to Pattern Recognition", IEEE Transactions on Systems, Man and Cybernetics, vol. SMC-10, No. 12, Dec. 1980, 13 pages.
- Tsao et al., "Matrix Quantizer Design for LPC Speech Using the Generalized Lloyd Algorithm", (IEEE Transactions on Acoustics, Speech and Signal Processing, Jun. 1985), as reprinted in Vector Quantization (IEEE Press, 1990), 1990, pp. 237-245.
- Tucker, Joshua, "Too Lazy to Grab Your TV Remote? Use Siri Instead", Engadget, Nov. 30, 2011, 8 pages.
- Tur et al., "The CALO Meeting Assistant System", IEEE Transactions on Audio, Speech and Language Processing, vol. 18, No. 6, Aug. 2010, pp. 1601-1611.
- Tur et al., "The CALO Meeting Speech Recognition and Understanding System", Proc. IEEE Spoken Language Technology Workshop, 2008, 4 pages.
- Turletti, Thierry, "The INRIA Videoconferencing System (IVS)", Oct. 1994, pp. 1-7.
- Tyson et al., "Domain-Independent Task Specification in the TACITUS Natural Language System", SRI International, Artificial Intelligence Center, May 1990, 16 pages.
- Udell, J., "Computer Telephony", BYTE, vol. 19, No. 7, Jul. 1994, 9 pages.
- Ushida et al., "Spoken Dialogue Engine based on Autonomous Behavior Decision Model", Omron Technics, vol. 40, No. 1, 2000, pp. 16-21. {See Communication under 37 CFR§ 1.98(a) (3)}.
- Uslan et al., "A Review of Henter-Joyce's MAGic for Windows NT", Journal of Visual Impairment and Blindness, Dec. 1999, pp. 666-668.
- Uslan et al., "A Review of Supernova Screen Magnification Program for Windows", Journal of Visual Impairment & Blindness, Feb. 1999, pp. 108-110.
- Uslan et al., "A Review of Two Screen Magnification Programs for Windows 95: Magnum 95 and LP-Windows", Journal of Visual Impairment & Blindness, Sep.-Oct. 1997, pp. 9-13.
- Van Santen, J. P.H., "Contextual Effects on Vowel Duration", Journal Speech Communication, vol. 11, No. 6, Dec. 1992, pp. 513-546.
- Veiga, Alex, "AT&T Wireless Launching Music Service", available at <[http://bizyahoo.com/ap/041005/at\\_t\\_mobile\\_music\\_5.html?printer=1](http://bizyahoo.com/ap/041005/at_t_mobile_music_5.html?printer=1)>, Oct. 5, 2004, 2 pages.
- Vepa et al., "New Objective Distance Measures for Spectral Discontinuities in Concatenative Speech Synthesis", Proceedings of the IEEE 2002 Workshop on Speech Synthesis, 2002, 4 pages.
- Vershelde, Jan, "MATLAB Lecture 8. Special Matrices in MATLAB", UIC, Dept. of Math, Stat. & CS, MCS 320, Introduction to Symbolic Computation, 2007, 4 pages.
- Viegas et al., "Chat Circles", SIGCHI Conference on Human Factors in Computing Systems, May 15-20, 1999, pp. 9-16.
- Viikki et al., "Speaker- and Language-Independent Speech Recognition in Mobile Communication Systems", IEEE, vol. 1, 2001, pp. 5-8.
- Vingron, Martin, "Near-Optimal Sequence Alignment", Current Opinion in Structural Biology, vol. 6, No. 3, 1996, pp. 346-352.
- Vlingo Incar, "Distracted Driving Solution with Vlingo InCar", YouTube Video, Available online at <<http://www.youtube.com/watch?v=Vqs8XfXgz4>>, Oct. 2010, 2 pages.
- Vlingo, "Vlingo Launches Voice Enablement Application on Apple App Store", Press Release, Dec. 3, 2008, 2 pages.
- Vogel et al., "Shift: A Technique for Operating Pen-Based Interfaces Using Touch", CHI '07 Proceedings, Mobile Interaction Techniques I, Apr. 28-May 3, 2007, pp. 657-666.
- Voiceassist, "Send Text, Listen to and Send E-Mail by Voice", YouTube Video, Available online at <<http://www.youtube.com/watch?v=0tEU61nHHA4>>, Jul. 30, 2009, 1 page.
- Voiceonthego, "Voice on the Go (BlackBerry)", YouTube Video, available online at <<http://www.youtube.com/watch?v=pJqpWgQS98w>>, Jul. 27, 2009, 1 page.
- W3C Working Draft, "Speech Synthesis Markup Language Specification for the Speech Interface Framework", available at <<http://www.w3.org/TR/speech-synthesis>>, retrieved on Dec. 14, 2000, 42 pages.
- Wadlow, M. G., "The Role of Human Interface Guidelines in the Design of Multimedia Applications", Carnegie Mellon University (To be Published in Current Psychology: Research and Reviews, Summer 1990 (CMU-ITC-91-101), 1990, pp. 1-22.
- Wahlster et al., "Smartkom: Multimodal Communication with a Life-Like Character", Eurospeech-Scandinavia, 7th European Conference on Speech Communication and Technology, 2001, 5 pages.
- Waibel, Alex, "Interactive Translation of Conversational Speech", Computer, vol. 29, No. 7, Jul. 1996, pp. 41-48.
- Waldinger et al., "Deductive Question Answering from Multiple Resources", New Directions in Question Answering, Published by AAAI, Menlo Park, 2003, 22 pages.
- Walker et al., "Natural Language Access to Medical Text", SRI International, Artificial Intelligence Center, Mar. 1981, 23 pages.
- Walker et al., "The LOCUS Distributed Operating System 1", University of California Los Angeles, 1983, pp. 49-70.
- Waltz, D., "An English Language Question Answering System for a Large Relational Database", ACM, vol. 21, No. 7, 1978, 14 pages.
- Wang et al., "An Industrial-Strength Audio Search Algorithm", In Proceedings of the International Conference on Music Information Retrieval (ISMIR), 2003, 7 pages.
- Wang et al., "An Initial Study on Large Vocabulary Continuous Mandarin Speech Recognition with Limited Training Data Based on Sub-Syllabic Models", International Computer Symposium, vol. 2, 1994, pp. 1140-1145.

(56)

## References Cited

## OTHER PUBLICATIONS

- Wang et al., "Tone Recognition of Continuous Mandarin Speech Based on Hidden Markov Model", *International Journal of Pattern Recognition and Artificial Intelligence*, vol. 8, 1994, pp. 233-245.
- Ward et al., "A Class Based Language Model for Speech Recognition", *IEEE*, 1996, 3 pages.
- Ward et al., "Recent Improvements in the CMU Spoken Language Understanding System", *ARPA Human Language Technology Workshop*, 1994, 4 pages.
- Ward, Wayne, "The CMU Air Travel Information Service: Understanding Spontaneous Speech", *Proceedings of the Workshop on Speech and Natural Language, HLT '90*, 1990, pp. 127-129.
- Ware et al., "The DragMag Image Magnifier Prototype I", *Apple Inc., Video Clip, Marlon*, on a CD, Applicant is not Certain about the Date for the Video Clip., 1995.
- Ware et al., "The DragMag Image Magnifier", *CHI '95 Mosaic of Creativity*, May 7-11, 1995, pp. 407-408.
- Warren et al., "An Efficient Easily Adaptable System for Interpreting Natural Language Queries", *American Journal of Computational Linguistics*, vol. 8, No. 3-4, 1982, 11 pages.
- Watabe et al., "Distributed Multiparty Desktop Conferencing System: MERMAID", *CSCW 90 Proceedings*, Oct. 1990, pp. 27-38.
- Weizenbaum, J., "ELIZA—A Computer Program for the Study of Natural Language Communication Between Man and Machine", *Communications of the ACM*, vol. 9, No. 1, Jan. 1966, 10 pages.
- Werner et al., "Prosodic Aspects of Speech, Universite de Lausanne", *Fundamentals of Speech Synthesis and Speech Recognition: Basic Concepts, State of the Art and Future Challenges*, 1994, 18 pages.
- Westerman, Wayne, "Hand Tracking, Finger Identification and Chordic Manipulation on A Multi-Touch Surface", *Doctoral Dissertation*, 1999, 363 Pages.
- What is Fuzzy Logic?, available at <<http://www.cs.cmu.edu>>, retrieved on Apr. 15, 1993, 5 pages.
- White, George M., "Speech Recognition, Neural Nets, and Brains", *Jan. 1992*, pp. 1-48.
- Wikipedia, "Acoustic Model", available at <<http://en.wikipedia.org/wiki/AcousticModel>>, retrieved on Sep. 14, 2011, 2 pages.
- Wikipedia, "Language Model", available at <[http://en.wikipedia.org/wiki/Language\\_model](http://en.wikipedia.org/wiki/Language_model)>, retrieved on Sep. 14, 2011, 3 pages.
- Wikipedia, "Speech Recognition", available at <[http://en.wikipedia.org/wiki/Speech\\_recognition](http://en.wikipedia.org/wiki/Speech_recognition)>, retrieved on Sep. 14, 2011, 10 pages.
- Wilensky et al., "Talking to UNIX in English: An Overview of UC", *Communications of the ACM*, vol. 27, No. 6, Jun. 1984, pp. 574-593.
- Wilson, Mark, "New iPod Shuffle Moves Buttons to Headphones, Adds Text to Speech", available at <<http://gizmodo.com/5167946/new-ipod-shuffle-moves-buttons-to-headphones-adds-text-to-speech>>, Mar. 11, 2009, 13 pages.
- Windows XP: A Big Surprise!—Experiencing Amazement from Windows XP, *New Computer*, No. 2, Feb. 28, 2002, 8 pages.
- Winiwarter et al., "Adaptive Natural Language Interfaces to FAQ Knowledge Bases", *Proceedings of 4th International Conference on Applications of Natural Language to Information Systems, Austria*, Jun. 1999, 22 pages.
- Wirelessinfo, "SMS/MMS Ease of Use (8.0)", available at <<http://www.wirelessinfo.com/content/palm-Treo-750-Cell-Phone-Review/Messaging.htm>>, Mar. 2007, 3 pages.
- Wolff, M., "Post Structuralism and the ARTFUL Database: Some Theoretical Considerations", *Information Technology and Libraries*, vol. 13, No. 1, Mar. 1994, 10 pages.
- Wong et al., "An 800 Bit/s Vector Quantization LPC Vocoder", (*IEEE Transactions on Acoustics, Speech and Signal Processing*, Oct. 1982), as reprinted in *Vector Quantization (IEEE Press, 1990)*, 1990, pp. 222-232.
- Wong et al., "Very Low Data Rate Speech Compression with LPC Vector and Matrix Quantization", (*Proceedings of the IEEE Int'l Acoustics, Speech and Signal Processing Conference*, Apr. 1983), as reprinted in *Vector Quantization (IEEE Press, 1990)*, 1990, pp. 233-236.
- Worldwide Character Encoding, Version 2.0, vols. 1,2 by Unicode, Inc., 12 pages.
- Written Opinion received for PCT Patent Application No. PCT/US2005/046797, dated Nov. 24, 2006, 9 pages.
- Wu et al., "Automatic Generation of Synthesis Units and Prosodic Information for Chinese Concatenative Synthesis", *Speech Communication*, vol. 35, No. 3-4, Oct. 2001, pp. 219-237.
- Wu et al., "KDA: A Knowledge-Based Database Assistant", *Proceeding of the Fifth International Conference on Engineering (IEEE Cat.No. 89CH2695-5)*, 1989, 8 pages.
- Wu, M., "Digital Speech Processing and Coding", *Multimedia Signal Processing, Lecture-2 Course Presentation*, University of Maryland, College Park, 2003, 8 pages.
- Wu, M., "Speech Recognition, Synthesis, and H.C.I.", *Multimedia Signal Processing, Lecture—3 Course Presentation*, University of Maryland, College Park, 2003, 11 pages.
- Wyle, M. F., "A Wide Area Network Information Filter", *Proceedings of First International Conference on Artificial Intelligence on Wall Street*, Oct. 1991, 6 pages.
- Xiang et al., "Correcting Phoneme Recognition Errors in Learning Word Pronunciation through Speech Interaction", *Speech Communication*, vol. 55, No. 1, Jan. 1, 2013, pp. 190-203.
- Xu et al., "Speech-Based Interactive Games for Language Learning: Reading, Translation, and Question-Answering", *Computational Linguistics and Chinese Language Processing*, vol. 14, No. 2, Jun. 2009, pp. 133-160.
- Yang et al., "Auditory Representations of Acoustic Signals", *IEEE Transactions of Information Theory*, vol. 38, No. 2, Mar. 1992, pp. 824-839.
- Yang et al., "Hidden Markov Model for Mandarin Lexical Tone Recognition", *IEEE Transactions on Acoustics, Speech and Signal Processing*, vol. 36, No. 7, Jul. 1988, pp. 988-992.
- Yang et al., "Smart Sight: A Tourist Assistant System", *Proceedings of Third International Symposium on Wearable Computers*, 1999, 6 pages.
- Yankelovich et al., "Intermedia: The Concept and the Construction of a Seamless Information Environment", *Computer Magazine*, *IEEE*, Jan. 1988, 16 pages.
- Yarowsky, David, "Homograph Disambiguation in Text-to-Speech Synthesis", Chapter 12, *Progress in Speech Synthesis*, 1997, pp. 157-172.
- Yiourgalis et al., "Text-to-Speech system for Greek", *ICASSP 91*, vol. 1, May 14-17, 1991, pp. 525-528.
- Yoon et al., "Letter-to-Sound Rules for Korean", *Department of Linguistics, The Ohio State University*, 2002, 4 pages.
- Young et al., "The HTK Book", Version 3.4, Dec. 2006, 368 pages.
- Youtube, "New bar search for Facebook", Available at "https://www.youtube.com/watch?v=vwgN1WbvCas", 1 page.
- Yunker, John, "Beyond Borders: Web Globalization Strategies", *New Riders*, Aug. 22, 2002, 11 pages.
- Zainab, "Google Input Tools Shows Onscreen Keyboard in Multiple Languages [Chrome]", available at <<http://www.addictivetips.com/internet-tips/google-input-tools-shows-multiple-language-onscreen-keyboards-chrome/>>, Jan. 3, 2012, 3 pages.
- Zangerle et al., "Recommending #-Tag in Twitter", *Proceedings of the Workshop on Semantic Adaptive Social Web*, 2011, pp. 1-12.
- Zelig, "A Review of the Palm Treo 750v", available at <<http://www.mtekk.com.au/Articles/tabid/54/articleType/ArticleView/articleId/769/A-Review-of-the-Palm-Treo-750v.aspx>>, Feb. 5, 2007, 3 pages.
- Zeng et al., "Cooperative Intelligent Software Agents", *The Robotics Institute, Carnegie-Mellon University*, Mar. 1995, 13 pages.
- Zhang et al., "Research of Text Classification Model Based on Latent Semantic Analysis and Improved HS-SVM", *Intelligent Systems and Applications (ISA)*, 2010 2nd International Workshop, May 22-23, 2010, 5 pages.
- Zhao et al., "Intelligent Agents for Flexible Workflow Systems", *Proceedings of the Americas Conference on Information Systems (AMCIS)*, Oct. 1998, 4 pages.
- Zhao, Y., "An Acoustic-Phonetic-Based Speaker Adaptation Technique for Improving Speaker-Independent Continuous Speech Recognition", *IEEE Transactions on Speech and Audio Processing*, vol. 2, No. 3, Jul. 1994, pp. 380-394.



(56)

## References Cited

## OTHER PUBLICATIONS

- Zhong et al., "JustSpeak: Enabling Universal Voice Control on Android", W4A'14, Proceedings of the 11th Web for All Conference, No. 36, Apr. 7-9, 2014, 8 pages.
- Ziegler, K., "A Distributed Information System Study", IBM Systems Journal, vol. 18, No. 3, 1979, pp. 374-401.
- Zipnick et al., "U.S. Appl. No. 10/859,661, filed Jun. 2, 2004".
- Zovato et al., "Towards Emotional Speech Synthesis: A Rule based Approach", Proceedings of 5th ISCA Speech Synthesis Workshop—Pittsburgh, 2004, pp. 219-220.
- Zue et al., "From Interface to Content: Translingual Access and Delivery of On-Line Information", Eurospeech, 1997, 4 pages.
- Zue et al., "Jupiter: A Telephone-Based Conversational Interface for Weather Information", IEEE Transactions on Speech and Audio Processing, Jan. 2000, 13 pages.
- Zue et al., "Pegasus: A Spoken Dialogue Interface for On-Line Air Travel Planning", Speech Communication, vol. 15, 1994, 10 pages.
- Zue et al., "The Voyager Speech Understanding System: Preliminary Development and Evaluation", Proceedings of IEEE, International Conference on Acoustics, Speech and Signal Processing, 1990, 4 pages.
- Zue, Victor W., "Toward Systems that Understand Spoken Language", ARPA Strategic Computing Institute, Feb. 1994, 9 pages.
- Zue, Victor, "Conversational Interfaces: Advances and Challenges", Spoken Language System Group, Sep. 1997, 10 pages.
- Applicant-Initiated Interview Summary received for U.S. Appl. No. 16/352,410, dated Mar. 18, 2020, 3 pages.
- Non-Final Office Action received for U.S. Appl. No. 16/352,410, dated Dec. 2, 2019, 9 pages.
- Notice of Allowance received for U.S. Appl. No. 16/352,410, dated Mar. 26, 2020, 8 pages.
- Office Action received for Australian Patent Application No. 2019283968, dated Jul. 24, 2020, 3 pages.
- AAAAPLAY, "Sony Media Remote for iOS and Android", Online available at <<https://www.youtube.com/watch?v=W8QoeQhGok>>, Feb. 4, 2012, 3 pages.
- Android Authority, "How to use Tasker: A Beginner's Guide", Online available at: <[https://youtube.com/watch?v=rDpdS\\_YWzFc](https://youtube.com/watch?v=rDpdS_YWzFc)>, May 1, 2013, 1 page.
- Asakura et al., "What LG thinks; How the TV should be in the Living Room", HiVi, vol. 31, No. 7, Stereo Sound Publishing, Inc., Jun. 17, 2013, pp. 68-71 (Official Copy Only). {See communication under 37 CFR § 1.98(a) (3)}.
- Ashbrook, Daniel L., "Enabling Mobile Microinteractions", May 2010, 186 pages.
- Ashingtondctech & Gaming, "SwipeStatusBar—Reveal the Status Bar in a Fullscreen App", Online Available at: <[https://www.youtube.com/watch?v=wA\\_rT9IAreQ](https://www.youtube.com/watch?v=wA_rT9IAreQ)>, Jul. 1, 2013, 3 pages.
- "Ask Alexa—Things That Are Smart Wiki", Online available at: <[http://thingsthataresmart.wiki/index.php?title=Ask\\_Alexa&oldid=4283](http://thingsthataresmart.wiki/index.php?title=Ask_Alexa&oldid=4283)>, Jun. 8, 2016, pp. 1-31.
- Automate Your Life, "How to Setup Google Home Routines—A Google Home Routines Walkthrough", Online Available at: <<https://www.youtube.com/watch?v=pXokZHP9KZg>>, Aug. 12, 2018, 1 page.
- Bell, Jason, "Machine Learning Hands-On for Developers and Technical Professionals", Wiley, 2014, 82 pages.
- Bellegarda, Jeromer, "Chapter 1: Spoken Language Understanding for Natural Interaction: The Siri Experience", Natural Interaction with Robots, Knowbots and Smartphones, 2014, pp. 3-14.
- Bellegarda, Jeromer, "Spoken Language Understanding for Natural Interaction: The Siri Experience", Slideshow retrieved from: <[https://www.uni-ulm.de/fileadmin/website\\_uni\\_ulm/iui.iwds2012/files/Bellegarda.pdf](https://www.uni-ulm.de/fileadmin/website_uni_ulm/iui.iwds2012/files/Bellegarda.pdf)>, International Workshop on Spoken Dialog Systems (IWSDS), May 2012, pp. 1-43.
- beointegration.com, "BeoLink Gateway—Programming Example", Online Available at: <<https://www.youtube.com/watch?v=TXDaJFm5UH4>>, Mar. 4, 2015, 3 pages.
- Burgess, Brian, "Amazon Echo Tip: Enable the Wake Up Sound", Online available at: 13 <<https://www.groovypost.com/howto/amazon-echo-tip-enable-wake-up-sound/>>, Jun. 30, 2015, 4 pages.
- Cambria et al., "Jumping NLP curves: A Review of Natural Language Processing Research.", IEEE Computational Intelligence magazine, 2014, vol. 9, May 2014, pp. 48-57.
- Chang et al., "Monaural Multi-Talker Speech Recognition with Attention Mechanism and Gated Convolutional Networks", Interspeech 2018, Sep. 2-6, 2018, pp. 1586-1590.
- Chen et al., "A Convolutional Neural Network with Dynamic Correlation Pooling", 13th International Conference on Computational Intelligence and Security, IEEE, 2017, pp. 496-499.
- Chen, Yi, "Multimedia Siri Finds and Plays Whatever You Ask For", PSFK Report, Feb. 9, 2012, pp. 1-9.
- Conneau et al., "Supervised Learning of Universal Sentence Representations from Natural Language Inference Data", Proceedings of the 2017 Conference on Empirical Methods in Natural Language Processing, Copenhagen, Denmark, Sep. 7-11, 2017, pp. 670-680.
- Coulouris et al., "Distributed Systems: Concepts and Design (Fifth Edition)", Addison-Wesley, 2012, 391 pages.
- Czech Lucas, "A System for Recognizing Natural Spelling of English Words", Diploma Thesis, Karlsruhe Institute of Technology, May 7, 2014, 107 pages.
- Delcroix et al., "Context Adaptive Deep Neural Networks For Fast Acoustic Model Adaptation", ICASSP, 2015, pp. 4535-4539.
- Delcroix et al., "Context Adaptive Neural Network for Rapid Adaptation of Deep CNN Based Acoustic Models", Interspeech 2016, Sep. 8-12, 2016, pp. 1573-1577.
- "DIRECTV™ Voice", Now Part of the DIRECTV Mobile App for Phones, Sep. 18, 2013, 5 pages.
- Derrick, Amanda, "How to Set Up Google Home for Multiple Users", Lifewire, Online available at: <<https://www.lifewire.com/set-up-google-home-multiple-users-4685691>>, Jun. 8, 2020, 9 pages.
- Detroitborg, "Apple Remote App (iPhone & iPod Touch): Tutorial and Demo", Online Available at: <[https://www.youtube.com/watch?v=M\\_jzeEevKqI](https://www.youtube.com/watch?v=M_jzeEevKqI)>, Oct. 13, 2010, 4 pages.
- Dihelson, "How Can I Use Voice or Phrases as Triggers to Macro-droid?", Macro-droid Forums, Online Available at: <<https://www.tapatalk.com/groups/macro-droid/how-can-i-use-voice-or-phrases-as-triggers-to-macr-t4845.html>>, May 9, 2018, 5 pages.
- Earthling1984, "Samsung Galaxy Smart Stay Feature Explained", Online available at: <<https://www.youtube.com/watch?v=RpJBntSjupl>>, May 29, 2013, 1 page.
- Eder et al., "At the Lower End of Language—Exploring the Vulgar and Obscene Side of German", Proceedings of the Third Workshop on Abusive Language Online, Florence, Italy, Aug. 1, 2019, pp. 119-128.
- Filipowicz, Luke, "How to use the QuickType keyboard in iOS 8", Online available at: <<https://www.imore.com/comment/568232>>, Oct. 11, 2014, pp. 1-17.
- Gadget Hacks, "Tasker Too Complicated? Give MacroDroid a Try [How-To]", Online available at: <<https://www.youtube.com/watch?v=8YL9cWCykKc>>, May 27, 2016, 1 page.
- "Galaxy S7: How to Adjust Screen Timeout & Lock Screen Timeout", Online available at: <<https://www.youtube.com/watch?v=n6lWKUS2ww>>, Jun. 9, 2016, 1 page.
- Gasic et al., "Effective Handling of Dialogue State in the Hidden Information State POMDP-based Dialogue Manager", ACM Transactions on Speech and Language Processing, May 2011, pp. 1-25.
- Ghauth et al., "Text Censoring System for Filtering Malicious Content Using Approximate String Matching and Bayesian Filtering", Proc. 4th INNS Symposia Series on Computational Intelligence in Information Systems, Bandar Seri Begawan, Brunei, 2015, pp. 149-158.
- Google Developers, "Voice search in your app", Online available at: <<https://www.youtube.com/watch?v=PS1FbB5qWEI>>, Nov. 12, 2014, 1 page.
- Gupta et al., "I-vector-based Speaker Adaptation of Deep Neural Networks For French Broadcast Audio Transcription", ICASSP, 2014, 2014, pp. 6334-6338.
- Gupta, Naresh, "Inside Bluetooth Low Energy", Artech House, 2013, 274 pages.

(56)

## References Cited

## OTHER PUBLICATIONS

"Hey Google: How to Create a Shopping List with Your Google Assistant", Online available at: <<https://www.youtube.com/watch?v=w9NCsElax1Y>>, May 25, 2018, 1 page.

"How To Enable Google Assistant on Galaxy S7 and Other Android Phones (No Root)", Online available at: <<https://www.youtube.com/watch?v=HekiQbWyksE>>, Mar. 20, 2017, 1 page.

"How to Use Ok Google Assistant Even Phone is Locked", Online available at: <[https://www.youtube.com/watch?v=9B\\_gP4j\\_SP8](https://www.youtube.com/watch?v=9B_gP4j_SP8)>, Mar. 12, 2018, 1 page.

Hershey et al., "Deep Clustering: Discriminative Embeddings For Segmentation And Separation", Proc. ICASSP, Mar. 2016, 6 pages.

Hutsko et al., "iPhone All-in-One for Dummies", 3rd Edition, 2013, 98 pages.

Ikeda, Masaru, "beGLOBAL SEOUL 2015 Startup Battle: Talkey", YouTube Publisher, Online Available at: <<https://www.youtube.com/watch?v=4Wkp7sAAIdg>>, May 14, 2015, 1 page.

Inews and Tech, "How To Use The QuickType Keyboard In IOS 8", Online available at: <<http://www.inewsandtech.com/how-to-use-the-quicktype-keyboard-in-ios-8/>>, Sep. 17, 2014, 6 pages.

Internet Services and Social Net, "How to Search for Similar Websites", Online available at: <<https://www.youtube.com/watch?v=nLf2uirpt5s>>, see from 0:17 to 1:06, Jul. 4, 2013, 1 page.

"iPhone 6 Smart Guide Full Version for SoftBank", Gijutsu-Hyohron Co., Ltd., vol. 1, Dec. 1, 2014, 4 pages (Official Copy Only). {See communication under 37 CFR § 1.98(a) (3)}.

Isik et al., "Single-Channel Multi-Speaker Separation using Deep Clustering", Interspeech 2016, Sep. 8-12, 2016, pp. 545-549.

Jonsson et al., "Proximity-based Reminders Using Bluetooth", 2014 IEEE International Conference on Pervasive Computing and Communications Demonstrations, 2014, pp. 151-153.

Karn, Ujjwal, "An Intuitive Explanation of Convolutional Neural Networks", The Data Science Blog, Aug. 11, 2016, 23 pages.

Kastrenakes, Jacob, "Siri's creators will unveil their new AI bot on Monday", The Verge, Online available at: <<https://web.archive.org/web/20160505090418/https://www.theverge.com/2016/5/4/11593564/viv-labs-unveiling-monday-new-ai-from-siri-creators>>, May 4, 2016, 3 pages.

King et al., "Robust Speech Recognition Via Anchor Word Representations", Interspeech 2017, Aug. 20-24, 2017, pp. 2471-2475.

Lee, Sungjin, "Structured Discriminative Model For Dialog State Tracking", Proceedings of the SIGDIAL 2013 Conference, Aug. 22-24, 2013, pp. 442-451.

"Link Your Voice to Your Devices with Voice Match, Google Assistant Help", Online available at: <<https://support.google.com/assistant/answer/9071681?co=GENIE.Platform%3DAndroid&hl=en>>, Retrieved on Jul. 1, 2020, 2 pages.

Liou et al., "Autoencoder for Words", Neurocomputing, vol. 139, Sep. 2014, pp. 84-96.

Liu et al., "Accurate Endpointing with Expected Pause Duration", Sep. 6-10, 2015, pp. 2912-2916.

Loukides et al., "What Is the Internet of Things?", O'Reilly Media, Inc., Online Available at: <<https://www.oreilly.com/library/view/what-is-the/9781491975633/>>, 2015, 31 pages.

Luo et al., "Speaker-Independent Speech Separation With Deep Attractor Network", IEEE/ACM Transactions On Audio, Speech, And Language Processing, vol. 26, No. 4, Apr. 2018, pp. 787-796. Majerus Wesley, "Cell Phone Accessibility for Your Blind Child", Online available at: <<https://web.archive.org/web/20100210001100/https://nfb.org/images/nfb/publications/fr/fr28/3/fr280314.htm>>, 2010, pp. 1-5.

Malcangi Mario, "Text-driven Avatars Based on Artificial Neural Networks and Fuzzy Logic", International Journal of Computers, vol. 4, No. 2, Dec. 31, 2010, pp. 61-69.

Marketing Land, "Amazon Echo: Play music", Online Available at: <<https://www.youtube.com/watch?v=A7V5NPbsXi4>>, April 27, 2015, 3 pages.

Mhatre et al., "Donna Interactive Chat-bot acting as a Personal Assistant", International Journal of Computer Applications (0975-8887), vol. 140, No. 10, Apr. 2016, 6 pages.

Mikolov et al., "Linguistic Regularities in Continuous Space Word Representations", Proceedings of NAACL-HLT, Jun. 9-14, 2013, pp. 746-751.

Modern Techies, "Braina-Artificial Personal Assistant for PC(like Cortana,Siri)!!!!", Online available at: <<https://www.youtube.com/watch?v=Coo2P8ilqQ>>, Feb. 24, 2017, 3 pages.

Nakamura et al., "Realization of a Browser to Filter Spoilers Dynamically", vol. No.67, 2010, 8 pages (Official Copy Only). {See communication under 37 CFR § 1.98(a) (3)}.

Nakamura et al., "Study of Information Clustering Methods to Prevent Spoilers of Sports Match", Proceedings of the International Working Conference on Advanced Visual Interfaces (AVI '12), ISBN: 978-1-4503-1287-5, May 2012, pp. 661-664.

Nakamura et al., "Study of Methods to Diminish Spoilers of Sports Match: Potential of a Novel Concept "Information Clustering"", vol. 54, No. 4, ISSN: 1882-7764. Online available at: <[https://ipsj.ixsq.nii.ac.jp/ej/index.php?active\\_action=repository\\_view\\_main\\_item\\_detail&page\\_id=13&block\\_id=8&item\\_id=91589&item\\_no=1](https://ipsj.ixsq.nii.ac.jp/ej/index.php?active_action=repository_view_main_item_detail&page_id=13&block_id=8&item_id=91589&item_no=1)>, Apr. 2013, pp. 1402-1412 (Official Copy Only). {See communication under 37 CFR § 1.98(a) (3)}.

Nakamura Satoshi, "Antispoiler: An Web Browser to Filter Spoiler", vol. 2010-HCL-139 No.17, Online available at: <[https://ipsj.ixsq.nii.ac.jp/ej/index.php?active\\_action=repository\\_view\\_main\\_item\\_detail&page\\_id=13&block\\_id=8&item\\_id=70067&item\\_no=1](https://ipsj.ixsq.nii.ac.jp/ej/index.php?active_action=repository_view_main_item_detail&page_id=13&block_id=8&item_id=70067&item_no=1)>, Jul. 31, 2010, 8 pages (Official Copy Only). {See communication under 37 CFR § 1.98(a) (3)}.

Nakazawa et al., "Detection and Labeling of Significant Scenes from TV program based on Twitter Analysis", Proceedings of the 3rd Forum on Data Engineering and Information Management (deim 2011 proceedings), IEICE Data Engineering Technical Group, Feb. 28, 2011, 11 pages (Official Copy Only). {See communication under 37 CFR § 1.98(a) (3)}.

Nozawa et al., "iPhone 4S Perfect Manual", vol. 1, First Edition, Nov. 11, 2011, 4 pages (Official Copy Only). {See communication under 37 CFR § 1.98(a) (3)}.

Office Action received for Brazilian Patent Application No. BR122012028965-5, dated Oct. 9, 2020, 5 pages (2 pages of English Translation and 3 pages of Official Copy).

Office Action received for Brazilian Patent Application No. BR122012028966-3, dated Oct. 9, 2020, 5 pages (2 pages of English Translation and 3 pages of Official Copy).

Office Action received for Brazilian Patent Application No. BR122012028968-0, dated Oct. 9, 2020, 5 pages (2 pages of English Translation and 3 pages of Official Copy).

Office Action received for Brazilian Patent Application No. BR122012028970-1, dated Oct. 9, 2020, 5 pages (2 pages of English Translation and 3 pages of Official Copy).

Office Action received for Brazilian Patent Application No. BR122012028971-0, dated Oct. 9, 2020, 5 pages (2 pages of English Translation and 3 pages of Official Copy).

Office Action received for Brazilian Patent Application No. BR122012028973-6, dated Oct. 9, 2020, 5 pages (2 pages of English Translation and 3 pages of Official Copy).

Office Action received for Brazilian Patent Application No. BR122012028974-4, dated Oct. 9, 2020, 5 pages (2 pages of English Translation and 3 pages of Official Copy).

Office Action received for Korean Patent Application No. 10-2020-7023927, dated Nov. 18, 2020, 10 pages (4 pages of English Translation and 6 pages of Official Copy).

Pak, Gamerz, "Braina: Artificially Intelligent Assistant Software for Windows PC in (urdu / hindi)", Online available at: <[https://www.youtube.com/watch?v=JH\\_rMjw8lqc](https://www.youtube.com/watch?v=JH_rMjw8lqc)>, Jul. 24, 2018, 3 pages.

Patra et al., "A Kernel-Based Approach for Biomedical Named Entity Recognition", Scientific World Journal, vol. 2013, 2013, pp. 1-7.

PC MAG, "How to Voice Train Your Google Home Smart Speaker", Online available at: <<https://in.pcmag.com/google-home/126520/how-to-voice-train-your-google-home-smart-speaker>>, Oct. 25, 2018, 12 pages.

Pennington et al., "GloVe: Global Vectors for Word Representation", Proceedings of the Conference on Empirical Methods Natural Language Processing (EMNLP), Doha, Qatar, Oct. 25-29, 2014, pp. 1532-1543.

(56)

## References Cited

## OTHER PUBLICATIONS

Perlow, Jason, "Alexa Loop Mode with Playlist for Sleep Noise", Online Available at: <<https://www.youtube.com/watch?v=nSkSuXziJsg>>, Apr. 11, 2016, 3 pages.

"Phoenix Solutions, Inc. v. West Interactive Corp.", Document 40, Declaration of Christopher Schmandt Regarding the MIT Galaxy System, Jul. 2, 2010, 162 pages.

pocketables.com, "AutoRemote example profile", Online available at: [https://www.youtube.com/watch?v=kC\\_zhUnNZj8](https://www.youtube.com/watch?v=kC_zhUnNZj8), Jun. 25, 2013, 1 page.

Qian et al., "Single-channel Multi-talker Speech Recognition With Permutation Invariant Training", *Speech Communication*, Issue 104, 2018, pp. 1-11.

"Quick Type Keyboard on iOS 8 Makes Typing Easier", Online available at: <<https://www.youtube.com/watch?v=0CIdLR4fhVU>>, Jun. 3, 2014, 3 pages.

Rasch, Katharina, "Smart Assistants for Smart Homes", Doctoral Thesis in Electronic and Computer Systems, 2013, 150 pages.

Ritchie, Rene, "QuickType keyboard in iOS 8: Explained", Online Available at: <<https://www.imore.com/quicktype-keyboards-ios-8-explained>>, Jun. 21, 2014, pp. 1-19.

Rowland et al., "Designing Connected Products: UX for the Consumer Internet of Things", O'Reilly, May 2015, 452 pages.

Samsung Support, "Create a Quick Command in Bixby to Launch Custom Settings by at Your Command", Online Available at: <<https://www.facebook.com/samsungsupport/videos/10154746303151213>>, Nov. 13, 2017, 1 page.

Santos et al., "Fighting Offensive Language on Social Media with Unsupervised Text Style Transfer", *Proceedings of the 56th Annual Meeting of the Association for Computational Linguistics (vol. 2: Short Papers)*, May 20, 2018, 6 pages.

Seehafer Brent, "Activate Google Assistant on Galaxy S7 with Screen off", Online available at: <<https://productforums.google.com/forum/#!topic/websearch/lp3qlGBHLVI>>, Mar. 8, 2017, 4 pages.

Selfridge et al., "Interact: Tightly-coupling Multimodal Dialog with an Interactive Virtual Assistant", *International Conference on Multimodal Interaction*, ACM, Nov. 9, 2015, pp. 381-382.

Senior et al., "Improving DNN Speaker Independence With I-Vector Inputs", *ICASSP*, 2014, pp. 225-229.

Seroter et al., "SOA Patterns with BizTalk Server 2013 and Microsoft Azure", Packt Publishing, Jun. 2015, 454 pages.

Settle et al., "End-to-End Multi-Speaker Speech Recognition", *Proc. ICASSP*, Apr. 2018, 6 pages.

Shen et al., "Style Transfer from Non-Parallel Text by Cross-Alignment", *31st Conference on Neural Information Processing Systems (NIPS 2017)*, 2017, 12 pages.

Siou, Serge, "How to Control Apple TV 3rd Generation Using Remote app", Online available at: <<https://www.youtube.com/watch?v=PhyKftZ0S9M>>, May 12, 2014, 3 pages.

"Skilled at Playing my iPhone 5", Beijing Hope Electronic Press, Jan. 2013, 6 pages (Official Copy Only). {See communication under 37 CFR § 1.98(a) (3)}.

Smith, Jake, "Amazon Alexa Calling: How to Set it up and Use it on Your Echo", *iGeneration*, May 30, 2017, 5 pages.

Sundermeyer et al., "From Feedforward to Recurrent LSTM Neural Networks for Language Modeling.", *IEEE Transactions on Audio, Speech, and Language Processing*, vol. 23, No. 3, Mar. 2015, pp. 517-529.

Sundermeyer et al., "LSTM Neural Networks for Language Modeling", *Interspeech 2012*, Sep. 9-13, 2012, pp. 194-197.

Tan et al., "Knowledge Transfer In Permutation Invariant Training For Single-channel Multi-talker Speech Recognition", *ICASSP 2018*, 2018, pp. 5714-5718.

Tanaka, Tatsuo, "Next Generation IT Channel Strategy Through "Experience Technology"", *Intellectual Resource Creation*, Japan, Nomura Research Institute Ltd. vol. 19, No. 1, Dec. 20, 2010, 17 pages. (Official Copy Only) {See communication under 37 CFR § 1.98(a) (3)}.

Vaswani et al., "Attention Is All You Need", *31st Conference on Neural Information Processing Systems (NIPS 2017)*, 2017, pp. 1-11.

Villemure et al., "The Dragon Drive Innovation Showcase: Advancing the State-of-the-art in Automotive Assistants", 2018, 7 pages.

Vodafone Deutschland, "Samsung Galaxy S3 Tastatur Spracheingabe", Online available at: <<https://www.youtube.com/watch?v=6kOd6Gr8uFE>>, Aug. 22, 2012, 1 page.

Wang et al., "End-to-end Anchored Speech Recognition", *Proc. ICASSP2019*, May 12-17, 2019, 5 pages.

Weng et al., "Deep Neural Networks for Single-Channel Multi-Talker Speech Recognition", *IEEE/ACM Transactions On Audio, Speech, And Language Processing*, vol. 23, No. 10, Oct. 2015, pp. 1670-1679.

Wikipedia, "Home Automation", Online Available at: <[https://en.wikipedia.org/w/index.php?title=Home\\_automation&oldid=686569068](https://en.wikipedia.org/w/index.php?title=Home_automation&oldid=686569068)>, Oct. 19, 2015, 9 pages.

Wikipedia, "Siri", Online Available at: <<https://en.wikipedia.org/w/index.php?title=Siri&oldid=689697795>>, Nov. 8, 2015, 13 Pages.

Wikipedia, "Virtual Assistant", Wikipedia, Online Available at: <[https://en.wikipedia.org/w/index.php?title=Virtual\\_assistant&oldid=679330666](https://en.wikipedia.org/w/index.php?title=Virtual_assistant&oldid=679330666)>, Sep. 3, 2015, 4 pages.

X.Ai, "How it Works", Online available at: <<https://web.archive.org/web/20160531201426/https://x.ai/how-it-works/>>, May 31, 2016, 6 pages.

Xu et al., "Policy Optimization of Dialogue Management in Spoken Dialogue System For Out-of-Domain Utterances", *2016 International Conference On Asian Language Processing (IALP)*, IEEE, Nov. 21, 2016, pp. 10-13.

Yan et al., "A Scalable Approach to Using DNN-derived Features in GMM-HMM Based Acoustic Modeling for LVCSR", *14th Annual Conference of the International Speech Communication Association, InterSpeech 2013*, Aug. 2013, pp. 104-108.

Yang Astor, "Control Android TV via Mobile Phone APP RKRemoteControl", Online Available at: <[https://www.youtube.com/watch?v=zpmUeOX\\_xro](https://www.youtube.com/watch?v=zpmUeOX_xro)>, Mar. 31, 2015, 4 pages.

Yates Michaelc., "How Can I Exit Google Assistant After I'm Finished with it", Online available at: <<https://productforums.google.com/forum/#!msg/phone-by-google/faECnR2RJwA/gKntOkQgAQAJ>>, Jan. 11, 2016, 2 pages.

Ye et al., "iPhone 4S Native Secret", Jun. 30, 2012, 1 page (Official Copy Only). {See communication under 37 CFR § 1.98(a) (3)}.

Yeh Jui-Feng, "Speech Act Identification Using Semantic Dependency Graphs With Probabilistic Context-free Grammars", *ACM Transactions on Asian and Low-Resource Language Information Processing*, vol. 15, No. 1, Dec. 2015, pp. 5.1-5.28.

Young et al., "The Hidden Information State Model: A Practical Framework for POMDP-Based Spoken Dialogue Management", *Computer Speech & Language*, vol. 24, Issue 2, Apr. 2010, pp. 150-174.

Yousef, Zulfikara., "Braina (A.I) Artificial Intelligence Virtual Personal Assistant", Online available at: <<https://www.youtube.com/watch?v=2h6xpB8bPSA>>, Feb. 7, 2017, 3 pages.

Yu et al., "Permutation Invariant Training Of Deep Models For Speaker-Independent Multi-talker Speech Separation", *Proc. ICASSP 2017*, 5 pages.

Yu et al., "Recognizing Multi-talker Speech with Permutation Invariant Training", *Interspeech 2017*, Aug. 20-24, 2017, pp. 2456-2460.

Zhan et al., "Play with Android Phones", Feb. 29, 2012, 1 page (Official Copy Only). {See communication under 37 CFR § 1.98(a) (3)}.

Zmolikova et al., "Speaker-Aware Neural Network Based Beamformer For Speaker Extraction In Speech Mixtures", *Interspeech 2017*, Aug. 20-24, 2017, pp. 2655-2659.

Office Action received for Indian Patent Application No. 6734/CHENP/2012, dated Mar. 17, 2021, 3 pages.

Office Action received for Brazilian Patent Application No. BR122012028972-8, dated Sep. 4, 2020, 6 pages (1 page of English Translation and 5 pages of Official Copy).

Notice of Allowance received for Japanese Patent Application No. 2018-050944, dated Dec. 22, 2020, 4 pages (1 page of English Translation and 3 pages of Official Copy).

(56)

**References Cited**

## OTHER PUBLICATIONS

Office Action received for European Patent Application No. 18202474.5, dated Apr. 15, 2021, 15 pages.

Office Action received for Japanese Patent Application No. 2018-050944, dated Sep. 11, 2020, 4 pages (2 pages of English Translation and 2 pages of Official Copy).

Notice of Hearing received for Indian Patent Application No. 8905/CHENP/2012, mailed on Aug. 13, 2020, 2 pages.

Notice of Hearing received for Indian Patent Application No. 8906/CHENP/2012, mailed on May 11, 2021, 2 pages.

Notice of Hearing received for Indian Patent Application No. 8907/CHENP/2012, mailed on Feb. 3, 2021, 2 pages.

Summons to Attend Oral Proceedings received for European Patent Application No. 16188272.5, mailed on Apr. 26, 2021, 11 pages.

Office Action received for Canadian Patent Application No. 3077914, dated Jun. 8, 2021, 5 pages.

Board Opinion received for Chinese Patent Application No. 201480030811.4, dated May 13, 2020, 23 pages (1 page of English Translation and 22 pages of Official Copy).

Notice of Allowance received for Korean Patent Application No. 10-2020-7008719, dated Jun. 17, 2020, 5 pages (2 pages of English Translation and 3 pages of Official Copy).

Brief Communication received for European Patent Application No. 11707939.2, dated Oct. 9, 2020, 18 pages.

Notice of Allowance received for Korean Patent Application No. 10-2019-7018332, dated Sep. 28, 2020, 7 pages (2 pages of English Translation and 5 pages of Official Copy).

Office Action received for Australian Patent Application No. 2019283923, dated Sep. 25, 2020, 4 pages.

Brief Communication Regarding Oral Proceedings received for European Patent Application No. 16188272.5, dated Oct. 19, 2021, 2 pages.

Summons to Attend Oral Proceedings received for European Patent Application No. 16188272.5, mailed on Oct. 26, 2021, 11 pages.

Notice of Allowance received for Korean Patent Application No. 10-2020-7023927, dated May 27, 2021, 4 pages (2 pages of English Translation and 2 pages of Official Copy).

Office Action received for Australian Patent Application No. 2019283923, dated Jun. 2, 2021, 4 pages.

Office Action received for Russian Patent Application No. 2018112505, dated Sep. 2, 2021, 12 pages (5 pages of English Translation and 7 pages of Official Copy).

Result of Consultation received for European Patent Application No. 16188272.5, dated Oct. 13, 2021, 3 pages.

Office Action received for Australian Patent Application No. 2020257070, dated Oct. 14, 2021, 4 pages.

Office Action received for Japanese Patent Application No. 2020-109934, dated May 31, 2021, 5 pages (2 pages of English Translation and 3 pages of Official Copy).

Office Action received for Mexican Patent Application No. MX/a/2017/006911, dated Jun. 17, 2021, 5 pages (2 pages of English Translation and 3 pages of Official Copy).

Office Action received for Australian Patent Application No. 2019283923, dated Jul. 29, 2021, 6 pages.

Office Action received for Indian Patent Application No. 201948016386, dated Oct. 29, 2021, 6 pages.

Intention to Grant received for Indian Patent Application No. 6734CHENP2012, dated Feb. 15, 2022, 2 pages.

Office Action received for Mexican Patent Application No. MX/a/2017/006911, dated Feb. 22, 2022, 12 pages (5 pages of English Translation and 7 pages of Official Copy).

Notice of Allowance received for Korean Patent Application No. 10-2021-7027594, dated Mar. 14, 2022, 4 pages (1 page of English Translation and 3 pages of Official Copy).

Office Action received for Japanese Patent Application No. 2020-109934, dated Mar. 18, 2022, 6 pages (3 pages of English Translation and 3 pages of Official Copy).

Seto Haruka, "Application Integration Programming with VBA Next Generation Office Development Techniques", Visual Basic magazine, SHOEISHA Co., Ltd., vol. 6, No. 12, Oct. 1, 2000, 15 pages (Official Copy Only) {See Communication under 37 CFR § 1.98(a) (3)}.

Summons to Attend Oral Proceedings received for European Patent Application No. 18202474.5, mailed on Mar. 14, 2022, 15 pages.

Windows Practical & Secret Techniques Compendium, C & R Institute Inc, first Edition, Natsumesha Co., Ltd., Apr. 10, 2007, 5 pages (Official Copy Only) {See Communication under 37 CFR § 1.98(a) (3)}.

Brief Communication Regarding Oral Proceedings received for European Patent Application No. 16188272.5, dated Dec. 2, 2021, 1 page.

Decision to Refuse received for European Patent Application No. 16188272.5, dated Dec. 9, 2021, 2 pages.

Office Action received for European Patent Application No. 19195766.1, dated Jan. 3, 2022, 11 pages.

Brief Communication Regarding Oral Proceedings received for European Patent Application No. 16188272.5, mailed on Nov. 24, 2021, 21 pages.

Notice of Allowance received for Korean Patent Application No. 10-2020-7037138, dated Nov. 24, 2021, 3 pages (1 page of English Translation and 2 pages of Official Copy).

Office Action received for Korean Patent Application No. 10-2021-7027594, dated Nov. 30, 2021, 9 pages (4 pages of English Translation and 5 pages of Official Copy).

Office Action received for Australian Patent Application No. 2021202350, dated Apr. 12, 2022, 3 pages.

Notice of Allowance received for Korean Patent Application No. 10-2022-7006342, dated Apr. 29, 2022, 5 pages (2 pages of English Translation and 3 pages of Official Copy).

Office Action received for Canadian Patent Application No. 3,077,914, dated Apr. 26, 2022, 4 pages.

Office Action received for Australian Patent Application No. 2020257070, dated May 23, 2022, 2 pages.

Notice of Acceptance received for Australian Patent Application No. 2020257070, dated Jun. 9, 2022, 3 pages.

\* cited by examiner




FIG. 1




FIG. 2




FIG. 3

60




FIG. 4






FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10





FIG. 11



FIG. 12








FIG. 14



1501

1305

1303

1304

FIG. 15

1306



FIG. 16




FIG. 17




FIG. 18

1306



1901

1305

1602

1306

FIG. 19



FIG. 20





FIG. 21




FIG. 22




FIG. 23




FIG. 24




FIG. 25




FIG. 26




FIG. 27




FIG. 28





FIG. 29




FIG. 30




FIG. 31




FIG. 32




FIG. 33




FIG. 34




FIG. 35

3601

### Gochi Japanese Fusion Tapas

Cupertino, 0.6 miles

Call

Yelp - 624 reviews



19980 E Homestead Rd  
Cupertino, CA 95014

Japanese

Save to My Stuff   Share via email   Map It

Reviews   Details   My Notes

Yelp rating averaged from 624 reviews  
read reviews on [yelp!](#)

**YAHOO! LOCAL** this place is really different from others : the atmosphere and food we got felt more authentic then all

FIG. 36






FIG. 37




FIG. 38




FIG. 39




FIG. 40




FIG. 41







FIG. 42

4301



is it going to rain the day after tomorrow

It doesn't look like rain is likely for Tuesday.

 **Tuesday** high: low **67° 55°**   
mostly cloudy in the morning then becoming partly cloudy. highs in the upper 60s to mid 70s. west winds 5 to 10 mph.  
Sunrise: 6:47 AM  
Sunset: 6:31 PM


 **Tuesday night:**  
partly cloudy. lows in the upper 50s. west winds 15 to 20 mph...becoming southwest 5 to 15 mph after midnight.

FIG. 43A

4302



 60s. west winds 15 to 20 mph...becoming southwest 5 to 15 mph after midnight.

Powered by 

 in new york

Here are the weather forecasts in in New York, NY for this coming Tuesday

 **Tuesday** high: low **69° 61°**   
mostly cloudy with isolated showers in the morning...then mostly sunny in the afternoon. highs around 70. east winds 10 to 15 mph. chance of rain 20 percent.

FIG. 43B




FIG. 44A




FIG. 44B



4404

FIG. 44C






FIG. 45




FIG. 46




FIG. 47

## TASK FLOW IDENTIFICATION BASED ON USER INTENT

### CROSS-REFERENCE TO RELATED APPLICATIONS

This application is a continuation of U.S. application Ser. No. 15/394,162, entitled "Task Flow Identification Based on User Intent," filed Dec. 29, 2016 (now granted as U.S. Pat. No. 10,706,841), which is a continuation of U.S. application Ser. No. 13/492,809, entitled "Intelligent Automated Assistant," filed Jun. 9, 2012 (now granted as U.S. Pat. No. 9,548,050), which is a continuation of U.S. application Ser. No. 12/987,982, entitled "Intelligent Automated Assistant," filed Jan. 10, 2011 (now granted as U.S. Pat. No. 9,318,108), which claims the benefit of U.S. Provisional Patent Application Ser. No. 61/295,774, entitled "Intelligent Automated Assistant", filed Jan. 18, 2010, each of which are hereby incorporated by reference in their entirety for all purposes.

This application is further related to U.S. patent application Ser. No. 11/518,292 for "Method and Apparatus for Building an Intelligent Automated Assistant", filed Sep. 8, 2006, which is incorporated herein by reference.

This application is further related to U.S. Provisional Patent Application Ser. No. 61/186,414 for "System and Method for Semantic Auto-Completion", filed Jun. 12, 2009, which is incorporated herein by reference.

### FIELD OF THE INVENTION

The present invention relates to intelligent systems, and more specifically for classes of applications for intelligent automated assistants.

### BACKGROUND OF THE INVENTION

Today's electronic devices are able to access a large, growing, and diverse quantity of functions, services, and information, both via the Internet and from other sources. Functionality for such devices is increasing rapidly, as many consumer devices, smartphones, tablet computers, and the like, are able to run software applications to perform various tasks and provide different types of information. Often, each application, function, website, or feature has its own user interface and its own operational paradigms, many of which can be burdensome to learn or overwhelming for users. In addition, many users may have difficulty even discovering what functionality and/or information is available on their electronic devices or on various websites; thus, such users may become frustrated or overwhelmed, or may simply be unable to use the resources available to them in an effective manner.

In particular, novice users, or individuals who are impaired or disabled in some manner, and/or are elderly, busy, distracted, and/or operating a vehicle may have difficulty interfacing with their electronic devices effectively, and/or engaging online services effectively. Such users are particularly likely to have difficulty with the large number of diverse and inconsistent functions, applications, and websites that may be available for their use.

Accordingly, existing systems are often difficult to use and to navigate, and often present users with inconsistent and overwhelming interfaces that often prevent the users from making effective use of the technology.

### SUMMARY

According to various embodiments of the present invention, an intelligent automated assistant is implemented on an

electronic device, to facilitate user interaction with a device, and to help the user more effectively engage with local and/or remote services. In various embodiments, the intelligent automated assistant engages with the user in an integrated, conversational manner using natural language dialog, and invokes external services when appropriate to obtain information or perform various actions.

According to various embodiments of the present invention, the intelligent automated assistant integrates a variety of capabilities provided by different software components (e.g., for supporting natural language recognition and dialog, multimodal input, personal information management, task flow management, orchestrating distributed services, and the like). Furthermore, to offer intelligent interfaces and useful functionality to users, the intelligent automated assistant of the present invention may, in at least some embodiments, coordinate these components and services. The conversation interface, and the ability to obtain information and perform follow-on task, are implemented, in at least some embodiments, by coordinating various components such as language components, dialog components, task management components, information management components and/or a plurality of external services.

According to various embodiments of the present invention, intelligent automated assistant systems may be configured, designed, and/or operable to provide various different types of operations, functionalities, and/or features, and/or to combine a plurality of features, operations, and applications of an electronic device on which it is installed. In some embodiments, the intelligent automated assistant systems of the present invention can perform any or all of: actively eliciting input from a user, interpreting user intent, disambiguating among competing interpretations, requesting and receiving clarifying information as needed, and performing (or initiating) actions based on the discerned intent. Actions can be performed, for example, by activating and/or interfacing with any applications or services that may be available on an electronic device, as well as services that are available over an electronic network such as the Internet. In various embodiments, such activation of external services can be performed via APIs or by any other suitable mechanism. In this manner, the intelligent automated assistant systems of various embodiments of the present invention can unify, simplify, and improve the user's experience with respect to many different applications and functions of an electronic device, and with respect to services that may be available over the Internet. The user can thereby be relieved of the burden of learning what functionality may be available on the device and on web-connected services, how to interface with such services to get what he or she wants, and how to interpret the output received from such services; rather, the assistant of the present invention can act as a go-between between the user and such diverse services.

In addition, in various embodiments, the assistant of the present invention provides a conversational interface that the user may find more intuitive and less burdensome than conventional graphical user interfaces. The user can engage in a form of conversational dialog with the assistant using any of a number of available input and output mechanisms, such as for example speech, graphical user interfaces (buttons and links), text entry, and the like. The system can be implemented using any of a number of different platforms, such as device APIs, the web, email, and the like, or any combination thereof. Requests for additional input can be presented to the user in the context of such a conversation. Short and long term memory can be engaged so that user input can be interpreted in proper context given previous

events and communications within a given session, as well as historical and profile information about the user.

In addition, in various embodiments, context information derived from user interaction with a feature, operation, or application on a device can be used to streamline the operation of other features, operations, or applications on the device or on other devices. For example, the intelligent automated assistant can use the context of a phone call (such as the person called) to streamline the initiation of a text message (for example to determine that the text message should be sent to the same person, without the user having to explicitly specify the recipient of the text message). The intelligent automated assistant of the present invention can thereby interpret instructions such as “send him a text message”, wherein the “him” is interpreted according to context information derived from a current phone call, and/or from any feature, operation, or application on the device. In various embodiments, the intelligent automated assistant takes into account various types of available context data to determine which address book contact to use, which contact data to use, which telephone number to use for the contact, and the like, so that the user need not re-specify such information manually.

In various embodiments, the assistant can also take into account external events and respond accordingly, for example, to initiate action, initiate communication with the user, provide alerts, and/or modify previously initiated action in view of the external events. If input is required from the user, a conversational interface can again be used.

In one embodiment, the system is based on sets of interrelated domains and tasks, and employs additional functionally powered by external services with which the system can interact. In various embodiments, these external services include web-enabled services, as well as functionality related to the hardware device itself. For example, in an embodiment where the intelligent automated assistant is implemented on a smartphone, personal digital assistant, tablet computer, or other device, the assistant can control many operations and functions of the device, such as to dial a telephone number, send a text message, set reminders, add events to a calendar, and the like.

In various embodiments, the system of the present invention can be implemented to provide assistance in any of a number of different domains. Examples include:

Local Services (including location- and time-specific services such as restaurants, movies, automated teller machines (ATMs), events, and places to meet);

Personal and Social Memory Services (including action items, notes, calendar events, shared links, and the like);

E-commerce (including online purchases of items such as books, DVDs, music, and the like);

Travel Services (including flights, hotels, attractions, and the like).

One skilled in the art will recognize that the above list of domains is merely exemplary. In addition, the system of the present invention can be implemented in any combination of domains.

In various embodiments, the intelligent automated assistant systems disclosed herein may be configured or designed to include functionality for automating the application of data and services available over the Internet to discover, find, choose among, purchase, reserve, or order products and services. In addition to automating the process of using these data and services, at least one intelligent automated assistant system embodiment disclosed herein may also enable the combined use of several sources of data and services at once.

For example, it may combine information about products from several review sites, check prices and availability from multiple distributors, and check their locations and time constraints, and help a user find a personalized solution to their problem. Additionally, at least one intelligent automated assistant system embodiment disclosed herein may be configured or designed to include functionality for automating the use of data and services available over the Internet to discover, investigate, select among, reserve, and otherwise learn about things to do (including but not limited to movies, events, performances, exhibits, shows and attractions); places to go (including but not limited to travel destinations, hotels and other places to stay, landmarks and other sites of interest, etc.); places to eat or drink (such as restaurants and bars), times and places to meet others, and any other source of entertainment or social interaction which may be found on the Internet. Additionally, at least one intelligent automated assistant system embodiment disclosed herein may be configured or designed to include functionality for enabling the operation of applications and services via natural language dialog that may be otherwise provided by dedicated applications with graphical user interfaces including search (including location-based search); navigation (maps and directions); database lookup (such as finding businesses or people by name or other properties); getting weather conditions and forecasts, checking the price of market items or status of financial transactions; monitoring traffic or the status of flights; accessing and updating calendars and schedules; managing reminders, alerts, tasks and projects; communicating over email or other messaging platforms; and operating devices locally or remotely (e.g., dialing telephones, controlling light and temperature, controlling home security devices, playing music or video, etc.). Further, at least one intelligent automated assistant system embodiment disclosed herein may be configured or designed to include functionality for identifying, generating, and/or providing personalized recommendations for activities, products, services, source of entertainment, time management, or any other kind of recommendation service that benefits from an interactive dialog in natural language and automated access to data and services.

In various embodiments, the intelligent automated assistant of the present invention can control many features and operations of an electronic device. For example, the intelligent automated assistant can call services that interface with functionality and applications on a device via APIs or by other means, to perform functions and operations that might otherwise be initiated using a conventional user interface on the device. Such functions and operations may include, for example, setting an alarm, making a telephone call, sending a text message or email message, adding a calendar event, and the like. Such functions and operations may be performed as add-on functions in the context of a conversational dialog between a user and the assistant. Such functions and operations can be specified by the user in the context of such a dialog, or they may be automatically performed based on the context of the dialog. One skilled in the art will recognize that the assistant can thereby be used as a control mechanism for initiating and controlling various operations on the electronic device, which may be used as an alternative to conventional mechanisms such as buttons or graphical user interfaces.

#### BRIEF DESCRIPTION OF THE DRAWINGS

The accompanying drawings illustrate several embodiments of the invention and, together with the description,

serve to explain the principles of the invention according to the embodiments. One skilled in the art will recognize that the particular embodiments illustrated in the drawings are merely exemplary, and are not intended to limit the scope of the present invention.

FIG. 1 is a block diagram depicting an example of one embodiment of an intelligent automated assistant system.

FIG. 2 illustrates an example of an interaction between a user and an intelligent automated assistant according to at least one embodiment.

FIG. 3 is a block diagram depicting a computing device suitable for implementing at least a portion of an intelligent automated assistant according to at least one embodiment.

FIG. 4 is a block diagram depicting an architecture for implementing at least a portion of an intelligent automated assistant on a standalone computing system, according to at least one embodiment.

FIG. 5 is a block diagram depicting an architecture for implementing at least a portion of an intelligent automated assistant on a distributed computing network, according to at least one embodiment.

FIG. 6 is a block diagram depicting a system architecture illustrating several different types of clients and modes of operation.

FIG. 7 is a block diagram depicting a client and a server, which communicate with each other to implement the present invention according to one embodiment.

FIG. 8 is a block diagram depicting a fragment of an active ontology according to one embodiment.

FIG. 9 is a block diagram depicting an example of an alternative embodiment of an intelligent automated assistant system.

FIG. 10 is a flow diagram depicting a method of operation for active input elicitation component(s) according to one embodiment.

FIG. 11 is a flow diagram depicting a method for active typed-input elicitation according to one embodiment.

FIGS. 12 to 21 are screen shots illustrating some portions of some of the procedures for active typed-input elicitation according to one embodiment.

FIG. 22 is a flow diagram depicting a method for active input elicitation for voice or speech input according to one embodiment.

FIG. 23 is a flow diagram depicting a method for active input elicitation for GUI-based input according to one embodiment.

FIG. 24 is a flow diagram depicting a method for active input elicitation at the level of a dialog flow according to one embodiment.

FIG. 25 is a flow diagram depicting a method for active monitoring for relevant events according to one embodiment.

FIG. 26 is a flow diagram depicting a method for multimodal active input elicitation according to one embodiment.

FIG. 27 is a set of screen shots illustrating an example of various types of functions, operations, actions, and/or other features which may be provided by domain models component(s) and services orchestration according to one embodiment.

FIG. 28 is a flow diagram depicting an example of a method for natural language processing according to one embodiment.

FIG. 29 is a screen shot illustrating natural language processing according to one embodiment.

FIGS. 30 and 31 are screen shots illustrating an example of various types of functions, operations, actions, and/or

other features which may be provided by dialog flow processor component(s) according to one embodiment.

FIG. 32 is a flow diagram depicting a method of operation for dialog flow processor component(s) according to one embodiment.

FIG. 33 is a flow diagram depicting an automatic call and response procedure, according to one embodiment.

FIG. 34 is a flow diagram depicting an example of task flow for a constrained selection task according to one embodiment.

FIGS. 35 and 36 are screen shots illustrating an example of the operation of constrained selection task according to one embodiment.

FIG. 37 is a flow diagram depicting an example of a procedure for executing a service orchestration procedure according to one embodiment.

FIG. 38 is a flow diagram depicting an example of a service invocation procedure according to one embodiment.

FIG. 39 is a flow diagram depicting an example of a multiphase output procedure according to one embodiment.

FIGS. 40 and 41 are screen shots depicting examples of output processing according to one embodiment.

FIG. 42 is a flow diagram depicting an example of multimodal output processing according to one embodiment.

FIGS. 43A and 43B are screen shots depicting an example of the use of short term personal memory component(s) to maintain dialog context while changing location, according to one embodiment.

FIGS. 44A through 44C are screen shots depicting an example of the use of long term personal memory component(s), according to one embodiment.

FIG. 45 depicts an example of an abstract model for a constrained selection task.

FIG. 46 depicts an example of a dialog flow model to help guide the user through a search process.

FIG. 47 is a flow diagram depicting a method of constrained selection according to one embodiment.

## DETAILED DESCRIPTION OF THE EMBODIMENTS

Various techniques will now be described in detail with reference to a few example embodiments thereof as illustrated in the accompanying drawings. In the following description, numerous specific details are set forth in order to provide a thorough understanding of one or more aspects and/or features described or reference herein. It will be apparent, however, to one skilled in the art, that one or more aspects and/or features described or reference herein may be practiced without some or all of these specific details. In other instances, well known process steps and/or structures have not been described in detail in order to not obscure some of the aspects and/or features described or reference herein.

One or more different inventions may be described in the present application. Further, for one or more of the invention(s) described herein, numerous embodiments may be described in this patent application, and are presented for illustrative purposes only. The described embodiments are not intended to be limiting in any sense. One or more of the invention(s) may be widely applicable to numerous embodiments, as is readily apparent from the disclosure. These embodiments are described in sufficient detail to enable those skilled in the art to practice one or more of the invention(s), and it is to be understood that other embodiments may be utilized and that structural, logical, software,

electrical and other changes may be made without departing from the scope of the one or more of the invention(s). Accordingly, those skilled in the art will recognize that the one or more of the invention(s) may be practiced with various modifications and alterations. Particular features of one or more of the invention(s) may be described with reference to one or more particular embodiments or figures that form a part of the present disclosure, and in which are shown, by way of illustration, specific embodiments of one or more of the invention(s). It should be understood, however, that such features are not limited to usage in the one or more particular embodiments or figures with reference to which they are described. The present disclosure is neither a literal description of all embodiments of one or more of the invention(s) nor a listing of features of one or more of the invention(s) that must be present in all embodiments.

Headings of sections provided in this patent application and the title of this patent application are for convenience only, and are not to be taken as limiting the disclosure in any way.

Devices that are in communication with each other need not be in continuous communication with each other, unless expressly specified otherwise. In addition, devices that are in communication with each other may communicate directly or indirectly through one or more intermediaries.

A description of an embodiment with several components in communication with each other does not imply that all such components are required. To the contrary, a variety of optional components are described to illustrate the wide variety of possible embodiments of one or more of the invention(s).

Further, although process steps, method steps, algorithms or the like may be described in a sequential order, such processes, methods and algorithms may be configured to work in alternate orders. In other words, any sequence or order of steps that may be described in this patent application does not, in and of itself, indicate a requirement that the steps be performed in that order. The steps of described processes may be performed in any order practical. Further, some steps may be performed simultaneously despite being described or implied as occurring non-simultaneously (e.g., because one step is described after the other step). Moreover, the illustration of a process by its depiction in a drawing does not imply that the illustrated process is exclusive of other variations and modifications thereto, does not imply that the illustrated process or any of its steps are necessary to one or more of the invention(s), and does not imply that the illustrated process is preferred.

When a single device or article is described, it will be readily apparent that more than one device/article (whether or not they cooperate) may be used in place of a single device/article. Similarly, where more than one device or article is described (whether or not they cooperate), it will be readily apparent that a single device/article may be used in place of the more than one device or article.

The functionality and/or the features of a device may be alternatively embodied by one or more other devices that are not explicitly described as having such functionality/features. Thus, other embodiments of one or more of the invention(s) need not include the device itself.

Techniques and mechanisms described or reference herein will sometimes be described in singular form for clarity. However, it should be noted that particular embodiments include multiple iterations of a technique or multiple instantiations of a mechanism unless noted otherwise.

Although described within the context of intelligent automated assistant technology, it may be understood that the

various aspects and techniques described herein (such as those associated with active ontologies, for example) may also be deployed and/or applied in other fields of technology involving human and/or computerized interaction with software.

Other aspects relating to intelligent automated assistant technology (e.g., which may be utilized by, provided by, and/or implemented at one or more intelligent automated assistant system embodiments described herein) are disclosed in one or more of the following references:

U.S. Provisional Patent Application Ser. No. 61/295,774 for “Intelligent Automated Assistant”, filed Jan. 18, 2010, the disclosure of which is incorporated herein by reference;

U.S. patent application Ser. No. 11/518,292 for “Method And Apparatus for Building an Intelligent Automated Assistant”, filed Sep. 8, 2006, the disclosure of which is incorporated herein by reference; and

U.S. Provisional Patent Application Ser. No. 61/186,414 for “System and Method for Semantic Auto-Completion”, filed Jun. 12, 2009, the disclosure of which is incorporated herein by reference.

#### Hardware Architecture

Generally, the intelligent automated assistant techniques disclosed herein may be implemented on hardware or a combination of software and hardware. For example, they may be implemented in an operating system kernel, in a separate user process, in a library package bound into network applications, on a specially constructed machine, or on a network interface card. In a specific embodiment, the techniques disclosed herein may be implemented in software such as an operating system or in an application running on an operating system.

Software/hardware hybrid implementation(s) of at least some of the intelligent automated assistant embodiment(s) disclosed herein may be implemented on a programmable machine selectively activated or reconfigured by a computer program stored in memory. Such network devices may have multiple network interfaces which may be configured or designed to utilize different types of network communication protocols. A general architecture for some of these machines may appear from the descriptions disclosed herein. According to specific embodiments, at least some of the features and/or functionalities of the various intelligent automated assistant embodiments disclosed herein may be implemented on one or more general-purpose network host machines such as an end-user computer system, computer, network server or server system, mobile computing device (e.g., personal digital assistant, mobile phone, smartphone, laptop, tablet computer, or the like), consumer electronic device, music player, or any other suitable electronic device, router, switch, or the like, or any combination thereof. In at least some embodiments, at least some of the features and/or functionalities of the various intelligent automated assistant embodiments disclosed herein may be implemented in one or more virtualized computing environments (e.g., network computing clouds, or the like).

Referring now to FIG. 3, there is shown a block diagram depicting a computing device 60 suitable for implementing at least a portion of the intelligent automated assistant features and/or functionalities disclosed herein. Computing device 60 may be, for example, an end-user computer system, network server or server system, mobile computing device (e.g., personal digital assistant, mobile phone, smartphone, laptop, tablet computer, or the like), consumer elec-

tronic device, music player, or any other suitable electronic device, or any combination or portion thereof. Computing device **60** may be adapted to communicate with other computing devices, such as clients and/or servers, over a communications network such as the Internet, using known protocols for such communication, whether wireless or wired.

In one embodiment, computing device **60** includes central processing unit (CPU) **62**, interfaces **68**, and a bus **67** (such as a peripheral component inter-connect (PCI) bus). When acting under the control of appropriate software or firmware, CPU **62** may be responsible for implementing specific functions associated with the functions of a specifically configured computing device or machine. For example, in at least one embodiment, a user's personal digital assistant (PDA) may be configured or designed to function as an intelligent automated assistant system utilizing CPU **62**, memory **61**, **65**, and interface(s) **68**. In at least one embodiment, the CPU **62** may be caused to perform one or more of the different types of intelligent automated assistant functions and/or operations under the control of software modules/components, which for example, may include an operating system and any appropriate applications software, drivers, and the like.

CPU **62** may include one or more processor(s) **63** such as, for example, a processor from the Motorola or Intel family of microprocessors or the MIPS family of microprocessors. In some embodiments, processor(s) **63** may include specially designed hardware (e.g., application-specific integrated circuits (ASICs), electrically erasable programmable read-only memories (EEPROMs), field-programmable gate arrays (FPGAs), and the like) for controlling the operations of computing device **60**. In a specific embodiment, a memory **61** (such as non-volatile random access memory (RAM) and/or read-only memory (ROM)) also forms part of CPU **62**. However, there are many different ways in which memory may be coupled to the system. Memory block **61** may be used for a variety of purposes such as, for example, caching and/or storing data, programming instructions, and the like.

As used herein, the term "processor" is not limited merely to those integrated circuits referred to in the art as a processor, but broadly refers to a microcontroller, a micro-computer, a programmable logic controller, an application-specific integrated circuit, and any other programmable circuit.

In one embodiment, interfaces **68** are provided as interface cards (sometimes referred to as "line cards"). Generally, they control the sending and receiving of data packets over a computing network and sometimes support other peripherals used with computing device **60**. Among the interfaces that may be provided are Ethernet interfaces, frame relay interfaces, cable interfaces, DSL interfaces, token ring interfaces, and the like. In addition, various types of interfaces may be provided such as, for example, universal serial bus (USB), Serial, Ethernet, Firewire, PCI, parallel, radio frequency (RF), Bluetooth™, near-field communications (e.g., using near-field magnetics), 802.11 (WiFi), frame relay, TCP/IP, ISDN, fast Ethernet interfaces, Gigabit Ethernet interfaces, asynchronous transfer mode (ATM) interfaces, high-speed serial interface (HSSI) interfaces, Point of Sale (POS) interfaces, fiber data distributed interfaces (FDDIs), and the like. Generally, such interfaces **68** may include ports appropriate for communication with the appropriate media. In some cases, they may also include an independent processor and, in some instances, volatile and/or nonvolatile memory (e.g., RAM).

Although the system shown in FIG. **3** illustrates one specific architecture for a computing device **60** for implementing the techniques of the invention described herein, it is by no means the only device architecture on which at least a portion of the features and techniques described herein may be implemented. For example, architectures having one or any number of processors **63** can be used, and such processors **63** can be present in a single device or distributed among any number of devices. In one embodiment, a single processor **63** handles communications as well as routing computations. In various embodiments, different types of intelligent automated assistant features and/or functionalities may be implemented in an intelligent automated assistant system which includes a client device (such as a personal digital assistant or smartphone running client software) and server system(s) (such as a server system described in more detail below).

Regardless of network device configuration, the system of the present invention may employ one or more memories or memory modules (such as, for example, memory block **65**) configured to store data, program instructions for the general-purpose network operations and/or other information relating to the functionality of the intelligent automated assistant techniques described herein. The program instructions may control the operation of an operating system and/or one or more applications, for example. The memory or memories may also be configured to store data structures, keyword taxonomy information, advertisement information, user click and impression information, and/or other specific non-program information described herein.

Because such information and program instructions may be employed to implement the systems/methods described herein, at least some network device embodiments may include nontransitory machine-readable storage media, which, for example, may be configured or designed to store program instructions, state information, and the like for performing various operations described herein. Examples of such nontransitory machine-readable storage media include, but are not limited to, magnetic media such as hard disks, floppy disks, and magnetic tape; optical media such as CD-ROM disks; magneto-optical media such as floptical disks, and hardware devices that are specially configured to store and perform program instructions, such as read-only memory devices (ROM), flash memory, memristor memory, random access memory (RAM), and the like. Examples of program instructions include both machine code, such as produced by a compiler, and files containing higher level code that may be executed by the computer using an interpreter.

In one embodiment, the system of the present invention is implemented on a standalone computing system. Referring now to FIG. **4**, there is shown a block diagram depicting an architecture for implementing at least a portion of an intelligent automated assistant on a standalone computing system, according to at least one embodiment. Computing device **60** includes processor(s) **63** which run software for implementing intelligent automated assistant **1002**. Input device **1206** can be of any type suitable for receiving user input, including for example a keyboard, touch screen, microphone (for example, for voice input), mouse, touchpad, trackball, five-way switch, joystick, and/or any combination thereof. Output device **1207** can be a screen, speaker, printer, and/or any combination thereof. Memory **1210** can be random-access memory having a structure and architecture as are known in the art, for use by processor(s) **63** in the course of running software. Storage device **1208** can be any magnetic, optical, and/or electrical storage device



## 11

for storage of data in digital form; examples include flash memory, magnetic hard drive, CD-ROM, and/or the like.

In another embodiment, the system of the present invention is implemented on a distributed computing network, such as one having any number of clients and/or servers. Referring now to FIG. 5, there is shown a block diagram depicting an architecture for implementing at least a portion of an intelligent automated assistant on a distributed computing network, according to at least one embodiment.

In the arrangement shown in FIG. 5, any number of clients **1304** are provided; each client **1304** may run software for implementing client-side portions of the present invention. In addition, any number of servers **1340** can be provided for handling requests received from clients **1304**. Clients **1304** and servers **1340** can communicate with one another via an electronic network **1361**, such as the Internet. Network **1361** may be implemented using any known network protocols, including for example wired and/or wireless protocols.

In addition, in one embodiment, servers **1340** can call external services **1360** when needed to obtain additional information or refer to store data concerning previous interactions with particular users. Communications with external services **1360** can take place, for example, via network **1361**. In various embodiments, external services **1360** include web-enabled services and/or functionality related to or installed on the hardware device itself. For example, in an embodiment where assistant **1002** is implemented on a smartphone or other electronic device, assistant **1002** can obtain information stored in a calendar application (“app”), contacts, and/or other sources.

In various embodiments, assistant **1002** can control many features and operations of an electronic device on which it is installed. For example, assistant **1002** can call external services **1360** that interface with functionality and applications on a device via APIs or by other means, to perform functions and operations that might otherwise be initiated using a conventional user interface on the device. Such functions and operations may include, for example, setting an alarm, making a telephone call, sending a text message or email message, adding a calendar event, and the like. Such functions and operations may be performed as add-on functions in the context of a conversational dialog between a user and assistant **1002**. Such functions and operations can be specified by the user in the context of such a dialog, or they may be automatically performed based on the context of the dialog. One skilled in the art will recognize that assistant **1002** can thereby be used as a control mechanism for initiating and controlling various operations on the electronic device, which may be used as an alternative to conventional mechanisms such as buttons or graphical user interfaces.

For example, the user may provide input to assistant **1002** such as “I need to wake tomorrow at 8 am.” Once assistant **1002** has determined the user’s intent, using the techniques described herein, assistant **1002** can call external services **1340** to interface with an alarm clock function or application on the device. Assistant **1002** sets the alarm on behalf of the user. In this manner, the user can use assistant **1002** as a replacement for conventional mechanisms for setting the alarm or performing other functions on the device. If the user’s requests are ambiguous or need further clarification, assistant **1002** can use the various techniques described herein, including active elicitation, paraphrasing, suggestions, and the like, to obtain the needed information so that the correct services **1340** are called and the intended action taken. In one embodiment, assistant **1002** may prompt the user for confirmation before calling a service **1340** to

## 12

perform a function. In one embodiment, a user can selectively disable assistant’s **1002** ability to call particular services **1340**, or can disable all such service-calling if desired.

The system of the present invention can be implemented with many different types of clients **1304** and modes of operation. Referring now to FIG. 6, there is shown a block diagram depicting a system architecture illustrating several different types of clients **1304** and modes of operation. One skilled in the art will recognize that the various types of clients **1304** and modes of operation shown in FIG. 6 are merely exemplary, and that the system of the present invention can be implemented using clients **1304** and/or modes of operation other than those depicted. Additionally, the system can include any or all of such clients **1304** and/or modes of operation, alone or in any combination. Depicted examples include:

Computer devices with input/output devices and/or sensors **1402**. A client component may be deployed on any such computer device **1402**. At least one embodiment may be implemented using a web browser **1304A** or other software application for enabling communication with servers **1340** via network **1361**. Input and output channels may of any type, including for example visual and/or auditory channels. For example, in one embodiment, the system of the invention can be implemented using voice-based communication methods, allowing for an embodiment of the assistant for the blind whose equivalent of a web browser is driven by speech and uses speech for output.

Mobile Devices with I/O and sensors **1406**, for which the client may be implemented as an application on the mobile device **1304B**. This includes, but is not limited to, mobile phones, smartphones, personal digital assistants, tablet devices, networked game consoles, and the like.

Consumer Appliances with I/O and sensors **1410**, for which the client may be implemented as an embedded application on the appliance **1304C**.

Automobiles and other vehicles with dashboard interfaces and sensors **1414**, for which the client may be implemented as an embedded system application **1304 D**. This includes, but is not limited to, car navigation systems, voice control systems, in-car entertainment systems, and the like.

Networked computing devices such as routers **1418** or any other device that resides on or interfaces with a network, for which the client may be implemented as a device-resident application **1304E**.

Email clients **1424**, for which an embodiment of the assistant is connected via an Email Modality Server **1426**. Email Modality server **1426** acts as a communication bridge, for example taking input from the user as email messages sent to the assistant and sending output from the assistant to the user as replies.

Instant messaging clients **1428**, for which an embodiment of the assistant is connected via a Messaging Modality Server **1430**. Messaging Modality server **1430** acts as a communication bridge, taking input from the user as messages sent to the assistant and sending output from the assistant to the user as messages in reply.

Voice telephones **1432**, for which an embodiment of the assistant is connected via a Voice over Internet Protocol (VoIP) Modality Server **1430**. VoIP Modality server **1430** acts as a communication bridge, taking input from the user as voice spoken to the assistant and sending

output from the assistant to the user, for example as synthesized speech, in reply.

For messaging platforms including but not limited to email, instant messaging, discussion forums, group chat sessions, live help or customer support sessions and the like, assistant **1002** may act as a participant in the conversations. Assistant **1002** may monitor the conversation and reply to individuals or the group using one or more the techniques and methods described herein for one-to-one interactions.

In various embodiments, functionality for implementing the techniques of the present invention can be distributed among any number of client and/or server components. For example, various software modules can be implemented for performing various functions in connection with the present invention, and such modules can be variously implemented to run on server and/or client components. Referring now to FIG. 7, there is shown an example of a client **1304** and a server **1340**, which communicate with each other to implement the present invention according to one embodiment. FIG. 7 depicts one possible arrangement by which software modules can be distributed among client **1304** and server **1340**. One skilled in the art will recognize that the depicted arrangement is merely exemplary, and that such modules can be distributed in many different ways. In addition, any number of clients **1304** and/or servers **1340** can be provided, and the modules can be distributed among these clients **1304** and/or servers **1340** in any of a number of different ways.

In the example of FIG. 7, input elicitation functionality and output processing functionality are distributed among client **1304** and server **1340**, with client part of input elicitation **1094a** and client part of output processing **1092a** located at client **1304**, and server part of input elicitation **1094b** and server part of output processing **1092b** located at server **1340**. The following components are located at server **1340**:

- complete vocabulary **1058b**;
- complete library of language pattern recognizers **1060b**;
- master version of short term personal memory **1052b**;
- master version of long term personal memory **1054b**.

In one embodiment, client **1304** maintains subsets and/or portions of these components locally, to improve responsiveness and reduce dependence on network communications. Such subsets and/or portions can be maintained and updated according to well known cache management techniques. Such subsets and/or portions include, for example:

- subset of vocabulary **1058a**;
- subset of library of language pattern recognizers **1060a**;
- cache of short term personal memory **1052a**;
- cache of long term personal memory **1054a**.

Additional components may be implemented as part of server **1340**, including for example:

- language interpreter **1070**;
- dialog flow processor **1080**;
- output processor **1090**;
- domain entity databases **1072**;
- task flow models **1086**;
- services orchestration **1082**;
- service capability models **1088**.

Each of these components will be described in more detail below. Server **1340** obtains additional information by interfacing with external services **1360** when needed.

#### Conceptual Architecture

Referring now to FIG. 1, there is shown a simplified block diagram of a specific example embodiment of an intelligent automated assistant **1002**. As described in greater detail

herein, different embodiments of intelligent automated assistant systems may be configured, designed, and/or operable to provide various different types of operations, functionalities, and/or features generally relating to intelligent automated assistant technology. Further, as described in greater detail herein, many of the various operations, functionalities, and/or features of the intelligent automated assistant system(s) disclosed herein may provide may enable or provide different types of advantages and/or benefits to different entities interacting with the intelligent automated assistant system(s). The embodiment shown in FIG. 1 may be implemented using any of the hardware architectures described above, or using a different type of hardware architecture.

For example, according to different embodiments, at least some intelligent automated assistant system(s) may be configured, designed, and/or operable to provide various different types of operations, functionalities, and/or features, such as, for example, one or more of the following (or combinations thereof):

- automate the application of data and services available over the Internet to discover, find, choose among, purchase, reserve, or order products and services. In addition to automating the process of using these data and services, intelligent automated assistant **1002** may also enable the combined use of several sources of data and services at once. For example, it may combine information about products from several review sites, check prices and availability from multiple distributors, and check their locations and time constraints, and help a user find a personalized solution to their problem.

- automate the use of data and services available over the Internet to discover, investigate, select among, reserve, and otherwise learn about things to do (including but not limited to movies, events, performances, exhibits, shows and attractions); places to go (including but not limited to travel destinations, hotels and other places to stay, landmarks and other sites of interest, and the like); places to eat or drink (such as restaurants and bars), times and places to meet others, and any other source of entertainment or social interaction which may be found on the Internet.

- enable the operation of applications and services via natural language dialog that are otherwise provided by dedicated applications with graphical user interfaces including search (including location-based search); navigation (maps and directions); database lookup (such as finding businesses or people by name or other properties); getting weather conditions and forecasts, checking the price of market items or status of financial transactions; monitoring traffic or the status of flights; accessing and updating calendars and schedules; managing reminders, alerts, tasks and projects; communicating over email or other messaging platforms; and operating devices locally or remotely (e.g., dialing telephones, controlling light and temperature, controlling home security devices, playing music or video, and the like). In one embodiment, assistant **1002** can be used to initiate, operate, and control many functions and apps available on the device.

- offer personal recommendations for activities, products, services, source of entertainment, time management, or any other kind of recommendation service that benefits from an interactive dialog in natural language and automated access to data and services.

According to different embodiments, at least a portion of the various types of functions, operations, actions, and/or other features provided by intelligent automated assistant

**1002** may be implemented at one or more client systems(s), at one or more server systems (s), and/or combinations thereof.

According to different embodiments, at least a portion of the various types of functions, operations, actions, and/or other features provided by assistant **1002** may be implemented by at least one embodiment of an automated call and response procedure, such as that illustrated and described, for example, with respect to FIG. 33.

Additionally, various embodiments of assistant **1002** described herein may include or provide a number of different advantages and/or benefits over currently existing intelligent automated assistant technology such as, for example, one or more of the following (or combinations thereof):

The integration of speech-to-text and natural language understanding technology that is constrained by a set of explicit models of domains, tasks, services, and dialogs. Unlike assistant technology that attempts to implement a general-purpose artificial intelligence system, the embodiments described herein may apply the multiple sources of constraints to reduce the number of solutions to a more tractable size. This results in fewer ambiguous interpretations of language, fewer relevant domains or tasks, and fewer ways to operationalize the intent in services. The focus on specific domains, tasks, and dialogs also makes it feasible to achieve coverage over domains and tasks with human-managed vocabulary and mappings from intent to services parameters. The ability to solve user problems by invoking services on their behalf over the Internet, using APIs. Unlike search engines which only return links and content, some embodiments of automated assistants **1002** described herein may automate research and problem-solving activities. The ability to invoke multiple services for a given request also provides broader functionality to the user than is achieved by visiting a single site, for instance to produce a product or service or find something to do.

The application of personal information and personal interaction history in the interpretation and execution of user requests. Unlike conventional search engines or question answering services, the embodiments described herein use information from personal interaction history (e.g., dialog history, previous selections from results, and the like), personal physical context (e.g., user's location and time), and personal information gathered in the context of interaction (e.g., name, email addresses, physical addresses, phone numbers, account numbers, preferences, and the like). Using these sources of information enables, for example, better interpretation of user input (e.g., using personal history and physical context when interpreting language); more personalized results (e.g., that bias toward preferences or recent selections); improved efficiency for the user (e.g., by automating steps involving the signing up to services or filling out forms).

The use of dialog history in interpreting the natural language of user inputs. Because the embodiments may keep personal history and apply natural language understanding on user inputs, they may also use dialog context such as current location, time, domain, task step, and task parameters to interpret the new inputs. Conventional search engines and command processors interpret at least one query independent of a dialog

history. The ability to use dialog history may make a more natural interaction possible, one which resembles normal human conversation.

Active input elicitation, in which assistant **1002** actively guides and constrains the input from the user, based on the same models and information used to interpret their input. For example, assistant **1002** may apply dialog models to suggest next steps in a dialog with the user in which they are refining a request; offer completions to partially typed input based on domain and context specific possibilities; or use semantic interpretation to select from among ambiguous interpretations of speech as text or text as intent.

The explicit modeling and dynamic management of services, with dynamic and robust services orchestration. The architecture of embodiments described enables assistant **1002** to interface with many external services, dynamically determine which services may provide information for a specific user request, map parameters of the user request to different service APIs, call multiple services at once, integrate results from multiple services, fail over gracefully on failed services, and/or efficiently maintain the implementation of services as their APIs and capabilities evolve.

The use of active ontologies as a method and apparatus for building assistants **1002**, which simplifies the software engineering and data maintenance of automated assistant systems. Active ontologies are an integration of data modeling and execution environments for assistants. They provide a framework to tie together the various sources of models and data (domain concepts, task flows, vocabulary, language pattern recognizers, dialog context, user personal information, and mappings from domain and task requests to external services. Active ontologies and the other architectural innovations described herein make it practical to build deep functionality within domains, unifying multiple sources of information and services, and to do this across a set of domains.

In at least one embodiment, intelligent automated assistant **1002** may be operable to utilize and/or generate various different types of data and/or other types of information when performing specific tasks and/or operations. This may include, for example, input data/information and/or output data/information. For example, in at least one embodiment, intelligent automated assistant **1002** may be operable to access, process, and/or otherwise utilize information from one or more different types of sources, such as, for example, one or more local and/or remote memories, devices and/or systems. Additionally, in at least one embodiment, intelligent automated assistant **1002** may be operable to generate one or more different types of output data/information, which, for example, may be stored in memory of one or more local and/or remote devices and/or systems.

Examples of different types of input data/information which may be accessed and/or utilized by intelligent automated assistant **1002** may include, but are not limited to, one or more of the following (or combinations thereof):

Voice input: from mobile devices such as mobile telephones and tablets, computers with microphones, Bluetooth headsets, automobile voice control systems, over the telephone system, recordings on answering services, audio voicemail on integrated messaging services, consumer applications with voice input such as clock radios, telephone station, home entertainment control systems, and game consoles.

Text input from keyboards on computers or mobile devices, keypads on remote controls or other consumer electronics devices, email messages sent to the assistant, instant messages or similar short messages sent to the assistant, text received from players in multiuser game environments, and text streamed in message feeds.

Location information coming from sensors or location-based systems. Examples include Global Positioning System (GPS) and Assisted GPS (A-GPS) on mobile phones. In one embodiment, location information is combined with explicit user input. In one embodiment, the system of the present invention is able to detect when a user is at home, based on known address information and current location determination. In this manner, certain inferences may be made about the type of information the user might be interested in when at home as opposed to outside the home, as well as the type of services and actions that should be invoked on behalf of the user depending on whether or not he or she is at home.

Time information from clocks on client devices. This may include, for example, time from telephones or other client devices indicating the local time and time zone. In addition, time may be used in the context of user requests, such as for instance, to interpret phrases such as “in an hour” and “tonight”.

Compass, accelerometer, gyroscope, and/or travel velocity data, as well as other sensor data from mobile or handheld devices or embedded systems such as automobile control systems. This may also include device positioning data from remote controls to appliances and game consoles.

Clicking and menu selection and other events from a graphical user interface (GUI) on any device having a GUI. Further examples include touches to a touch screen.

Events from sensors and other data-driven triggers, such as alarm clocks, calendar alerts, price change triggers, location triggers, push notification onto a device from servers, and the like.

The input to the embodiments described herein also includes the context of the user interaction history, including dialog and request history.

Examples of different types of output data/information which may be generated by intelligent automated assistant **1002** may include, but are not limited to, one or more of the following (or combinations thereof):

Text output sent directly to an output device and/or to the user interface of a device

Text and graphics sent to a user over email

Text and graphics sent to a user over a messaging service

Speech output, may include one or more of the following (or combinations thereof):

Synthesized speech

Sampled speech

Recorded messages

Graphical layout of information with photos, rich text, videos, sounds, and hyperlinks. For instance, the content rendered in a web browser.

Actuator output to control physical actions on a device, such as causing it to turn on or off, make a sound, change color, vibrate, control a light, or the like.

Invoking other applications on a device, such as calling a mapping application, voice dialing a telephone, sending an email or instant message, playing media, making

entries in calendars, task managers, and note applications, and other applications.

Actuator output to control physical actions to devices attached or controlled by a device, such as operating a remote camera, controlling a wheelchair, playing music on remote speakers, playing videos on remote displays, and the like.

It may be appreciated that the intelligent automated assistant **1002** of FIG. **1** is but one example from a wide range of intelligent automated assistant system embodiments which may be implemented. Other embodiments of the intelligent automated assistant system (not shown) may include additional, fewer and/or different components/features than those illustrated, for example, in the example intelligent automated assistant system embodiment of FIG. **1**.

### User Interaction

Referring now to FIG. **2**, there is shown an example of an interaction between a user and at least one embodiment of an intelligent automated assistant **1002**. The example of FIG. **2** assumes that a user is speaking to intelligent automated assistant **1002** using input device **1206**, which may be a speech input mechanism, and the output is graphical layout to output device **1207**, which may be a scrollable screen. Conversation screen **101A** features a conversational user interface showing what the user said **1018** (“I’d like a romantic place for Italian food near my office”) and assistant’s **1002** response, which is a summary of its findings **101C** (“OK, I found these Italian restaurants which reviews say are romantic close to your work:”) and a set of results **101D** (the first three of a list of restaurants are shown). In this example, the user clicks on the first result in the list, and the result automatically opens up to reveal more information about the restaurant, shown in information screen **101E**. Information screen **101E** and conversation screen **101A** may appear on the same output device, such as a touch-screen or other display device; the examples depicted in FIG. **2** are two different output states for the same output device.

In one embodiment, information screen **101E** shows information gathered and combined from a variety of services, including for example, any or all of the following:

Addresses and geolocations of businesses;

Distance from user’s current location;

Reviews from a plurality of sources;

In one embodiment, information screen **101E** also includes some examples of services that assistant **1002** might offer on behalf of the user, including:

Dial a telephone to call the business (“call”);

Remember this restaurant for future reference (“save”);

Send an email to someone with the directions and information about this restaurant (“share”);

Show the location of and directions to this restaurant on a map (“map it”);

Save personal notes about this restaurant (“my notes”).

As shown in the example of FIG. **2**, in one embodiment, assistant **1002** includes intelligence beyond simple database applications, such as, for example,

Processing a statement of intent in a natural language **101B**, not just keywords;

Inferring semantic intent from that language input, such as interpreting “place for Italian food” as “Italian restaurants”;

Operationalizing semantic intent into a strategy for using online services and executing that strategy on behalf of the user (e.g., operationalizing the desire for a romantic

place into the strategy of checking on-line review sites for reviews that describe a place as “romantic”).

#### Intelligent Automated Assistant Components

According to various embodiments, intelligent automated assistant **1002** may include a plurality of different types of components, devices, modules, processes, systems, and the like, which, for example, may be implemented and/or instantiated via the use of hardware and/or combinations of hardware and software. For example, as illustrated in the example embodiment of FIG. 1, assistant **1002** may include one or more of the following types of systems, components, devices, processes, and the like (or combinations thereof):

One or more active ontologies **1050**;

Active input elicitation component(s) **1094** (may include client part **1094a** and server part **1094b**);

Short term personal memory component(s) **1052** (may include master version **1052b** and cache **1052a**);

Long-term personal memory component(s) **1054** (may include master version **1052b** and cache **1052a**);

Domain models component(s) **1056**;

Vocabulary component(s) **1058** (may include complete vocabulary **1058b** and subset **1058a**);

Language pattern recognizer(s) component(s) **1060** (may include full library **1060b** and subset **1560a**);

Language interpreter component(s) **1070**;

Domain entity database(s) **1072**;

Dialog flow processor component(s) **1080**;

Services orchestration component(s) **1082**;

Services component(s) **1084**;

Task flow models component(s) **1086**;

Dialog flow models component(s) **1087**;

Service models component(s) **1088**;

Output processor component(s) **1090**.

As described in connection with FIG. 7, in certain client/server-based embodiments, some or all of these components may be distributed between client **1304** and server **1340**.

For purposes of illustration, at least a portion of the different types of components of a specific example embodiment of intelligent automated assistant **1002** will now be described in greater detail with reference to the example intelligent automated assistant **1002** embodiment of FIG. 1.

#### Active Ontologies **1050**

Active ontologies **1050** serve as a unifying infrastructure that integrates models, components, and/or data from other parts of embodiments of intelligent automated assistants **1002**. In the field of computer and information science, ontologies provide structures for data and knowledge representation such as classes/types, relations, attributes/properties and their instantiation in instances. Ontologies are used, for example, to build models of data and knowledge. In some embodiments of the intelligent automated system **1002**, ontologies are part of the modeling framework in which to build models such as domain models.

Within the context of the present invention, an “active ontology” **1050** may also serve as an execution environment, in which distinct processing elements are arranged in an ontology-like manner (e.g., having distinct attributes and relations with other processing elements). These processing elements carry out at least some of the tasks of intelligent automated assistant **1002**. Any number of active ontologies **1050** can be provided.

In at least one embodiment, active ontologies **1050** may be operable to perform and/or implement various types of

functions, operations, actions, and/or other features such as, for example, one or more of the following (or combinations thereof):

Act as a modeling and development environment, integrating models and data from various model and data components, including but not limited to

Domain models **1056**

Vocabulary **1058**

Domain entity databases **1072**

Task flow models **1086**

Dialog flow models **1087**

Service capability models **1088**

Act as a data-modeling environment on which ontology-based editing tools may operate to develop new models, data structures, database schemata, and representations.

Act as a live execution environment, instantiating values for elements of domain **1056**, task **1086**, and/or dialog models **1087**, language pattern recognizers, and/or vocabulary **1058**, and user-specific information such as that found in short term personal memory **1052**, long term personal memory **1054**, and/or the results of service orchestration **1182**. For example, some nodes of an active ontology may correspond to domain concepts such as restaurant and its property restaurant name. During live execution, these active ontology nodes may be instantiated with the identity of a particular restaurant entity and its name, and how its name corresponds to words in a natural language input utterance. Thus, in this embodiment, the active ontology is serving as both a modeling environment specifying the concept that restaurants are entities with identities that have names, and for storing dynamic bindings of those modeling nodes with data from entity databases and parses of natural language.

Enable the communication and coordination among components and processing elements of an intelligent automated assistant, such as, for example, one or more of the following (or combinations thereof):

Active input elicitation component(s) **1094**

Language interpreter component(s) **1070**

Dialog flow processor component(s) **1080**

Services orchestration component(s) **1082**

Services component(s) **1084**

In one embodiment, at least a portion of the functions, operations, actions, and/or other features of active ontologies **1050** described herein may be implemented, at least in part, using various methods and apparatuses described in U.S. patent application Ser. No. 11/518,292 for “Method and Apparatus for Building an Intelligent Automated Assistant”, filed Sep. 8, 2006.

In at least one embodiment, a given instance of active ontology **1050** may access and/or utilize information from one or more associated databases. In at least one embodiment, at least a portion of the database information may be accessed via communication with one or more local and/or remote memory devices. Examples of different types of data which may be accessed by active ontologies **1050** may include, but are not limited to, one or more of the following (or combinations thereof):

Static data that is available from one or more components of intelligent automated assistant **1002**;

Data that is dynamically instantiated per user session, for example, but not limited to, maintaining the state of the user-specific inputs and outputs exchanged among components of intelligent automated assistant **1002**, the

contents of short term personal memory, the inferences made from previous states of the user session, and the like.

In this manner, active ontologies **1050** are used to unify elements of various components in intelligent automated assistant **1002**. An active ontology **1050** allows an author, designer, or system builder to integrate components so that the elements of one component are identified with elements of other components. The author, designer, or system builder can thus combine and integrate the components more easily.

Referring now to FIG. **8**, there is shown an example of a fragment of an active ontology **1050** according to one embodiment. This example is intended to help illustrate some of the various types of functions, operations, actions, and/or other features that may be provided by active ontologies **1050**.

Active ontology **1050** in FIG. **8** includes representations of a restaurant and meal event. In this example, a restaurant is a concept **1610** with properties such as its name **1612**, cuisines served **1615**, and its location **1613**, which in turn might be modeled as a structured node with properties for street address **1614**. The concept of a meal event might be modeled as a node **1616** including a dining party **1617** (which has a size **1619**) and time period **1618**.

Active ontologies may include and/or make reference to domain models **1056**. For example, FIG. **8** depicts a dining out domain model **1622** linked to restaurant concept **1610** and meal event concept **1616**. In this instance, active ontology **1050** includes dining out domain model **1622**; specifically, at least two nodes of active ontology **1050**, namely restaurant **1610** and meal event **1616**, are also included in and/or referenced by dining out domain model **1622**. This domain model represents, among other things, the idea that dining out involves meal event that occur at restaurants. The active ontology nodes restaurant **1610** and meal event **1616** are also included and/or referenced by other components of the intelligent automated assistant, as shown by dotted lines in FIG. **8**.

Active ontologies may include and/or make reference to task flow models **1086**. For example, FIG. **8** depicts an event planning task flow model **1630**, which models the planning of events independent of domains, applied to a domain-specific kind of event: meal event **1616**. Here, active ontology **1050** includes general event planning task flow model **1630**, which comprises nodes representing events and other concepts involved in planning them. Active ontology **1050** also includes the node meal event **1616**, which is a particular kind of event. In this example, meal event **1616** is included or made reference to by both domain model **1622** and task flow model **1630**, and both of these models are included in and/or referenced by active ontology **1050**. Again, meal event **1616** is an example of how active ontologies can unify elements of various components included and/or referenced by other components of the intelligent automated assistant, as shown by dotted lines in FIG. **8**.

Active ontologies may include and/or make reference to dialog flow models **1087**. For example, FIG. **8** depicts a dialog flow model **1642** for getting the values of constraints required for a transaction instantiated on the constraint party size as represented in concept **1619**. Again, active ontology **1050** provides a framework for relating and unifying various components such as dialog flow models **1087**. In this case, dialog flow model **1642** has a general concept of a constraint that is

instantiated in this particular example to the active ontology node party size **1619**. This particular dialog flow model **1642** operates at the abstraction of constraints, independent of domain. Active ontology **1050** represents party size property **1619** of party node **1617**, which is related to meal event node **1616**. In such an embodiment, intelligent automated assistant **1002** uses active ontology **1050** to unify the concept of constraint in dialog flow model **1642** with the property of party size **1619** as part of a cluster of nodes representing meal event concept **1616**, which is part of the domain model **1622** for dining out.

Active ontologies may include and/or make reference to service models **1088**. For example, FIG. **8** depicts a model of a restaurant reservation service **1672** associated with the dialog flow step for getting values required for that service to perform a transaction. In this instance, service model **1672** for a restaurant reservation service specifies that a reservation requires a value for party size **1619** (the number of people sitting at a table to reserve). The concept party size **1619**, which is part of active ontology **1050**, also is linked or related to a general dialog flow model **1642** for asking the user about the constraints for a transaction; in this instance, the party size is a required constraint for dialog flow model **1642**.

Active ontologies may include and/or make reference to domain entity databases **1072**. For example, FIG. **8** depicts a domain entity database of restaurants **1652** associated with restaurant node **1610** in active ontology **1050**. Active ontology **1050** represents the general concept of restaurant **1610**, as may be used by the various components of intelligent automated assistant **1002**, and it is instantiated by data about specific restaurants in restaurant database **1652**.

Active ontologies may include and/or make reference to vocabulary databases **1058**. For example, FIG. **8** depicts a vocabulary database of cuisines **1662**, such as Italian, French, and the like, and the words associated with each cuisine such as “French”, “continental”, “provincial”, and the like. Active ontology **1050** includes restaurant node **1610**, which is related to cuisines served node **1615**, which is associated with the representation of cuisines in cuisines database **1662**. A specific entry in database **1662** for a cuisine, such as “French”, is thus related through active ontology **1050** as an instance of the concept of cuisines served **1615**.

Active ontologies may include and/or make reference to any database that can be mapped to concepts or other representations in ontology **1050**. Domain entity databases **1072** and vocabulary databases **1058** are merely two examples of how active ontology **1050** may integrate databases with each other and with other components of automated assistant **1002**. Active ontologies allow the author, designer, or system builder to specify a nontrivial mapping between representations in the database and representations in ontology **1050**. For example, the database schema for restaurants database **1652** may represent a restaurant as a table of strings and numbers, or as a projection from a larger database of business, or any other representation suitable for database **1652**. In this example active ontology **1050**, restaurant **1610** is a concept node with properties and relations, organized differently from the database tables. In this example, nodes of ontology **1050** are associated with elements of database schemata. The integration of database and ontology **1050** provides a

## 23

unified representation for interpreting and acting on specific data entries in databases in terms of the larger sets of models and data in active ontology **1050**. For instance, the word “French” may be an entry in cuisines database **1662**. Because, in this example, database **1662** is integrated in active ontology **1050**, that same word “French” also has an interpretation as a possible cuisine served at a restaurant, which is involved in planning meal events, and this cuisine serves as a constraint to use when using restaurants reservation services, and so forth. Active ontologies can thus integrate databases into the modeling and execution environment to inter-operate with other components of automated assistant **1002**.

As described above, active ontology **1050** allows the author, designer, or system builder to integrate components; thus, in the example of FIG. 8, the elements of a component such as constraint in dialog flow model **1642** can be identified with elements of other components such as required parameter of restaurant reservation service **1672**.

Active ontologies **1050** may be embodied as, for example, configurations of models, databases, and components in which the relationships among models, databases, and components are any of:

- containership and/or inclusion;
- relationship with links and/or pointers;
- interface over APIs, both internal to a program and between programs.

For example, referring now to FIG. 9, there is shown an example of an alternative embodiment of intelligent automated assistant system **1002**, wherein domain models **1056**, vocabulary **1058**, language pattern recognizers **1060**, short term personal memory **1052**, and long term personal memory **1054** components are organized under a common container associated with active ontology **1050**, and other components such as active input elicitation component(s) **1094**, language interpreter **1070** and dialog flow processor **1080** are associated with active ontology **1050** via API relationships.

#### Active Input Elicitation Component(s) **1094**

In at least one embodiment, active input elicitation component(s) **1094** (which, as described above, may be implemented in a stand-alone configuration or in a configuration including both server and client components) may be operable to perform and/or implement various types of functions, operations, actions, and/or other features such as, for example, one or more of the following (or combinations thereof):

Elicit, facilitate and/or process input from the user or the user’s environment, and/or information about their need(s) or request(s). For example, if the user is looking to find a restaurant, the input elicitation module may get information about the user’s constraints or preferences for location, time, cuisine, price, and so forth.

Facilitate different kinds of input from various sources, such as for example, one or more of the following (or combinations thereof):

- input from keyboards or any other input device that generates text
- input from keyboards in user interfaces that offer dynamic suggested completions of partial input
- input from voice or speech input systems

## 24

input from Graphical User Interfaces (GUUs) in which users click, select, or otherwise directly manipulate graphical objects to indicate choices

input from other applications that generate text and send it to the automated assistant, including email, text messaging, or other text communication platforms

By performing active input elicitation, assistant **1002** is able to disambiguate intent at an early phase of input processing. For example, in an embodiment where input is provided by speech, the waveform might be sent to a server **1340** where words are extracted, and semantic interpretation performed. The results of such semantic interpretation can then be used to drive active input elicitation, which may offer the user alternative candidate words to choose among based on their degree of semantic fit as well as phonetic match.

In at least one embodiment, active input elicitation component(s) **1094** actively, automatically, and dynamically guide the user toward inputs that may be acted upon by one or more of the services offered by embodiments of assistant **1002**. Referring now to FIG. 10, there is shown a flow diagram depicting a method of operation for active input elicitation component(s) **1094** according to one embodiment.

The procedure begins **20**. In step **21**, assistant **1002** may offer interfaces on one or more input channels. For example, a user interface may offer the user options to speak or type or tap at any stage of a conversational interaction. In step **22**, the user selects an input channel by initiating input on one modality, such as pressing a button to start recording speech or to bring up an interface for typing.

In at least one embodiment, assistant **1002** offers default suggestions for the selected modality **23**. That is, it offers options **24** that are relevant in the current context prior to the user entering any input on that modality. For example, in a text input modality, assistant **1002** might offer a list of common words that would begin textual requests or commands such as, for example, one or more of the following (or combinations thereof): imperative verbs (e.g., find, buy, reserve, get, call, check, schedule, and the like), nouns (e.g., restaurants, movies, events, businesses, and the like), or menu-like options naming domains of discourse (e.g., weather, sports, news, and the like).

If the user selects one of the default options in **25**, and a preference to autosubmit **30** is set, the procedure may return immediately. This is similar to the operation of a conventional menu selection.

However, the initial option may be taken as a partial input, or the user may have started to enter a partial input **26**. At any point of input, in at least one embodiment, the user may choose to indicate that the partial input is complete **22**, which causes the procedure to return.

In **28**, the latest input, whether selected or entered, is added to the cumulative input.

In **29**, the system suggestions next possible inputs that are relevant given the current input and other sources of constraints on what constitutes relevant and/or meaningful input.

In at least one embodiment, the sources of constraints on user input (for example, which are used in steps **23** and **29**) are one or more of the various models and data sources that may be included in assistant **1002**, which may include, but are not limited to, one or more of the following (or combinations thereof):

Vocabulary **1058**. For example, words or phrases that match the current input may be suggested. In at least

one embodiment, vocabulary may be associated with any or one or more nodes of active ontologies, domain models, task models, dialog models, and/or service models.

Domain models **1056**, which may constrain the inputs that may instantiate or otherwise be consistent with the domain model. For example, in at least one embodiment, domain models **1056** may be used to suggest concepts, relations, properties, and/or instances that would be consistent with the current input.

Language pattern recognizers **1060**, which may be used to recognize idioms, phrases, grammatical constructs, or other patterns in the current input and be used to suggest completions that fill out the pattern.

Domain entity databases **1072**, which may be used to suggest possible entities in the domain that match the input (e.g., business names, movie names, event names, and the like).

Short term memory **1052**, which may be used to match any prior input or portion of prior input, and/or any other property or fact about the history of interaction with a user. For example, partial input may be matched against cities that the user has encountered in a session, whether hypothetically (e.g., mentioned in queries) and/or physically (e.g., as determined from location sensors).

In at least one embodiment, semantic paraphrases of recent inputs, request, or results may be matched against the current input. For example, if the user had previously request "live music" and obtained concert listing, and then typed "music" in an active input elicitation environment, suggestions may include "live music" and/or "concerts".

Long term personal memory **1054**, which may be used to suggest matching items from long term memory. Such matching items may include, for example, one or more or any combination of: domain entities that are saved (e.g., "favorite" restaurants, movies, theaters, venues, and the like), to-do items, list items, calendar entries, people names in contacts/address books, street or city names mentioned in contact/address books, and the like.

Task flow models **1086**, which may be used to suggest inputs based on the next possible steps of in a task flow.

Dialog flow models **1087**, which may be used to suggest inputs based on the next possible steps of in a dialog flow.

Service capability models **1088**, which may be used to suggest possible services to employ, by name, category, capability, or any other property in the model. For example, a user may type part of the name of a preferred review site, and assistant **1002** may suggest a complete command for querying that review site for review.

In at least one embodiment, active input elicitation component(s) **1094** present to the user a conversational interface, for example, an interface in which the user and assistant communicate by making utterances back and forth in a conversational manner. Active input elicitation component(s) **1094** may be operable to perform and/or implement various types of conversational interfaces.

In at least one embodiment, active input elicitation component(s) **1094** may be operable to perform and/or implement various types of conversational interfaces in which assistant **1002** uses plies of the conversation to prompt for information from the user according to dialog models. Dialog models may represent a procedure for executing a

dialog, such as, for example, a series of steps required to elicit the information needed to perform a service.

In at least one embodiment, active input elicitation component(s) **1094** offer constraints and guidance to the user in real time, while the user is in the midst of typing, speaking, or otherwise creating input. For example, active elicitation may guide the user to type text inputs that are recognizable by an embodiment of assistant **1002** and/or that may be serviced by one or more services offered by embodiments of assistant **1002**. This is an advantage over passively waiting for unconstrained input from a user because it enables the user's efforts to be focused on inputs that may or might be useful, and/or it enables embodiments of assistant **1002** to apply its interpretations of the input in real time as the user is inputting it.

At least a portion of the functions, operations, actions, and/or other features of active input elicitation described herein may be implemented, at least in part, using various methods and apparatuses described in U.S. patent application Ser. No. 11/518,292 for "Method and Apparatus for Building an Intelligent Automated Assistant", filed Sep. 8, 2006.

According to specific embodiments, multiple instances or threads of active input elicitation component(s) **1094** may be concurrently implemented and/or initiated via the use of one or more processors **63** and/or other combinations of hardware and/or hardware and software.

According to different embodiments, one or more different threads or instances of active input elicitation component(s) **1094** may be initiated in response to detection of one or more conditions or events satisfying one or more different types of minimum threshold criteria for triggering initiation of at least one instance of active input elicitation component(s) **1094**. Various examples of conditions or events which may trigger initiation and/or implementation of one or more different threads or instances of active input elicitation component(s) **1094** may include, but are not limited to, one or more of the following (or combinations thereof):

Start of user session. For example, when the user session starts up an application that is an embodiment of assistant **1002**, the interface may offer the opportunity for the user to initiate input, for example, by pressing a button to initiate a speech input system or clicking on a text field to initiate a text input session.

User input detected.

When assistant **1002** explicitly prompts the user for input, as when it requests a response to a question or offers a menu of next steps from which to choose.

When assistant **1002** is helping the user perform a transaction and is gathering data for that transaction, e.g., filling in a form.

In at least one embodiment, a given instance of active input elicitation component(s) **1094** may access and/or utilize information from one or more associated databases. In at least one embodiment, at least a portion of the database information may be accessed via communication with one or more local and/or remote memory devices. Examples of different types of data which may be accessed by active input elicitation component(s) **1094** may include, but are not limited to, one or more of the following (or combinations thereof):

database of possible words to use in a textual input;  
grammar of possible phrases to use in a textual input utterance;

database of possible interpretations of speech input;  
database of previous inputs from a user or from other users;



data from any of the various models and data sources that may be part of embodiments of assistant **1002**, which may include, but are not limited to, one or more of the following (or combinations thereof):

Domain models **1056**;  
 Vocabulary **1058**;  
 Language pattern recognizers **1060**;  
 Domain entity databases **1072**;  
 Short term memory **1052**;  
 Long term personal memory **1054**;  
 Task flow models **1086**;  
 Dialog flow models **1087**;  
 Service capability models **1088**.

According to different embodiments, active input elicitation component(s) **1094** may apply active elicitation procedures to, for example, one or more of the following (or combinations thereof):

typed input;  
 speech input;  
 input from graphical user interfaces (GUIs), including gestures;  
 input from suggestions offered in a dialog; and  
 events from the computational and/or sensed environments.

#### Active Typed Input Elicitation

Referring now to FIG. **11**, there is shown a flow diagram depicting a method for active typed input elicitation according to one embodiment.

The method begins **110**. Assistant **1002** receives **111** partial text input, for example via input device **1206**. Partial text input may include, for example, the characters that have been typed so far in a text input field. At any time, a user may indicate that the typed input is complete **112**, as, for example, by pressing an Enter key. If not complete, a suggestion generator generates **114** candidate suggestions **116**. These suggestions may be syntactic, semantic, and/or other kinds of suggestion based any of the sources of information or constraints described herein. If the suggestion is selected **118**, the input is transformed **117** to include the selected suggestion.

In at least one embodiment, the suggestions may include extensions to the current input. For example, a suggestion for “rest” may be “restaurants.”

In at least one embodiment, the suggestions may include replacements of parts of the current input. For example, a suggestion for “rest” may be “places to eat”.

In at least one embodiment, the suggestions may include replacing and rephrasing of parts of the current input. For example, if the current input is “find restaurants of style” a suggestion may be “italian” and when the suggestion is chosen, the entire input may be rewritten as “find Italian restaurants”.

In at least one embodiment, the resulting input that is returned is annotated **119**, so that information about which choices were made in **118** is preserved along with the textual input. This enables, for example, the semantic concepts or entities underlying a string to be associated with the string when it is returned, which improves accuracy of subsequent language interpretation.

Referring now to FIGS. **12** to **21**, there are shown screen shots illustrating some portions of some of the procedures for active typed-input elicitation according to one embodiment. The screen shots depict an example of an embodiment of assistant **1002** as implemented on a smartphone such as the iPhone available from Apple Inc. of Cupertino, Calif.

Input is provided to such device via a touch screen, including on-screen keyboard functionality. One skilled in the art will recognize that the screen shots depict an embodiment that is merely exemplary, and that the techniques of the present invention can be implemented on other devices and using other layouts and arrangements.

In FIG. **12**, screen **1201** includes a top-level set of suggestions **1202** shown when no input has been provided in field **1203**. This corresponds to no-input step **23** of FIG. **10** applied to step **114** of FIG. **11** where there is no input.

In FIG. **13**, screen **1301** depicts an example of the use of vocabulary to offer suggested completions **1303** of partial user input **1305** entered in field **1203** using on-screen keyboard **1304**. These suggested completions **1303** may be part of the function of active input elicitation **1094**. The user has entered partial user input **1305** including the string “comm.” Vocabulary component **1058** has provided a mapping of this string into three different kinds of instances, which are listed as suggested completions **1303**: the phrase “community & local events” is a category of the events domain; “chambers of commerce” is a category of the local business search domain, and “Jewish Community Center” is the name of an instance of local businesses. Vocabulary component **1058** may provide the data lookup and management of name spaces like these. The user can tap Go button **1306** to indicate that he or she has finished entering input; this causes assistant **1002** to proceed with the completed text string as a unit of user input.

In FIG. **14**, screen **1401** depicts an example in which suggested semantic completions **1303** for a partial string “wh” **1305** include entire phrases with typed parameters. These kinds of suggestions may be enabled by the use of one or more of the various models and sources of input constraints described herein. For example, in one embodiment shown in FIG. **14**, “what is happening in city” is an active elicitation of the location parameter of the Local Events domain; “where is business name” is an active elicitation of the Business Name constraint of the Local Business Search domain; “what is showing at the venue name” is an active elicitation of the Venue Name constraint of the Local Events domain; and “what is playing at the movie theater” is an active elicitation of the Movie Theater Name constraint of the Local Events domain. These examples illustrate that the suggested completions are generated by models rather than simply drawn from a database of previously entered queries.

In FIG. **15**, screen **1501** depicts a continuation of the same example, after the user has entered additional text **1305** in field **1203**. Suggested completions **1303** are updated to match the additional text **1305**. In this example, data from a domain entity database **1072** were used: venues whose name starts with “f.” Note that this is a significantly smaller and more semantically relevant set of suggestions than all words that begin with “f.” Again, the suggestions are generated by applying a model, in this case the domain model that represents Local Events as happening at Venues, which are Businesses with Names. The suggestions actively elicit inputs that would make potentially meaningful entries when using a Local Events service.

In FIG. **16**, screen **1601** depicts a continuation of the same example, after the user has selected one of suggested completions **1303**. Active elicitation continues by prompting the user to further specify the type of information desired, here by presenting a number of specifiers **1602** from which the user can select. In this example, these specifiers are generated by the domain, task flow, and dialog flow models. The Domain is Local Events, which includes Categories of events that happen on Dates in Locations and have Event

Names and Feature Performers. In this embodiment, the fact that these five options are offered to the user is generated from the Dialog Flow model that indicates that users should be asked for Constraints that they have not yet entered and from the Service Model that indicates that these five Constraints are parameters to Local Event services available to the assistant. Even the choice of preferred phrases to use as specifiers, such as “by category” and “featured”, are generated from the Domain Vocabulary databases.

In FIG. 17, screen 1701 depicts a continuation of the same example, after the user has selected one of specifiers 1602.

In FIG. 18, screen 1801 depicts a continuation of the same example, wherein the selected specifier 1602 has been added to field 1203, and additional specifiers 1602 are presented. The user can select one of specifiers 1602 and/or provide additional text input via keyboard 1304.

In FIG. 19, screen 1901 depicts a continuation of the same example, wherein the selected specifier 1602 has been added to field 1203, and yet more specifiers 1602 are presented. In this example, previously entered constraints are not actively elicited redundantly.

In FIG. 20, screen 2001 depicts a continuation of the same example, wherein the user has tapped the Go button 1306. The user’s input is shown in box 2002, and a message is shown in box 2003, providing feedback to the user as to the query being performed in response to the user’s input.

In FIG. 21, screen 2101 depicts a continuation of the same example, wherein results have been found. Message is shown in box 2102. Results 2103, including input elements allowing the user to view further details, save the identified event, buy tickets, add notes, or the like.

In one screen 2101, and other displayed screens, are scrollable, allowing the user to scroll upwards to see screen 2001 or other previously presented screens, and to make changes to the query if desired.

#### Active Speech Input Elicitation

Referring now to FIG. 22, there is shown a flow diagram depicting a method for active input elicitation for voice or speech input according to one embodiment.

The method begins 221. Assistant 1002 receives 121 voice or speech input in the form of an auditory signal. A speech-to-text service 122 or processor generates a set of candidate text interpretations 124 of the auditory signal. In one embodiment, speech-to-text service 122 is implemented using, for example, Nuance Recognizer, available from Nuance Communications, Inc. of Burlington, Mass.

In one embodiment, assistant 1002 employs statistical language models to generate candidate text interpretations 124 of speech input 121.

In addition, in one embodiment, the statistical language models are tuned to look for words, names, and phrases that occur in the various models of assistant 1002 shown in FIG. 8. For example, in at least one embodiment the statistical language models are given words, names, and phrases from some or all of: domain models 1056 (e.g., words and phrases relating to restaurant and meal events), task flow models 1086 (e.g., words and phrases relating to planning an event), dialog flow models 1087 (e.g., words and phrases related to the constraints that are needed to gather the inputs for a restaurant reservation), domain entity databases 1072 (e.g., names of restaurants), vocabulary databases 1058 (e.g., names of cuisines), service models 1088 (e.g., names of service providers such as OpenTable), and/or any words, names, or phrases associated with any node of active ontology 1050.

In one embodiment, the statistical language models are also tuned to look for words, names, and phrases from long-term personal memory 1054. For example, statistical language models can be given text from to-do items, list items, personal notes, calendar entries, people names in contacts/address books, email addresses, street or city names mentioned in contact/address books, and the like.

A ranking component analyzes the candidate interpretations 124 and ranks 126 them according to how well they fit syntactic and/or semantic models of intelligent automated assistant 1002. Any sources of constraints on user input may be used. For example, in one embodiment, assistant 1002 may rank the output of the speech-to-text interpreter according to how well the interpretations parse in a syntactic and/or semantic sense, a domain model, task flow model, and/or dialog model, and/or the like: it evaluates how well various combinations of words in the text interpretations 124 would fit the concepts, relations, entities, and properties of active ontology 1050 and its associated models. For example, if speech-to-text service 122 generates the two candidate interpretations “italian food for lunch” and “italian shoes for lunch”, the ranking by semantic relevance 126 might rank “italian food for lunch” higher if it better matches the nodes assistant’s 1002 active ontology 1050 (e.g., the words “italian”, “food” and “lunch” all match nodes in ontology 1050 and they are all connected by relationships in ontology 1050, whereas the word “shoes” does not match ontology 1050 or matches a node that is not part of the dining out domain network).

In various embodiments, algorithms or procedures used by assistant 1002 for interpretation of text inputs, including any embodiment of the natural language processing procedure shown in FIG. 28, can be used to rank and score candidate text interpretations 124 generated by speech-to-text service 122.

In one embodiment, if ranking component 126 determines 128 that the highest-ranking speech interpretation from interpretations 124 ranks above a specified threshold, The highest-ranking interpretation may be automatically selected 130. If no interpretation ranks above a specified threshold, possible candidate interpretations of speech 134 are presented 132 to the user. The user can then select 136 among the displayed choices.

In various embodiments, user selection 136 among the displayed choices can be achieved by any mode of input, including for example any of the modes of multimodal input described in connection with FIG. 16. Such input modes include, without limitation, actively elicited typed input 2610, actively elicited speech input 2620, actively presented GUI for input 2640, and/or the like. In one embodiment, the user can select among candidate interpretations 134, for example by tapping or speaking. In the case of speaking, the possible interpretation of the new speech input is highly constrained by the small set of choices offered 134. For example, if offered “Did you mean italian food or italian shoes?” the user can just say “food” and the assistant can match this to the phrase “italian food” and not get it confused with other global interpretations of the input.

Whether input is automatically selected 130 or selected 136 by the user, the resulting input 138 is returned. In at least one embodiment, the returned input is annotated 138, so that information about which choices were made in step 136 is preserved along with the textual input. This enables, for example, the semantic concepts or entities underlying a string to be associated with the string when it is returned, which improves accuracy of subsequent language interpretation. For example, if “Italian food” was offered as one of

the candidate interpretations **134** based on a semantic interpretation of Cuisine=ItalianFood, then the machine-readable semantic interpretation can be sent along with the user's selection of the string "Italian food" as annotated text input **138**.

In at least one embodiment, candidate text interpretations **124** are generated based on speech interpretations received as output of speech-to-text service **122**.

In at least one embodiment, candidate text interpretations **124** are generated by paraphrasing speech interpretations in terms of their semantic meaning. In some embodiments, there can be multiple paraphrases of the same speech interpretation, offering different word sense or homonym alternatives. For example, if speech-to-text service **122** indicates "place for meet", the candidate interpretations presented to the user could be paraphrased as "place to meet (local businesses)" and "place for meat (restaurants)".

In at least one embodiment, candidate text interpretations **124** include offers to correct substrings.

In at least one embodiment, candidate text interpretations **124** include offers to correct substrings of candidate interpretations using syntactic and semantic analysis as described herein.

In at least one embodiment, when the user selects a candidate interpretation, it is returned.

In at least one embodiment, the user is offered an interface to edit the interpretation before it is returned.

In at least one embodiment, the user is offered an interface to continue with more voice input before input is returned. This enables one to incrementally build up an input utterance, getting syntactic and semantic connections, suggestions, and guidance at one iteration.

In at least one embodiment, the user is offered an interface to proceed directly from **136** to step **111** of a method of active typed input elicitation (described above in connection with FIG. **11**). This enables one to interleave typed and spoken input, getting syntactic and semantic corrections, suggestions, and guidance at one step.

In at least one embodiment, the user is offered an interface to proceed directly from step **111** of an embodiment of active typed input elicitation to an embodiment of active speech input elicitation. This enables one to interleave typed and spoken input, getting syntactic and semantic corrections, suggestions, and guidance at one step.

#### Active GUI-Based Input Elicitation

Referring now to FIG. **23**, there is shown a flow diagram depicting a method for active input elicitation for GUI-based input according to one embodiment.

The method begins **140**. Assistant **1002** presents **141** graphical user interface (GUI) on output device **1207**, which may include, for example, links and buttons. The user interacts **142** with at least one GUI element. Data **144** is received, and converted **146** to a uniform format. The converted data is then returned.

In at least one embodiment, some of the elements of the GUI are generated dynamically from the models of the active ontology, rather than written into a computer program. For example, assistant **1002** can offer a set of constraints to guide a restaurant reservation service as regions for tapping on a screen, with each region representing the name of the constraint and/or a value. For instance, the screen could have rows of a dynamically generated GUI layout with regions for the constraints Cuisine, Location, and Price Range. If the models of the active ontology change, the GUI screen would automatically change without reprogramming.

#### Active Dialog Suggestion Input Elicitation

FIG. **24** is a flow diagram depicting a method for active input elicitation at the level of a dialog flow according to one

embodiment. Assistant **1002** suggests **151** possible responses **152**. The user selects **154** a suggested response. The received input is converted **154** to a uniform format. The converted data is then returned.

In at least one embodiment, the suggestions offered in step **151** are offered as follow-up steps in a dialog and/or task flow.

In at least one embodiment, the suggestions offer options to refine a query, for example using parameters from a domain and/or task model. For example, one may be offered to change the assumed location or time of a request.

In at least one embodiment, the suggestions offer options to choose among ambiguous alternative interpretations given by a language interpretation procedure or component.

In at least one embodiment, the suggestions offer options to choose among ambiguous alternative interpretations given by a language interpretation procedure or component.

In at least one embodiment, the suggestions offer options to choose among next steps in a workflow associated dialog flow model **1087**. For example, dialog flow model **1087** may suggest that after gathering the constrained for one domain (e.g., restaurant dining), assistant **1002** should suggest other related domains (e.g., a movie nearby).

#### Active Monitoring for Relevant Events

In at least one embodiment, asynchronous events may be treated as inputs in an analogous manner to the other modalities of active elicited input. Thus, such events may be provided as inputs to assistant **1002**. Once interpreted, such events can be treated in a manner similar to any other input.

For example, a flight status change may initiate an alert notification to be sent to a user. If a flight is indicated as being late, assistant **1002** may continue the dialog by presenting alternative flights, making other suggestions, and the like, based on the detected event.

Such events can be of any type. For example, assistant **1002** might detect that the user just got home, or is lost (off a specified route), or that a stock price hit a threshold value, or that a television show the user is interested in is starting, or that a musician of interest is touring in the area. In any of these situations, assistant **1002** can proceed with a dialog in substantially the same manner as if the user had him- or herself initiated the inquiry. In one embodiment, events can even be based on data provided from other devices, for example to tell the user when a coworker has returned from lunch (the coworker's device can signal such an event to the user's device, at which time assistant **1002** installed on the user's device responds accordingly).

In one embodiment, the events can be notifications or alerts from a calendar, clock, reminder, or to-do application. For example, an alert from a calendar application about a dinner date can initiate a dialog with assistant **1002** about the dining event. The dialog can proceed as if the user had just spoken or typed the information about the upcoming dinner event, such as "dinner for 2 in San Francisco".

In one embodiment, the context of possible event trigger **162** can include information about people, places, times, and other data. These data can be used as part of the input to assistant **1002** to use in various steps of processing.

In one embodiment, these data from the context of event trigger **162** can be used to disambiguate speech or text inputs from the user. For example, if a calendar event alert includes the name of a person invited to the event, that information can help disambiguate input which might match several people with the same or similar name.

Referring now to FIG. **25**, there is shown a flow diagram depicting a method for active monitoring for relevant events according to one embodiment. In this example, event trigger events are sets of input **162**. Assistant **1002** monitors **161** for such events. Detected events may be filtered and sorted **164**

for semantic relevance using models, data and information available from other components in intelligent automated assistant **1002**. For example, an event that reports a change in flight status may be given higher relevance if the short-term or long-term memory records for a user indicate that the user is on that flight and/or have made inquiries about it to assistant **1002**. This sorting and filtering may then present only the top events for review by the user, who may then choose to pick one or more and act on them.

Event data is converted **166** to a uniform input format, and returned.

In at least one embodiment, assistant **1002** may proactively offer services associated with events that were suggested for user attention. For example, if a flight status alert indicates a flight may be missed, assistant **1002** may suggest to the user a task flow for replanning the itinerary or booking a hotel.

Input Elicitation Component(s) Example

The following example is intended to help illustrate some of the various types of functions, operations, actions, and/or other features which may be provided by active input elicitation component(s) **1094**. Example: Command completion (what can the user say to assistant **1002**?)

The user is facing a text input box with the general instruction to enter “what do you want to do?” Depending on the context and the user input, any of several system responses are provided. Examples are shown below

User Input	System Response	Comment
Case: Null input		
With an empty field and no dialog context, type a question or space character, or enter nothing for some period of time.	Find restaurants, hotels, movies, . . . Book a table, a room, a seat, . . . Order food, flowers, . . . Buy a ticket, a book, a DVD, . . . Schedule a meeting, an event, . . . Remember to a thing to do . . . Explain results	Black text would be inserted into the input field. Italicized text would be the follow-up suggestions once the text was inserted.
Case: First word input		
With empty dialog context If the user types the first letter of any command, it is suggested. For example F	Find restaurants, hotels, movies, . . .	Black text would be inserted into the input field. Italicized text would be the follow-up suggestions once the text was inserted
Case: Key word input		
With empty dialog context If the user types the first two letters of any keyword, it is suggested as well as command. For example F_	Remember to a thing, to do . . . Find restaurants by location, cuisine,	Black text would be inserted into the input field. Italicized text would be the follow-up suggestions once the text was inserted.
Case: Prompting for arguments		
The user has entered or selected a “command” verb	restaurants by location, cuisine, . . . hotels by location,	Offer not only the selection class but advertise the con-

-continued

User Input	System Response	Comment
5 and nothing else. For example Find_	availability, . . . movies by location, genre, . . . name of place	straint options. Note that name of place is a just a prompt, and would not insert text.
Case: Suggesting criteria		
10 The user has already entered enough to establish a task and domain, and now is prompted for constraints in order.	in city, zip code near home, office, place name named restaurant name	Black text would be inserted into the input field. Italicized text would be the follow-up suggestions once the text was inserted.
15 find restaurants_	Case: Adding Criteria	
20 The user has said “in” and now is prompted for locations Find restaurants in_	in city, zip code Palo Alto, CA Menlo Park, CA	Until they enter the next word, the suggestions are a prompt for what kind of thing to type. The Places are cities from personal memory.. The Places are none or more places from personal memory
25 Find restaurants near_	my home my work Palo Alto, CA Menlo Park, CA	
Case: Adding location or other constraints		
30 Find restaurants in Palo Alto_  Find restaurants in Palo Alto with availability_	romantic_	Prompt for other constraints The 7:00 and 9:00 are our suggestions based on current time
35	35 serving food type or cuisine with availability tonight, tomorrow, . . . described as romantic, good service tonight tomorrow at 7 pm at 9 pm other time or date	Case: Starting from constraint, unknown task or domain
40	40 restaurants by location, cuisine, . . . hotels by location, availability, . . . movies by location, genre, . . .	Constraint value from ontology tells you which selection classes to use
45	45 comedy_  movies by location, genre, . . . events by location, . . . clubs by location	“comedy” is a constraint value for genre in movies, a genre in events, and “comedy clubs” is a local directory business category
Example: Name Completion		
55	55	Here, the user has typed some text without accepting any of the commands, or he or she is just extending a command with an entity name. The system may attempt to complete the names, depending on context. It also disambiguates the domain.
Case: words without context		
60	60 User Input	System Response
Case: words without context		
65 il for	Il Fornaio (restaurant)	May require entity name lookup
	Ill Forgotten Gains (movie)	Notice multi-word completion Show domain as a suggestion.

-continued

Case: words without context		
User Input	System Response	Comment
tom cruise	movies	May require entity name lookup
romantic	movies restaurants	Based on ontology only
Case: name with context		
Find restaurants il for	Il Fornaio (restaurant)	May require entity name lookup Uses selection class and location context from current and past queries to constrain completion. Show domain as a suggestion.
tom cruise	movies	May require entity name lookup
Find movies rom	romantic Roman Holiday (movie)	Based on ontology only
g-rated	movies	

Example: Choosing Values from a Set

Here, the user is responding to a system request to enter a value for a specific parameter, such as location, time, cuisine, or genre. The user may either select from a list or enter a value. As she types, matching items from the list are shown as options. Examples are shown below.

Case: valueless selection		
User Input	System Response	Comment
Restaurants serving	burgers Ice cream Hot dogs	User may type anything else and doesn't have to pick from the menu
Restaurants serving h	Hamburgers Hot dogs Hot sauce	
Movies playing	today tonight Friday night	

Example: Reusing Previous Commands

Previous queries are also options to complete on in an autocomplete interface. They may be just matched as strings (when the input field is empty and there are no known constraints) or they may be suggested as relevant when in certain situations.

Case: completion on previous queries		
User Input	System Response	Comment
Intel	Italian restaurants (normal completion) Films starring Italian actors (recent query)	Using string matching to retrieve previous queries
Lunch	lunch places in marin (recent query) buy the book naked lunch	

Example: Retrieving Personal Memory Items

Assistant **1002** may remember certain events and/or entities in personal memory associated with the user. Autocomplete can be performed based on such remembered items. Examples appear below.

Case: Completion on Events and Entities in Personal Memory

User Input	System Response	Comment
Mary	lunch with Mary on Saturday (from My Events)	
Lunch	film called "Something about <u>Mary</u> " lunch with Mary on Saturday (from My Events)	
Hob	buy the book naked lunch (from My Todos) Hobee's Restaurant in Palo Alto (from My Restaurants)	

Multimodal Active Input Elicitation

In at least one embodiment, active input elicitation component(s) **1094** may process input from a plurality of input modalities. At least one modality might be implemented with an active input elicitation procedure that takes advantages of the particular kinds of inputs and methods for selecting from suggested options. A described herein, they may be embodiments of procedures for active input elicitation for text input, speech input, GUI-based input, input in the context of a dialog, and/or input resulting from event triggers.

In at least one embodiment, for a single instance of intelligent automated assistant **1002**, there may be support for one or more (or any combination of) typed input, speech input, GUI input, dialog input, and/or event input.

Referring now to FIG. **26**, there is shown a flow diagram depicting a method for multimodal active input elicitation according to one embodiment. The method begins **100**. Inputs may be received concurrently from one or more or any combination of the input modalities, in any sequence. Thus, the method includes actively eliciting typed input **2610**, speech input **2620**, GUI-based input **2640**, input in the context of a dialog **2650**, and/or input resulting from event triggers **2660**. Any or all of these input sources are unified into unified input format **2690** and returned. Unified input format **2690** enables the other components of intelligent automated assistant **1002** to be designed and to operate independently of the particular modality of the input.

Offering active guidance for multiple modalities and levels enables constraint and guidance on the input beyond those available to isolated modalities. For example, the kinds of suggestions offered to choose among speech, text, and dialog steps are independent, so their combination is a significant improvement over adding active elicitation techniques to individual modalities or levels.

Combining multiple sources of constraints as described herein (syntactic/linguistic, vocabulary, entity databases, domain models, task models, service models, and the like) and multiple places where these constraints may be actively applied (speech, text, GUI, dialog, and asynchronous events) provides a new level of functionality for human-machine interaction.

## Domain Models Component(s) 1056

Domain models 1056 component(s) include representations of the concepts, entities, relations, properties, and instances of a domain. For example, dining out domain model 1622 might include the concept of a restaurant as a business with a name and an address and phone number, the concept of a meal event with a party size and date and time associated with the restaurant.

In at least one embodiment, domain models component(s) 1056 of assistant 1002 may be operable to perform and/or implement various types of functions, operations, actions, and/or other features such as, for example, one or more of the following (or combinations thereof):

Domain model component(s) 1056 may be used by automated assistant 1002 for several processes, including: eliciting input 100, interpreting natural language 200, dispatching to services 400, and generating output 600.

Domain model component(s) 1056 may provide lists of words that might match a domain concept or entity, such as names of restaurants, which may be used for active elicitation of input 100 and natural language processing 200.

Domain model component(s) 1056 may classify candidate words in processes, for instance, to determine that a word is the name of a restaurant.

Domain model component(s) 1056 may show the relationship between partial information for interpreting natural language, for example that cuisine may be associated with business entities (e.g., “local Mexican food” may be interpreted as “find restaurants with style=Mexican”, and this inference is possible because of the information in domain model 1056).

Domain model component(s) 1056 may organize information about services used in service orchestration 1082, for example, that a particular web service may provide reviews of restaurants.

Domain model component(s) 1056 may provide the information for generating natural language paraphrases and other output formatting, for example, by providing canonical ways of describing concepts, relations, properties and instances.

According to specific embodiments, multiple instances or threads of the domain models component(s) 1056 may be concurrently implemented and/or initiated via the use of one or more processors 63 and/or other combinations of hardware and/or hardware and software. For example, in at least some embodiments, various aspects, features, and/or functionalities of domain models component(s) 1056 may be performed, implemented and/or initiated by one or more of the following types of systems, components, systems, devices, procedures, processes, and the like (or combinations thereof):

Domain models component(s) 1056 may be implemented as data structures that represent concepts, relations, properties, and instances. These data structures may be stored in memory, files, or databases.

Access to domain model component(s) 1056 may be implemented through direct APIs, network APIs, database query interfaces, and/or the like.

Creation and maintenance of domain models component(s) 1056 may be achieved, for example, via direct editing of files, database transactions, and/or through the use of domain model editing tools.

Domain models component(s) 1056 may be implemented as part of or in association with active ontologies 1050, which combine models with instantiations of the models for servers and users.

According to various embodiments, one or more different threads or instances of domain models component(s) 1056 may be initiated in response to detection of one or more conditions or events satisfying one or more different types of minimum threshold criteria for triggering initiation of at least one instance of domain models component(s) 1056. For example, trigger initiation and/or implementation of one or more different threads or instances of domain models component(s) 1056 may be triggered when domain model information is required, including during input elicitation, input interpretation, task and domain identification, natural language processing, service orchestration, and/or formatting output for users.

In at least one embodiment, a given instance of domain models component(s) 1056 may access and/or utilize information from one or more associated databases. In at least one embodiment, at least a portion of the database information may be accessed via communication with one or more local and/or remote memory devices. For example, data from domain model component(s) 1056 may be associated with other model modeling components including vocabulary 1058, language pattern recognizers 1060, dialog flow models 1087, task flow models 1086, service capability models 1088, domain entity databases 1072, and the like. For example, businesses in domain entity databases 1072 that are classified as restaurants might be known by type identifiers which are maintained in the dining out domain model components.

## Domain Models Component(s) Example

Referring now to FIG. 27, there is shown a set of screen shots illustrating an example of various types of functions, operations, actions, and/or other features which may be provided by domain models component(s) 1056 according to one embodiment.

In at least one embodiment, domain models component(s) 1056 are the unifying data representation that enables the presentation of information shown in screens 103A and 103B about a restaurant, which combines data from several distinct data sources and services and which includes, for example: name, address, business categories, phone number, identifier for saving to long term personal memory, identifier for sharing over email, reviews from multiple sources, map coordinates, personal notes, and the like.

## Language Interpreter Component(s) 1070

In at least one embodiment, language interpreter component(s) 1070 of assistant 1002 may be operable to perform and/or implement various types of functions, operations, actions, and/or other features such as, for example, one or more of the following (or combinations thereof):

Analyze user input and identify a set of parse results.

User input can include any information from the user and his/her device context that can contribute to understanding the user’s intent, which can include, for example one or more of the following (or combinations thereof): sequences of words, the identity of gestures or GUI elements involved in eliciting the input, current context of the dialog, current device application and its current data objects, and/or any other personal dynamic data obtained about the user

such as location, time, and the like. For example, in one embodiment, user input is in the form of the uniform annotated input format **2690** resulting from active input elicitation **1094**.

Parse results are associations of data in the user input with concepts, relationships, properties, instances, and/or other nodes and/or data structures in models, databases, and/or other representations of user intent and/context. Parse result associations can be complex mappings from sets and sequences of words, signals, and other elements of user input to one or more associated concepts, relations, properties, instances, other nodes, and/or data structures described herein.

Analyze user input and identify a set of syntactic parse results, which are parse results that associate data in the user input with structures that represent syntactic parts of speech, clauses and phrases including multiword names, sentence structure, and/or other grammatical graph structures. Syntactic parse results are described in element **212** of natural language processing procedure described in connection with FIG. **28**.

Analyze user input and identify a set of semantic parse results, which are parse results that associate data in the user input with structures that represent concepts, relationships, properties, entities, quantities, propositions, and/or other representations of meaning and user intent. In one embodiment, these representations of meaning and intent are represented by sets of and/or elements of and/or instances of models or databases and/or nodes in ontologies, as described in element **220** of natural language processing procedure described in connection with FIG. **28**.

Disambiguate among alternative syntactic or semantic parse results as described in element **230** of natural language processing procedure described in connection with FIG. **28**.

Determine whether a partially typed input is syntactically and/or semantically meaningful in an autocomplete procedure such as one described in connection with FIG. **11**.

Help generate suggested completions **114** in an autocomplete procedure such as one described in connection with FIG. **11**.

Determine whether interpretations of spoken input are syntactically and/or semantically meaningful in a speech input procedure such as one described in connection with FIG. **22**.

According to specific embodiments, multiple instances or threads of language interpreter component(s) **1070** may be concurrently implemented and/or initiated via the use of one or more processors **63** and/or other combinations of hardware and/or hardware and software.

According to different embodiments, one or more different threads or instances of language interpreter component(s) **1070** may be initiated in response to detection of one or more conditions or events satisfying one or more different types of minimum threshold criteria for triggering initiation of at least one instance of language interpreter component(s) **1070**. Various examples of conditions or events which may trigger initiation and/or implementation of one or more different threads or instances of language interpreter component(s) **1070** may include, but are not limited to, one or more of the following (or combinations thereof):

while eliciting input, including but not limited to Suggesting possible completions of typed input **114** (FIG. **11**);

Ranking interpretations of speech **126** (FIG. **22**);

When offering ambiguities as suggested responses in dialog **152** (FIG. **24**);

when the result of eliciting input is available, including when input is elicited by any mode of active multi-modal input elicitation **100**.

In at least one embodiment, a given instance of language interpreter component(s) **1070** may access and/or utilize information from one or more associated databases. In at least one embodiment, at least a portion of such data-base information may be accessed via communication with one or more local and/or remote memory devices. Examples of different types of data which may be accessed by the Language Interpreter component(s) may include, but are not limited to, one or more of the following (or combinations thereof):

Domain models **1056**;

Vocabulary **1058**;

Domain entity databases **1072**;

Short term memory **1052**;

Long term personal memory **1054**;

Task flow models **1086**;

Dialog flow models **1087**;

Service capability models **1088**.

Referring now also to FIG. **29**, there is shown a screen shot illustrating natural language processing according to one embodiment. The user has entered (via voice or text) language input **2902** consisting of the phrase "who is playing this weekend at the fillmore." This phrase is echoed back to the user on screen **2901**. Language interpreter component(s) **1070** component process input **2902** and generates a parse result. The parse result associates that input with a request to show the local events that are scheduled for any of the upcoming weekend days at any event venue whose name matches "fillmore." A paraphrase of the parse results is shown as **2903** on screen **2901**.

Referring now also to FIG. **28**, there is shown a flow diagram depicting an example of a method for natural language processing according to one embodiment.

The method begins **200**. Language input **202** is received, such as the string "who is playing this weekend at the fillmore" in the example of FIG. **29**. In one embodiment, the input is augmented by current context information, such as the current user location and local time. In word/phrase matching **210**, language interpreter component(s) **1070** find associations between user input and concepts. In this example, associations are found between the string "playing" and the concept of listings at event venues; the string "this weekend" (along with the current local time of the user) and an instantiation of an approximate time period that represents the upcoming weekend; and the string "fillmore" with the name of a venue. Word/phrase matching **210** may use data from, for example, language pattern recognizers **1060**, vocabulary database **1058**, active ontology **1050**, short term personal memory **1052**, and long term personal memory **1054**.

Language interpreter component(s) **1070** generate candidate syntactic parses **212** which include the chosen parse result but may also include other parse results. For example, other parse results may include those wherein "playing" is associated with other domains such as games or with a category of event such as sporting events.

Short- and/or long-term memory **1052**, **1054** can also be used by language interpreter component(s) **1070** in generating candidate syntactic parses **212**. Thus, input that was

provided previously in the same session, and/or known information about the user, can be used, to improve performance, reduce ambiguity, and reinforce the conversational nature of the interaction. Data from active ontology **1050**, domain models **1056**, and task flow models **1086** can also be used, to implement evidential reasoning in determining valid candidate syntactic parses **212**.

In semantic matching **220**, language interpreter component(s) **1070** consider combinations of possible parse results according to how well they fit semantic models such as domain models and databases. In this case, the parse includes the associations (1) “playing” (a word in the user input) as “Local Event At Venue” (part of a domain model **1056** represented by a cluster of nodes in active ontology **1050**) and (2) “fillmore” (another word in the input) as a match to an entity name in a domain entity database **1072** for Local Event Venues, which is represented by a domain model element and active ontology node (Venue Name).

Semantic matching **220** may use data from, for example, active ontology **1050**, short term personal memory **1052**, and long term personal memory **1054**. For example, semantic matching **220** may use data from previous references to venues or local events in the dialog (from short term personal memory **1052**) or personal favorite venues (from long term personal memory **1054**).

A set of candidate, or potential, semantic parse results is generated **222**.

In disambiguation step **230**, language interpreter component(s) **1070** weigh the evidential strength of candidate semantic parse results **222**. In this example, the combination of the parse of “playing” as “Local Event At Venue” and the match of “fillmore” as a Venue Name is a stronger match to a domain model than alternative combinations where, for instance, “playing” is associated with a domain model for sports but there is no association in the sports domain for “fillmore”.

Disambiguation **230** may use data from, for example, the structure of active ontology **1050**. In at least one embodiment, the connections between nodes in an active ontology provide evidential support for disambiguating among candidate semantic parse results **222**. For example, in one embodiment, if three active ontology nodes are semantically matched and are all connected in active ontology **1050**, this indicates higher evidential strength of the semantic parse than if these matching nodes were not connected or connected by longer paths of connections in active ontology **1050**. For example, in one embodiment of semantic matching **220**, the parse that matches both local Event At Venue and Venue Name is given increased evidential support because the combined representations of these aspects of the user intent are connected by links and/or relations in active ontology **1050**: in this instance, the Local Event node is connected to the Venue node which is connected to the Venue Name node which is connected to the entity name in the database of venue names.

In at least one embodiment, the connections between nodes in an active ontology that provide evidential support for disambiguating among candidate semantic parse results **222** are directed arcs, forming an inference lattice, in which matching nodes provide evidence for nodes to which they are connected by directed arcs.

In **232**, language interpreter component(s) **1070** sort and select **232** the top semantic parses as the representation of user intent **290**.

#### Domain Entity Database(s) **1072**

In at least one embodiment, domain entity database(s) **1072** may be operable to perform and/or implement various

types of functions, operations, actions, and/or other features such as, for example, one or more of the following (or combinations thereof):

Store data about domain entities. Domain entities are things in the world or computing environment that may be modeled in domain models. Examples may include, but are not limited to, one or more of the following (or combinations thereof):

Businesses of any kind;

Movies, videos, songs and/or other musical products, and/or any other named entertainment products;

Products of any kind;

Events;

Calendar entries;

Cities, states, countries, neighborhoods, and/or other geographic, geopolitical, and/or geospatial points or regions;

Named places such as landmarks, airports, and the like;

Provide database services on these databases, including but not limited to simple and complex queries, transactions, triggered events, and the like.

According to specific embodiments, multiple instances or threads of domain entity database(s) **1072** may be concurrently implemented and/or initiated via the use of one or more processors **63** and/or other combinations of hardware and/or hardware and software. For example, in at least some embodiments, various aspects, features, and/or functionalities of domain entity database(s) **1072** may be performed, implemented and/or initiated by database software and/or hardware residing on client(s) **1304** and/or on server(s) **1340**.

One example of a domain entity database **1072** that can be used in connection with the present invention according to one embodiment is a database of one or more businesses storing, for example, their names and locations. The database might be used, for example, to look up words contained in an input request for matching businesses and/or to look up the location of a business whose name is known. One skilled in the art will recognize that many other arrangements and implementations are possible.

#### Vocabulary Component(s) **1058**

In at least one embodiment, vocabulary component(s) **1058** may be operable to perform and/or implement various types of functions, operations, actions, and/or other features such as, for example, one or more of the following (or combinations thereof):

Provide databases associating words and strings with concepts, properties, relations, or instances of domain models or task models;

Vocabulary from vocabulary components may be used by automated assistant **1002** for several processes, including for example: eliciting input, interpreting natural language, and generating output.

According to specific embodiments, multiple instances or threads of vocabulary component(s) **1058** may be concurrently implemented and/or initiated via the use of one or more processors **63** and/or other combinations of hardware and/or hardware and software. For example, in at least some embodiments, various aspects, features, and/or functionalities of vocabulary component(s) **1058** may be implemented as data structures that associate strings with the names of concepts, relations, properties, and instances. These data structures may be stored in memory, files, or databases. Access to vocabulary component(s) **1058** may be implemented through direct APIs, network APIs, and/or database



query interfaces. Creation and maintenance of vocabulary component(s) **1058** may be achieved via direct editing of files, database transactions, or through the use of domain model editing tools. Vocabulary component(s) **1058** may be implemented as part of or in association with active ontologies **1050**. One skilled in the art will recognize that many other arrangements and implementations are possible.

According to different embodiments, one or more different threads or instances of vocabulary component(s) **1058** may be initiated in response to detection of one or more conditions or events satisfying one or more different types of minimum threshold criteria for triggering initiation of at least one instance of vocabulary component(s) **1058**. In one embodiment, vocabulary component(s) **1058** are accessed whenever vocabulary information is required, including, for example, during input elicitation, input interpretation, and formatting output for users. One skilled in the art will recognize that other conditions or events may trigger initiation and/or implementation of one or more different threads or instances of vocabulary component(s) **1058**.

In at least one embodiment, a given instance of vocabulary component(s) **1058** may access and/or utilize information from one or more associated databases. In at least one embodiment, at least a portion of the database information may be accessed via communication with one or more local and/or remote memory devices. In one embodiment, vocabulary component(s) **1058** may access data from external databases, for instance, from a data warehouse or dictionary.

#### Language Pattern Recognizer Component(s) **1060**

In at least one embodiment, language pattern recognizer component(s) **1060** may be operable to perform and/or implement various types of functions, operations, actions, and/or other features such as, for example, looking for patterns in language or speech input that indicate grammatical, idiomatic, and/or other composites of input tokens. These patterns correspond to, for example, one or more of the following (or combinations thereof): words, names, phrases, data, parameters, commands, and/or signals of speech acts.

According to specific embodiments, multiple instances or threads of pattern recognizer component(s) **1060** may be concurrently implemented and/or initiated via the use of one or more processors **63** and/or other combinations of hardware and/or hardware and software. For example, in at least some embodiments, various aspects, features, and/or functionalities of language pattern recognizer component(s) **1060** may be performed, implemented and/or initiated by one or more files, databases, and/or programs containing expressions in a pattern matching language. In at least one embodiment, language pattern recognizer component(s) **1060** are represented declaratively, rather than as program code; this enables them to be created and maintained by editors and other tools other than programming tools. Examples of declarative representations may include, but are not limited to, one or more of the following (or combinations thereof): regular expressions, pattern matching rules, natural language grammars, parsers based on state machines and/or other parsing models.

One skilled in the art will recognize that other types of systems, components, systems, devices, procedures, processes, and the like (or combinations thereof) can be used for implementing language pattern recognizer component(s) **1060**.

According to different embodiments, one or more different threads or instances of language pattern recognizer component(s) **1060** may be initiated in response to detection of one or more conditions or events satisfying one or more different types of minimum threshold criteria for triggering initiation of at least one instance of language pattern recognizer component(s) **1060**. Various examples of conditions or events which may trigger initiation and/or implementation of one or more different threads or instances of language pattern recognizer component(s) **1060** may include, but are not limited to, one or more of the following (or combinations thereof):

- during active elicitation of input, in which the structure of the language pattern recognizers may constrain and guide the input from the user;
- during natural language processing, in which the language pattern recognizers help interpret input as language;
- during the identification of tasks and dialogs, in which the language pattern recognizers may help identify tasks, dialogs, and/or steps therein.

In at least one embodiment, a given instance of language pattern recognizer component(s) **1060** may access and/or utilize information from one or more associated databases. In at least one embodiment, at least a portion of the database information may be accessed via communication with one or more local and/or remote memory devices. Examples of different types of data which may be accessed by language pattern recognizer component(s) **1060** may include, but are not limited to, data from any of the models various models and data sources that may be part of embodiments of assistant **1002**, which may include, but are not limited to, one or more of the following (or combinations thereof):

- Domain models **1056**;
- Vocabulary **1058**;
- Domain entity databases **1072**;
- Short term memory **1052**;
- Long term personal memory **1054**;
- Task flow models **1086**;
- Dialog flow models **1087**;
- Service capability models **1088**.

In one embodiment, access of data from other parts of embodiments of assistant **1002** may be coordinated by active ontologies **1050**.

Referring again to FIG. **14**, there is shown an example of some of the various types of functions, operations, actions, and/or other features which may be provided by language pattern recognizer component(s) **1060**. FIG. **14** illustrates language patterns that language pattern recognizer component(s) **1060** may recognize. For example, the idiom “what is happening” (in a city) may be associated with the task of event planning and the domain of local events.

#### Dialog Flow Processor Component(s) **1080**

In at least one embodiment, dialog flow processor component(s) **1080** may be operable to perform and/or implement various types of functions, operations, actions, and/or other features such as, for example, one or more of the following (or combinations thereof):

- Given a representation of the user intent **290** from language interpretation **200**, identify the task a user wants performed and/or a problem the user wants solved. For example, a task might be to find a restaurant.

For a given problem or task, given a representation of user intent **290**, identify parameters to the task or problem. For example, the user might be looking for a recommended restaurant that serves Italian food near the

user's home. The constraints that a restaurant be recommended, serving Italian food, and near home are parameters to the task of finding a restaurant.

Given the task interpretation and current dialog with the user, such as that which may be represented in personal short term memory **1052**, select an appropriate dialog flow model and determine a step in the flow model corresponding to the current state.

According to specific embodiments, multiple instances or threads of dialog flow processor component(s) **1080** may be concurrently implemented and/or initiated via the use of one or more processors **63** and/or other combinations of hardware and/or hardware and software.

In at least one embodiment, a given instance of dialog flow processor component(s) **1080** may access and/or utilize information from one or more associated databases. In at least one embodiment, at least a portion of the database information may be accessed via communication with one or more local and/or remote memory devices. Examples of different types of data which may be accessed by dialog flow processor component(s) **1080** may include, but are not limited to, one or more of the following (or combinations thereof):

- task flow models **1086**;
- domain models **1056**;
- dialog flow models **1087**.

Referring now to FIGS. **30** and **31**, there are shown screen shots illustrating an example of various types of functions, operations, actions, and/or other features which may be provided by dialog flow processor component(s) according to one embodiment.

As shown in screen **3001**, user requests a dinner reservation by providing speech or text input "book me a table for dinner." Assistant **1002** generates a prompt **3003** asking the user to specify time and party size.

Once these parameters have been provided, screen **3101** is shown. Assistant **1002** outputs a dialog box **3102** indicating that results are being presented, and a prompt **3103** asking the user to click a time. Listings **3104** are also displayed.

In one embodiment, such a dialog is implemented as follows. Dialog flow processor component(s) **1080** are given a representation of user intent from language interpreter component **1070** and determine that the appropriate response is to ask the user for information required to perform the next step in a task flow. In this case, the domain is restaurants, the task is getting a reservation, and the dialog step is to ask the user for information required to accomplish the next step in the task flow. This dialog step is exemplified by prompt **3003** of screen **3001**.

Referring now also to FIG. **32**, there is shown a flow diagram depicting a method of operation for dialog flow processor component(s) **1080** according to one embodiment. The flow diagram of FIG. **32** is described in connection with the example shown in FIGS. **30** and **31**.

The method begins **200**. Representation of user intent **290** is received. As described in connection with FIG. **28**, in one embodiment, representation of user intent **290** is a set of semantic parses. For the example shown in FIGS. **30** and **31**, the domain is restaurants, the verb is "book" associated with restaurant reservations, and the time parameter is the evening of the current day.

In **310**, dialog flow processor component(s) **1080** determine whether this interpretation of user intent is supported strongly enough to proceed, and/or if it is better supported than alternative ambiguous parses. In the current example, the interpretation is strongly supported, with no competing

ambiguous parses. If, on the other hand, there are competing ambiguities or sufficient uncertainty, then step **322** is performed, to set the dialog flow step so that the execution phase causes the dialog to output a prompt for more information from the user.

In **312**, the dialog flow processor component(s) **1080** determine the preferred interpretation of the semantic parse with other information to determine the task to perform and its parameters. Information may be obtained, for example, from domain models **1056**, task flow models **1086**, and/or dialog flow models **1087**, or any combination thereof. In the current example, the task is identified as getting a reservation, which involves both finding a place that is reservable and available, and effecting a transaction to reserve a table. Task parameters are the time constraint along with others that are inferred in step **312**.

In **320**, the task flow model is consulted to determine an appropriate next step. Information may be obtained, for example, from domain models **1056**, task flow models **1086**, and/or dialog flow models **1087**, or any combination thereof. In the example, it is determined that in this task flow the next step is to elicit missing parameters to an availability search for restaurants, resulting in prompt **3003** illustrated in FIG. **30**, requesting party size and time for a reservation.

As described above, FIG. **31** depicts screen **3101** is shown including dialog element **3102** that is presented after the user answers the request for the party size and reservation time. In one embodiment, screen **3101** is presented as the result of another iteration through an automated call and response procedure, as described in connection with FIG. **33**, which leads to another call to the dialog and flow procedure depicted in FIG. **32**. In this instantiation of the dialog and flow procedure, after receiving the user preferences, dialog flow processor component(s) **1080** determines a different task flow step in step **320**: to do an availability search. When request **390** is constructed, it includes the task parameters sufficient for dialog flow processor component(s) **1080** and services orchestration component(s) **1082** to dispatch to a restaurant booking service.

#### Dialog Flow Models Component(s) **1087**

In at least one embodiment, dialog flow models component(s) **1087** may be operable to provide dialog flow models, which represent the steps one takes in a particular kind of conversation between a user and intelligent automated assistant **1002**. For example, the dialog flow for the generic task of performing a transaction includes steps for getting the necessary data for the transaction and confirming the transaction parameters before committing it.

#### Task Flow Models Component(s) **1086**

In at least one embodiment, task flow models component(s) **1086** may be operable to provide task flow models, which represent the steps one takes to solve a problem or address a need. For example, the task flow for getting a dinner reservation involves finding a desirable restaurant, checking availability, and doing a transaction to get a reservation for a specific time with the restaurant.

According to specific embodiments, multiple instances or threads of task flow models component(s) **1086** may be concurrently implemented and/or initiated via the use of one or more processors **63** and/or other combinations of hardware and/or hardware and software. For example, in at least some embodiments, various aspects, features, and/or functionalities of task flow models component(s) **1086** may be

implemented as programs, state machines, or other ways of identifying an appropriate step in a flow graph.

In at least one embodiment, task flow models component(s) **1086** may use a task modeling framework called generic tasks. Generic tasks are abstractions that model the steps in a task and their required inputs and generated outputs, without being specific to domains. For example, a generic task for transactions might include steps for gathering data required for the transaction, executing the transaction, and outputting results of the transaction—all without reference to any particular transaction domain or service for implementing it. It might be instantiated for a domain such as shopping, but it is independent of the shopping domain and might equally well apply to domains of reserving, scheduling, and the like.

At least a portion of the functions, operations, actions, and/or other features associated with task flow models component(s) **1086** and/or procedure(s) described herein may be implemented, at least in part, using concepts, features, components, processes, and/or other aspects disclosed herein in connection with generic task modeling framework.

Additionally, at least a portion of the functions, operations, actions, and/or other features associated with task flow models component(s) **1086** and/or procedure(s) described herein may be implemented, at least in part, using concepts, features, components, processes, and/or other aspects relating to constrained selection tasks, as described herein. For example, one embodiment of generic tasks may be implemented using a constrained selection task model.

In at least one embodiment, a given instance of task flow models component(s) **1086** may access and/or utilize information from one or more associated databases. In at least one embodiment, at least a portion of the database information may be accessed via communication with one or more local and/or remote memory devices. Examples of different types of data which may be accessed by task flow models component(s) **1086** may include, but are not limited to, one or more of the following (or combinations thereof):

Domain models **1056**;

Vocabulary **1058**;

Domain entity databases **1072**;

Short term memory **1052**;

Long term personal memory **1054**;

Dialog flow models **1087**;

Service capability models **1088**.

Referring now to FIG. **34**, there is shown a flow diagram depicting an example of task flow for a constrained selection task **351** according to one embodiment.

Constrained selection is a kind of generic task in which the goal is to select some item from a set of items in the world based on a set of constraints. For example, a constrained selection task **351** may be instantiated for the domain of restaurants. Constrained selection task **351** starts by soliciting criteria and constraints from the user **352**. For example, the user might be interested in Asian food and may want a place to eat near his or her office.

In step **353**, assistant **1002** presents items that meet the stated criteria and constraints for the user to browse. In this example, it may be a list of restaurants and their properties which may be used to select among them.

In step **354**, the user is given an opportunity to refine criteria and constraints. For example, the user might refine the request by saying “near my office.” The system would then present a new set of results in step **353**.

Referring now also to FIG. **35**, there is shown an example of screen **3501** including list **3502** of items presented by constrained selection task **351** according to one embodiment.

In step **355**, the user can select among the matching items. Any of a number of follow-on tasks **359** may then be made available, such as for example book **356**, remember **357**, or share **358**. In various embodiments, follow-on tasks **359** can involve interaction with web-enabled services, and/or with functionality local to the device (such as setting a calendar appointment, making a telephone call, sending an email or text message, setting an alarm, and the like).

In the example of FIG. **35**, the user can select an item within list **3502** to see more details and to perform additional actions. Referring now also to FIG. **36**, there is shown an example of screen **3601** after the user has selected an item from list **3502**. Additional information and options corresponding to follow-on tasks **359** concerning the selected item are displayed.

In various embodiments, the flow steps may be offered to the user in any of several input modalities, including but not limited to any combination of explicit dialog prompts and GUI links.

#### Services Component(s) **1084**

Services component(s) **1084** represent the set of services that intelligent automated assistant **1002** might call on behalf of the user. Any service that can be called may be offered in a services component **1084**.

In at least one embodiment, services component(s) **1084** may be operable to perform and/or implement various types of functions, operations, actions, and/or other features such as, for example, one or more of the following (or combinations thereof):

Provide the functions over an API that would normally be provided by a web-based user interface to a service. For example, a review website might provide a service API that would return reviews of a given entity automatically when called by a program. The API offers to intelligent automated assistant **1002** the services that a human would otherwise obtain by operating the user interface of the website.

Provide the functions over an API that would normally be provided by a user interface to an application. For example, a calendar application might provide a service API that would return calendar entries automatically when called by a program. The API offers to intelligent automated assistant **1002** the services that a human would otherwise obtain by operating the user interface of the application. In one embodiment, assistant **1002** is able to initiate and control any of a number of different functions available on the device. For example, if assistant **1002** is installed on a smartphone, personal digital assistant, tablet computer, or other device, assistant **1002** can perform functions such as: initiate applications, make calls, send emails and/or text messages, add calendar events, set alarms, and the like. In one embodiment, such functions are activated using services component(s) **1084**.

Provide services that are not currently implemented in a user interface, but that are available through an API to assistant in larger tasks. For example, in one embodiment, an API to take a street address and return machine-readable geocoordinates might be used by assistant **1002** as a service component **1084** even if it has no direct user interface on the web or a device.

According to specific embodiments, multiple instances or threads of services component(s) **1084** may be concurrently implemented and/or initiated via the use of one or more processors **63** and/or other combinations of hardware and/or hardware and software. For example, in at least some embodiments, various aspects, features, and/or functionalities of services component(s) **1084** may be performed, implemented and/or initiated by one or more of the following types of systems, components, systems, devices, procedures, processes, and the like (or combinations thereof):

- implementation of an API exposed by a service, locally or remotely or any combination;

- inclusion of a database within automated assistant **1002** or a database service available to assistant **1002**.

For example, a website that offers users an interface for browsing movies might be used by an embodiment of intelligent automated assistant **1002** as a copy of the database used by the website. Services component(s) **1084** would then offer an internal API to the data, as if it were provided over a network API, even though the data is kept locally.

As another example, services component(s) **1084** for an intelligent automated assistant **1002** that helps with restaurant selection and meal planning might include any or all of the following set of services which are available from third parties over the network:

- a set of restaurant listing services which lists restaurants matching name, location, or other constraints;
- a set of restaurant rating services which return rankings for named restaurants;
- a set of restaurant reviews services which returns written reviews for named restaurants;
- a geocoding service to locate restaurants on a map;
- a reservation service that enables programmatic reservation of tables at restaurants.

#### Services Orchestration Component(s) **1082**

Services orchestration component(s) **1082** of intelligent automated assistant **1002** executes a service orchestration procedure.

In at least one embodiment, services orchestration component(s) **1082** may be operable to perform and/or implement various types of functions, operations, actions, and/or other features such as, for example, one or more of the following (or combinations thereof):

- Dynamically and automatically determine which services may meet the user's request and/or specified domain(s) and task(s);

- Dynamically and automatically call multiple services, in any combination of concurrent and sequential ordering;

- Dynamically and automatically transform task parameters and constraints to meet input requirements of service APIs;

- Dynamically and automatically monitor for and gather results from multiple services;

- Dynamically and automatically merge service results data from various services into to a unified result model;

- Orchestrate a plurality of services to meet the constraints of a request;

- Orchestrate a plurality of services to annotate an existing result set with auxiliary information;

- Output the result of calling a plurality of services in a uniform, service independent representation that unifies the results from the various services (for example, as a result of calling several restaurant services that

return lists of restaurants, merge the data on at least one restaurant from the several services, removing redundancy).

For example, in some situations, there may be several ways to accomplish a particular task. For example, user input such as "remind me to leave for my meeting across town at 2 pm" specifies an action that can be accomplished in at least three ways: set alarm clock; create a calendar event; or call a to-do manager. In one embodiment, services orchestration component(s) **1082** makes the determination as to which way to best satisfy the request.

Services orchestration component(s) **1082** can also make determinations as to which combination of several services would be best to invoke in order to perform a given overall task. For example, to find and reserve a table for dinner, services orchestration component(s) **1082** would make determinations as to which services to call in order to perform such functions as looking up reviews, getting availability, and making a reservation. Determination of which services to use may depend on any of a number of different factors. For example, in at least one embodiment, information about reliability, ability of service to handle certain types of requests, user feedback, and the like, can be used as factors in determining which service(s) is/are appropriate to invoke.

According to specific embodiments, multiple instances or threads of services orchestration component(s) **1082** may be concurrently implemented and/or initiated via the use of one or more processors and/or other combinations of hardware and/or hardware and software.

In at least one embodiment, a given instance of services orchestration component(s) **1082** may use explicit service capability models **1088** to represent the capabilities and other properties of external services, and reason about these capabilities and properties while achieving the features of services orchestration component(s) **1082**. This affords advantages over manually programming a set of services that may include, for example, one or more of the following (or combinations thereof):

- Ease of development;

- Robustness and reliability in execution;

- The ability to dynamically add and remove services without disrupting code;

- The ability to implement general distributed query optimization algorithms that are driven by the properties and capabilities rather than hard coded to specific services or APIs.

In at least one embodiment, a given instance of services orchestration component(s) **1082** may access and/or utilize information from one or more associated databases. In at least one embodiment, at least a portion of the database information may be accessed via communication with one or more local and/or remote memory devices. Examples of different types of data which may be accessed by services orchestration component(s) **1082** may include, but are not limited to, one or more of the following (or combinations thereof):

- Instantiations of domain models;

- Syntactic and semantic parses of natural language input;

- Instantiations of task models (with values for parameters);

- Dialog and task flow models and/or selected steps within them;

- Service capability models **1088**;

- Any other information available in an active ontology **1050**.

Referring now to FIG. 37, there is shown an example of a procedure for executing a service orchestration procedure according to one embodiment.

In this particular example, it is assumed a single user is interesting in finding a good place for dinner at a restaurant, and is engaging intelligent automated assistant 1002 in a conversation to help provide this service.

Consider the task of finding restaurants that are of high quality, are well reviewed, near a particular location, available for reservation at a particular time, and serve a particular kind of food. These domain and task parameters are given as input 390.

The method begins 400. At 402, it is determined whether the given request may require any services. In some situations, services delegation may not be required, for example if assistant 1002 is able to perform the desired task itself. For example, in one embodiment, assistant 1002 may be able to answer a factual question without invoking services delegation. Accordingly, if the request does not require services, then standalone flow step is executed in 403 and its result 490 is returned. For example, if the task request was to ask for information about automated assistant 1002 itself, then the dialog response may be handled without invoking any external services.

If, in step 402, it is determined that services delegation is required, services orchestration component(s) 1082 proceed to step 404. In 404, services orchestration component(s) 1082 may match up the task requirements with declarative descriptions of the capabilities and properties of services in service capability models 1088. At least one service provider that might support the instantiated operation provides declarative, qualitative metadata detailing, for example, one or more of the following (or combinations thereof):

- the data fields that are returned with results;
- which classes of parameters the service provider is statically known to support;
- policy functions for parameters the service provider might be able to support after dynamic inspection of the parameter values;
- a performance rating defining how the service performs (e.g. relational DB, web service, triple store, full-text index, or some combination thereof);
- property quality ratings statically defining the expected quality of property values returned with the result object;
- an overall quality rating of the results the service may expect to return.

For example, reasoning about the classes of parameters that service may support, a service model may state that services 1, 2, 3, and 4 may provide restaurants that are near a particular location (a parameter), services 2 and 3 may filter or rank restaurants by quality (another parameter), services 3, 4, and 5 may return reviews for restaurants (a data field returned), service 6 may list the food types served by restaurants (a data field returned), and service 7 may check availability of restaurants for particular time ranges (a parameter). Services 8 through 99 offer capabilities that are not required for this particular domain and task.

Using this declarative, qualitative metadata, the task, the task parameters, and other information available from the runtime environment of the assistant, services orchestration component(s) 1082 determines 404 an optimal set of service providers to invoke. The optimal set of service providers may support one or more task parameters (returning results that satisfy one or more parameters) and also considers the performance rating of at least one service provider and the overall quality rating of at least one service provider.

The result of step 404 is a dynamically generated list of services to call for this particular user and request.

In at least one embodiment, services orchestration component(s) 1082 considers the reliability of services as well as their ability to answer specific information requests.

In at least one embodiment, services orchestration component(s) 1082 hedges against unreliability by calling overlapping or redundant services.

In at least one embodiment, services orchestration component(s) 1082 considers personal information about the user (from the short term personal memory component) to select services. For example, the user may prefer some rating services over others.

In step 450, services orchestration component(s) 1082 dynamically and automatically invokes multiple services on behalf of a user. In at least one embodiment, these are called dynamically while responding to a user's request. According to specific embodiments, multiple instances or threads of the services may be concurrently called. In at least one embodiment, these are called over a network using APIs, or over a network using web service APIs, or over the Internet using web service APIs, or any combination thereof.

In at least one embodiment, the rate at which services are called is programmatically limited and/or managed.

Referring now also to FIG. 38, there is shown an example of a service invocation procedure 450 according to one embodiment. Service invocation is used, for example, to obtain additional information or to perform tasks by the use of external services. In one embodiment, request parameters are transformed as appropriate for the service's API. Once results are received from the service, the results are transformed to a results representation for presentation to the user within assistant 1002.

In at least one embodiment, services invoked by service invocation procedure 450 can be a web service, application running on the device, operating system function, or the like.

Representation of request 390 is provided, including for example task parameters and the like. For at least one service available from service capability models 1088, service invocation procedure 450 performs transformation 452, calling 454, and output-mapping 456 steps.

In transformation step 452, the current task parameters from request representation 390 are transformed into a form that may be used by at least one service. Parameters to services, which may be offered as APIs or databases, may differ from the data representation used in task requests, and also from at least one other. Accordingly, the objective of step 452 is to map at least one task parameter in the one or more corresponding formats and values in at least one service being called.

For example, the names of businesses such as restaurants may vary across services that deal with such businesses. Accordingly, step 452 would involve transforming any names into forms that are best suited for at least one service.

As another example, locations are known at various levels of precision and using various units and conventions across services. Service 1 might require ZIP codes, service 2 GPS coordinates, and service 3 postal street addresses.

The service is called 454 over an API and its data gathered. In at least one embodiment, the results are cached. In at least one embodiment, the services that do not return within a specified level performance (e.g., as specified in Service Level Agreement or SLA) are dropped.

In output mapping step 456, the data returned by a service is mapped back onto unified result representation 490. This step may include dealing with different formats, units, and so forth.

In step **412**, results from multiple services are validated and merged. In one embodiment, if validated results are collected, an equality policy function—defined on a per-domain basis—is then called pair-wise across one or more results to determine which results represent identical concepts in the real world. When a pair of equal results is discovered, a set of property policy functions—also defined on a per-domain basis—are used to merge property values into a merged result. The property policy function may use the property quality ratings from the service capability models, the task parameters, the domain context, and/or the long-term personal memory **1054** to decide the optimal merging strategy.

For example, lists of restaurants from different providers of restaurants might be merged and duplicates removed. In at least one embodiment, the criteria for identifying duplicates may include fuzzy name matching, fuzzy location matching, fuzzy matching against multiple properties of domain entities, such as name, location, phone number, and/or website address, and/or any combination thereof.

In step **414**, the results are sorted and trimmed to return a result list of the desired length.

In at least one embodiment, a request relaxation loop is also applied. If, in step **416**, services orchestration component(s) **1082** determines that the current result list is not sufficient (e.g., it has fewer than the desired number of matching items), then task parameters may be relaxed **420** to allow for more results. For example, if the number of restaurants of the desired sort found within N miles of the target location is too small, then relaxation would run the request again, looking in an area larger than N miles away, and/or relaxing some other parameter of the search.

In at least one embodiment, the service orchestration method is applied in a second pass to “annotate” results with auxiliary data that is useful to the task.

In step **418**, services orchestration component(s) **1082** determines whether annotation is required. It may be required if, for example, if the task may require a plot of the results on a map, but the primary services did not return geocoordinates required for mapping.

In **422**, service capability models **1088** are consulted again to find services that may return the desired extra information. In one embodiment, the annotation process determines if additional or better data may be annotated to a merged result. It does this by delegating to a property policy function—defined on a per-domain basis—for at least one property of at least one merged result. The property policy function may use the merged property value and property quality rating, the property quality ratings of one or more other service providers, the domain context, and/or the user profile to decide if better data may be obtained. If it is determined that one or more service providers may annotate one or more properties for a merged result, a cost function is invoked to determine the optimal set of service providers to annotate.

At least one service provider in the optimal set of annotation service providers is then invoked **450** with the list of merged results, to obtain results **424**. The changes made to at least one merged result by at least one service provider are tracked during this process, and the changes are then merged using the same property policy function process as was used in step **412**. Their results are merged **426** into the existing result set.

The resulting data is sorted **428** and unified into a uniform representation **490**.

It may be appreciated that one advantage of the methods and systems described above with respect to services orches-

tration component(s) **1082** is that they may be advantageously applied and/or utilized in various fields of technology other than those specifically relating to intelligent automated assistants. Examples of such other areas of technologies where aspects and/or features of service orchestration procedures include, for example, one or more of the following:

- Dynamic “mash ups” on websites and web-based applications and services;
- Distributed database query optimization;
- Dynamic service oriented architecture configuration.

#### Service Capability Models Component(s) **1088**

In at least one embodiment, service capability models component(s) **1088** may be operable to perform and/or implement various types of functions, operations, actions, and/or other features such as, for example, one or more of the following (or combinations thereof):

- Provide machine readable information about the capabilities of services to perform certain classes of computation;
- Provide machine readable information about the capabilities of services to answer certain classes of queries;
- Provide machine readable information about which classes of transactions are provided by various services;
- Provide machine readable information about the parameters to APIs exposed by various services;
- Provide machine readable information about the parameters that may be used in database queries on databases provided by various services.

#### Output Processor Component(s) **1090**

In at least one embodiment, output processor component(s) **1090** may be operable to perform and/or implement various types of functions, operations, actions, and/or other features such as, for example, one or more of the following (or combinations thereof):

- Format output data that is represented in a uniform internal data structure into forms and layouts that render it appropriately on different modalities. Output data may include, for example, communication in natural language between the intelligent automated assistant and the user; data about domain entities, such as properties of restaurants, movies, products, and the like; domain specific data results from information services, such as weather reports, flight status checks, prices, and the like; and/or interactive links and buttons that enable the user to respond by directly interacting with the output presentation.
- Render output data for modalities that may include, for example, any combination of: graphical user interfaces; text messages; email messages; sounds; animations; and/or speech output.
- Dynamically render data for different graphical user interface display engines based on the request. For example, use different output processing layouts and formats depending on which web browser and/or device is being used.
- Render output data in different speech voices dynamically.
- Dynamically render to specified modalities based on user preferences.
- Dynamically render output using user-specific “skins” that customize the look and feel.

Send a stream of output packages to a modality, showing intermediate status, feedback, or results throughout phases of interaction with assistant **1002**.

According to specific embodiments, multiple instances or threads of output processor component(s) **1090** may be concurrently implemented and/or initiated via the use of one or more processor(s) **63** and/or other combinations of hardware and/or hardware and software. For example, in at least some embodiments, various aspects, features, and/or functionalities of output processor component(s) **1090** may be performed, implemented and/or initiated by one or more of the following types of systems, components, systems, devices, procedures, processes, and the like (or combinations thereof):

- software modules within the client or server of an embodiment of an intelligent automated assistant;
- remotely callable services;
- using a mix of templates and procedural code.

Referring now to FIG. **39**, there is shown a flow diagram depicting an example of a multiphase output procedure according to one embodiment. The multiphase output procedure includes automated assistant **1002** processing steps **702** and multiphase output steps **704**.

In step **710**, a speech input utterance is obtained and a speech-to-text component (such as component described in connection with FIG. **22**) interprets the speech to produce a set of candidate speech interpretations **712**. In one embodiment, speech-to-text component is implemented using, for example, Nuance Recognizer, available from Nuance Communications, Inc. of Burlington, Mass. Candidate speech interpretations **712** may be shown to the user in **730**, for example in paraphrased form. For example, the interface might show “did you say?” alternatives listing a few possible alternative textual interpretations of the same speech sound sample.

In at least one embodiment, a user interface is provided to enable the user to interrupt and choose among the candidate speech interpretations.

In step **714**, the candidate speech interpretations **712** are sent to a language interpreter **1070**, which may produce representations of user intent **716** for at least one candidate speech interpretation **712**. In step **732**, paraphrases of these representations of user intent **716** are generated and presented to the user. (See related step **132** of procedure **120** in FIG. **22**).

In at least one embodiment, the user interface enables the user to interrupt and choose among the paraphrases of natural language interpretations **732**.

In step **718**, task and dialog analysis is performed. In step **734**, task and domain interpretations are presented to the user using an intent paraphrasing algorithm.

Referring now also to FIG. **40**, there is shown a screen shot depicting an example of output processing according to one embodiment. Screen **4001** includes echo **4002** of the user’s speech input, generated by step **730**. Screen **4001** further includes paraphrase **4003** of the user’s intent, generated by step **734**. In one embodiment, as depicted in the example of FIG. **40**, special formatting/highlighting is used for key words such as “events”, which may be used to facilitate training of the user for interaction with intelligent automated assistant **1002**. For example, by visually observing the formatting of the displayed text, the user may readily identify and interpret back the intelligent automated assistant recognizes keywords such as “events”, “next Wednesday”, “San Francisco”, and the like.

Returning to FIG. **39**, as requests are dispatched **720** to services and results are dynamically gathered, intermediate

results may be displayed in the form of real-time progress **736**. For example, a list of restaurants may be returned and then their reviews may be populated dynamically as the results from the reviews services arrive. Services can include web-enabled services and/or services that access information stored locally on the device and/or from any other source.

A uniform representation of response **722** is generated and formatted **724** for the appropriate output modality. After the final output format is completed, a different kind of paraphrase may be offered in **738**. In this phase, the entire result set may be analyzed and compared against the initial request. A summary of results or answer to a question may then be offered.

Referring also to FIG. **41**, there is shown another example of output processing according to one embodiment. Screen **4101** depicts paraphrase **4102** of the text interpretation, generated by step **732**, real-time progress **4103** generated by step **736**, and paraphrased summary **7104** generated by step **738**. Also included are detailed results **4105**.

In one embodiment, assistant **1002** is capable of generating output in multiple modes. Referring now to FIG. **42**, there is shown a flow diagram depicting an example of multimodal output processing according to one embodiment.

The method begins **600**. Output processor **1090** takes uniform representation of response **490** and formats **612** the response according to the device and modality that is appropriate and applicable. Step **612** may include information from device and modality models **610** and/or domain data models **614**.

Once response **490** has been formatted **612**, any of a number of different output mechanisms can be used, in any combination. Examples depicted in FIG. **42** include:

- Generating **620** text message output, which is sent **630** to a text message channel;
- Generating **622** email output, which is sent **632** as an email message;
- Generating **624** GUI output, which is sent **634** to a device or web browser for rendering;
- Generating **626** speech output, which is sent **636** to a speech generation module.

One skilled in the art will recognize that many other output mechanisms can be used.

In one embodiment, the content of output messages generated by mul-tiphase output procedure **700** is tailored to the mode of multimodal output processing **600**. For example, if the output modality is speech **626**, the language of used to paraphrase user input **730**, text interpretations **732**, task and domain interpretations **734**, progress **736**, and/or result summaries **738** may be more or less verbose or use sentences that are easier to comprehend in audible form than in written form. In one embodiment, the language is tailored in the steps of the multiphase output procedure **700**; in other embodiments, the multiphase output procedure **700** produces an intermediate result that is further refined into specific language by multimodal output processing **600**.

#### Short Term Personal Memory Component(s) **1052**

In at least one embodiment, short term personal memory component(s) **1052** may be operable to perform and/or implement various types of functions, operations, actions, and/or other features such as, for example, one or more of the following (or combinations thereof):

Keep a history of the recent dialog between the embodiment of the assistant and the user, including the history of user inputs and their interpretations;

Keep a history of recent selections by the user in the GUI, such as which items were opened or explored, which phone numbers were called, which items were mapped, which movie trailers were played, and the like;

Store the history of the dialog and user interactions in a database on the client, the server in a user-specific session, or in client session state such as web browser cookies or RAM used by the client;

Store the list of recent user requests;

Store the sequence of results of recent user requests;

Store the click-stream history of UI events, including button presses, taps, gestures, voice activated triggers, and/or any other user input.

Store device sensor data (such as location, time, positional orientation, motion, light level, sound level, and the like) which might be correlated with interactions with the assistant.

According to specific embodiments, multiple instances or threads of short term personal memory component(s) **1052** may be concurrently implemented and/or initiated via the use of one or more processors **63** and/or other combinations of hardware and/or hardware and software.

According to different embodiments, one or more different threads or instances of short term personal memory component(s) **1052** may be initiated in response to detection of one or more conditions or events satisfying one or more different types of minimum threshold criteria for triggering initiation of at least one instance of short term personal memory component(s) **1052**. For example, short term personal memory component(s) **1052** may be invoked when there is a user session with the embodiment of assistant **1002**, on at least one input form or action by the user or response by the system.

In at least one embodiment, a given instance of short term personal memory component(s) **1052** may access and/or utilize information from one or more associated databases. In at least one embodiment, at least a portion of the database information may be accessed via communication with one or more local and/or remote memory devices. For example, short term personal memory component(s) **1052** may access data from long-term personal memory component(s) **1054** (for example, to obtain user identity and personal preferences) and/or data from the local device about time and location, which may be included in short term memory entries.

Referring now to FIGS. **43A** and **43B**, there are shown screen shots depicting an example of the use of short term personal memory component(s) **1052** to maintain dialog context while changing location, according to one embodiment. In this example, the user has asked about the local weather, then just says “in new york.” Screen **4301** shows the initial response, including local weather. When the user says “in new york”, assistant **1002** uses short term personal memory component(s) **1052** to access the dialog context and thereby determine that the current domain is weather forecasts. This enables assistant **1002** to interpret the new utterance “in new york” to mean “what is the weather forecast in New York this coming?”. Screen **4302** shows the appropriate response, including weather forecasts for New York.

In the example of FIGS. **43A** and **43B**, what was stored in short term memory was not only the words of the input “is it going to rain the day after tomorrow?” but the system’s

semantic interpretation of the input as the weather domain and the time parameter set to the day after tomorrow.

#### Long-Term Personal Memory Component(s) **1054**

In at least one embodiment, long-term personal memory component(s) **1054** may be operable to perform and/or implement various types of functions, operations, actions, and/or other features such as, for example, one or more of the following (or combinations thereof):

To persistently store the personal information and data about a user, including for example his or her preferences, identities, authentication credentials, accounts, addresses, and the like;

To store information that the user has collected by using the embodiment of assistant **1002**, such as the equivalent of bookmarks, favorites, clippings, and the like;

To persistently store saved lists of business entities including restaurants, hotels, stores, theaters and other venues. In one embodiment, long-term personal memory component(s) **1054** saves more than just the names or URLs, but also saves the information sufficient to bring up a full listing on the entities including phone numbers, locations on a map, photos, and the like;

To persistently store saved movies, videos, music, shows, and other items of entertainment;

To persistently store the user’s personal calendar(s), to do list(s), reminders and alerts, contact databases, social network lists, and the like;

To persistently store shopping lists and wish lists for products and services, coupons and discount codes acquired, and the like;

To persistently store the history and receipts for transactions including reservations, purchases, tickets to events, and the like.

According to specific embodiments, multiple instances or threads of long-term personal memory component(s) **1054** may be concurrently implemented and/or initiated via the use of one or more processors **63** and/or other combinations of hardware and/or hardware and software. For example, in at least some embodiments, various aspects, features, and/or functionalities of long-term personal memory component(s) **1054** may be performed, implemented and/or initiated using one or more databases and/or files on (or associated with) clients **1304** and/or servers **1340**, and/or residing on storage devices.

According to different embodiments, one or more different threads or instances of long-term personal memory component(s) **1054** may be initiated in response to detection of one or more conditions or events satisfying one or more different types of minimum threshold criteria for triggering initiation of at least one instance of long-term personal memory component(s) **1054**. Various examples of conditions or events which may trigger initiation and/or implementation of one or more different threads or instances of long-term personal memory component(s) **1054** may include, but are not limited to, one or more of the following (or combinations thereof):

Long term personal memory entries may be acquired as a side effect of the user interacting with an embodiment of assistant **1002**. Any kind of interaction with the assistant may produce additions to the long term personal memory, including browsing, searching, finding, shopping, scheduling, purchasing, reserving, communicating with other people via an assistant.



Long term personal memory may also be accumulated as a consequence of users signing up for an account or service, enabling assistant **1002** access to accounts on other services, using an assistant **1002** service on a client device with access to other personal information databases such as calendars, to-do lists, contact lists, and the like.

In at least one embodiment, a given instance of long-term personal memory component(s) **1054** may access and/or utilize information from one or more associated databases. In at least one embodiment, at least a portion of the database information may be accessed via communication with one or more local and/or remote memory devices, which may be located, for example, at client(s) **1304** and/or server(s) **1340**. Examples of different types of data which may be accessed by long-term personal memory component(s) **1054** may include, but are not limited to data from other personal information databases such as contact or friend lists, calendars, to-do lists, other list managers, personal account and wallet managers provided by external services **1360**, and the like.

Referring now to FIGS. **44A** through **44C**, there are shown screen shots depicting an example of the use of long term personal memory component(s) **1054**, according to one embodiment. In the example, a feature is provided (named “My Stuff”), which includes access to saved entities such as restaurants, movies, and businesses that are found via interactive sessions with an embodiment of assistant **1002**. In screen **4401** of FIG. **44A**, the user has found a restaurant. The user taps on Save to My Stuff **4402**, which saves information about the restaurant in long-term personal memory component(s) **1054**.

Screen **4403** of FIG. **44B** depicts user access to My Stuff. In one embodiment, the user can select among categories to navigate to the desired item.

Screen **4404** of FIG. **44C** depicts the My Restaurant category, including items previously stored in My Stuff.

#### Automated Call and Response Procedure

Referring now to FIG. **33**, there is shown a flow diagram depicting an automatic call and response procedure, according to one embodiment. The procedure of FIG. **33** may be implemented in connection with one or more embodiments of intelligent automated assistant **1002**. It may be appreciated that intelligent automated assistant **1002** as depicted in FIG. **1** is merely one example from a wide range of intelligent automated assistant system embodiments which may be implemented. Other embodiments of intelligent automated assistant systems (not shown) may include additional, fewer and/or different components/features than those illustrated, for example, in the example intelligent automated assistant **1002** depicted in FIG. **1**.

In at least one embodiment, the automated call and response procedure of FIG. **33** may be operable to perform and/or implement various types of functions, operations, actions, and/or other features such as, for example, one or more of the following (or combinations thereof):

The automated call and response procedure of FIG. **33** may provide an interface control flow loop of a conversational interface between the user and intelligent automated assistant **1002**. At least one iteration of the automated call and response procedure may serve as a ply in the conversation. A conversational interface is an interface in which the user and assistant **1002** communicate by making utterances back and forth in a conversational manner.

The automated call and response procedure of FIG. **33** may provide the executive control flow for intelligent automated assistant **1002**. That is, the procedure controls the gathering of input, processing of input, generation of output, and presentation of output to the user.

The automated call and response procedure of FIG. **33** may coordinate communications among components of intelligent automated assistant **1002**. That is, it may direct where the output of one component feeds into another, and where the overall input from the environment and action on the environment may occur.

In at least some embodiments, portions of the automated call and response procedure may also be implemented at other devices and/or systems of a computer network.

According to specific embodiments, multiple instances or threads of the automated call and response procedure may be concurrently implemented and/or initiated via the use of one or more processors **63** and/or other combinations of hardware and/or hardware and software. In at least one embodiment, one or more or selected portions of the automated call and response procedure may be implemented at one or more client(s) **1304**, at one or more server(s) **1340**, and/or combinations thereof.

For example, in at least some embodiments, various aspects, features, and/or functionalities of the automated call and response procedure may be performed, implemented and/or initiated by software components, network services, databases, and/or the like, or any combination thereof.

According to different embodiments, one or more different threads or instances of the automated call and response procedure may be initiated in response to detection of one or more conditions or events satisfying one or more different types of criteria (such as, for example, minimum threshold criteria) for triggering initiation of at least one instance of automated call and response procedure. Examples of various types of conditions or events which may trigger initiation and/or implementation of one or more different threads or instances of the automated call and response procedure may include, but are not limited to, one or more of the following (or combinations thereof):

- a user session with an instance of intelligent automated assistant **1002**, such as, for example, but not limited to, one or more of:
  - a mobile device application starting up, for instance, a mobile device application that is implementing an embodiment of intelligent automated assistant **1002**;
  - a computer application starting up, for instance, an application that is implementing an embodiment of intelligent automated assistant **1002**;
  - a dedicated button on a mobile device pressed, such as a “speech input button”;
  - a button on a peripheral device attached to a computer or mobile device, such as a headset, telephone handset or base station, a GPS navigation system, consumer appliance, remote control, or any other device with a button that might be associated with invoking assistance;
  - a web session started from a web browser to a website implementing intelligent automated assistant **1002**;
  - an interaction started from within an existing web browser session to a website implementing intelligent automated assistant **1002**, in which, for example, intelligent automated assistant **1002** service is requested;
  - an email message sent to a modality server **1426** that is mediating communication with an embodiment of intelligent automated assistant **1002**;

61

a text message is sent to a modality server **1426** that is mediating communication with an embodiment of intelligent automated assistant **1002**;

a phone call is made to a modality server **1434** that is mediating communication with an embodiment of intelligent automated assistant **1002**;

an event such as an alert or notification is sent to an application that is providing an embodiment of intelligent automated assistant **1002**.

when a device that provides intelligent automated assistant **1002** is turned on and/or started.

According to different embodiments, one or more different threads or instances of the automated call and response procedure may be initiated and/or implemented manually, automatically, statically, dynamically, concurrently, and/or combinations thereof. Additionally, different instances and/or embodiments of the automated call and response procedure may be initiated at one or more different time intervals (e.g., during a specific time interval, at regular periodic intervals, at irregular periodic intervals, upon demand, and the like).

In at least one embodiment, a given instance of the automated call and response procedure may utilize and/or generate various different types of data and/or other types of information when performing specific tasks and/or operations. This may include, for example, input data/information and/or output data/information. For example, in at least one embodiment, at least one instance of the automated call and response procedure may access, process, and/or otherwise utilize information from one or more different types of sources, such as, for example, one or more databases. In at least one embodiment, at least a portion of the database information may be accessed via communication with one or more local and/or remote memory devices. Additionally, at least one instance of the automated call and response procedure may generate one or more different types of output data/information, which, for example, may be stored in local memory and/or remote memory devices.

In at least one embodiment, initial configuration of a given instance of the automated call and response procedure may be performed using one or more different types of initialization parameters. In at least one embodiment, at least a portion of the initialization parameters may be accessed via communication with one or more local and/or remote memory devices. In at least one embodiment, at least a portion of the initialization parameters provided to an instance of the automated call and response procedure may correspond to and/or may be derived from the input data/information.

In the particular example of FIG. **33**, it is assumed that a single user is accessing an instance of intelligent automated assistant **1002** over a network from a client application with speech input capabilities. The user is interested in finding a good place for dinner at a restaurant, and is engaging intelligent automated assistant **1002** in a conversation to help provide this service.

In step **100**, the user is prompted to enter a request. The user interface of the client offers several modes of input, as described in connection with FIG. **26**. These may include, for example:

an interface for typed input, which may invoke an active typed-input elicitation procedure as illustrated in FIG. **11**;

an interface for speech input, which may invoke an active speech input elicitation procedure as illustrated in FIG. **22**.

62

an interface for selecting inputs from a menu, which may invoke active GUI-based input elicitation as illustrated in FIG. **23**.

One skilled in the art will recognize that other input modes may be provided.

In one embodiment, step **100** may include presenting options remaining from a previous conversation with assistant **1002**, for example using the techniques described in the active dialog suggestion input elicitation procedure described in connection with FIG. **24**.

For example, by one of the methods of active input elicitation in step **100**, the user might say to assistant **1002**, “where may **1** get some good Italian around here?” For example, the user might have spoken this into a speech input component. An embodiment of an active input elicitation component **1094** calls a speech-to-text service, asks the user for confirmation, and then represents the confirmed user input as a uniform annotated input format **2690**.

An embodiment of language interpreter component **1070** is then called in step **200**, as described in connection with FIG. **29**. Language interpreter component **1070** parses the text input and generates a list of possible interpretations of the user’s intent **290**. In one parse, the word “italian” is associated with restaurants of style Italian; “good” is associated with the recommendation property of restaurants; and “around here” is associated with a location parameter describing a distance from a global sensor reading (for example, the user’s location as given by GPS on a mobile device).

In step **300**, the representation of the user’s intent **290** is passed to dialog flow processor **1080**, which implements an embodiment of a dialog and flow analysis procedure as described in connection with FIG. **32**. Dialog flow processor **1080** determines which interpretation of intent is most likely, maps this interpretation to instances of domain models and parameters of a task model, and determines the next flow step in a dialog flow. In the current example, a restaurant domain model is instantiated with a constrained selection task to find a restaurant by constraints (the cuisine style, recommendation level, and proximity constraints). The dialog flow model indicates that the next step is to get some examples of restaurants meeting these constraints and present them to the user.

In step **400**, an embodiment of the flow and service orchestration procedure **400** is invoked, via services orchestration component **1082**. It invokes a set of services **1084** on behalf of the user’s request to find a restaurant. In one embodiment, these services **1084** contribute some data to a common result. Their data are merged and the resulting list of restaurants is represented in a uniform, service-independent form.

In step **500**, output processor **1092** generates a dialog summary of the results, such as, “I found some recommended Italian restaurants near here.” Output processor **1092** combines this summary with the output result data, and then sends the combination to a module that formats the output for the user’s particular mobile device in step **600**.

In step **700**, this device-specific output package is sent to the mobile device, and the client software on the device renders it on the screen (or other output device) of the mobile device.

The user browses this presentation, and decides to explore different options. If the user is done **790**, the method ends. If the user is not done **490**, another iteration of the loop is initiated by returning to step **100**.

The automatic call and response procedure may be applied, for example to a user’s query “how about mexican

food?” Such input may be elicited in step **100**. In step **200**, the input is interpreted as restaurants of style Mexican, and combined with the other state (held in short term personal memory **1052**) to support the interpretation of the same intent as the last time, with one change in the restaurant style parameter. In step **300**, this updated intent produces a refinement of the request, which is given to service orchestration component(s) **1082** in step **400**.

In step **400** the updated request is dispatched to multiple services **1084**, resulting in a new set of restaurants which are summarized in dialog in **500**, formatted for the device in **600**, and sent over the network to show new information on the user’s mobile device in step **700**.

In this case, the user finds a restaurant of his or her liking, shows it on a map, and sends directions to a friend.

One skilled in the art will recognize that different embodiments of the automated call and response procedure (not shown) may include additional features and/or operations than those illustrated in the specific embodiment of FIG. **33**, and/or may omit at least a portion of the features and/or operations of automated call and response procedure illustrated in the specific embodiment of FIG. **33**.

#### Constrained Selection

In one embodiment, intelligent automated assistant **1002** uses constrained selection in its interactions with the user, so as to more effectively identify and present items that are likely to be of interest to the user.

Constrained selection is a kind of generic task. Generic tasks are abstractions that characterize the kinds of domain objects, inputs, outputs, and control flow that are common among a class of tasks. A constrained selection task is performed by selecting items from a choice set of domain objects (such as restaurants) based on selection constraints (such as a desired cuisine or location). In one embodiment, assistant **1002** helps the user explore the space of possible choices, eliciting the user’s constraints and preferences, presenting choices, and offering actions to perform on those choices such as to reserve, buy, remember, or share them. The task is complete when the user selects one or more items on which to perform the action.

Constrained selection is useful in many contexts: for example, picking a movie to see, a restaurant for dinner, a hotel for the night, a place to buy a book, or the like. In general, constrained selection is useful when one knows the category and needs to select an instance of the category with some desired properties.

One conventional approach to constrained selection is a directory service. The user picks a category and the system offers a list of choices. In a local directory, one may constrain the directory to a location, such as a city. For instance, in a “yellow pages” service, users select the book for a city and then look up the category, and the book shows one or more items for that category. The main problem with a directory service is that the number of possibly relevant choices is large (e.g., restaurants in a given city).

Another conventional approach is a database application, which provides a way to generate a choice set by eliciting a query from the user, retrieving matching items, and presenting the items in some way that highlights salient features. The user browses the rows and columns of the result set, possibly sorting the results or changing the query until he or she finds some suitable candidates. The problem with the database service is that it may require the user to operationalize their human need as a formal query and to use the abstract machinery of sort, filter, and browse to explore the

resulting data. These are difficult for most people to do, even with graphical user interfaces.

A third conventional approach is open-ended search, such as “local search.” Search is easy to do, but there are several problems with search services that make them difficult for people to accomplish the task of constrained selection. Specifically:

As with directory search, the user may not just enter a category and look at one or more possible choice, but must narrow down the list.

If the user can narrow the selection by constraints, it is not obvious what constraints may be used (e.g., may I search for places that are within walking distance or are open late?)

It is not clear how to state constraints (e.g., is it called cuisine or restaurant type, and what are the possible values?)

Multiple preferences conflict; there is usually no objectively “best” answer to a given situation (e.g., I want a place that is close by and cheap serving gourmet food with excellent service and which is open until midnight).

Preferences are relative, and they depend on what is available. For example, if the user may get a table at a highly rated restaurant, he or she might choose it even though it is expensive. In general, though, the user would prefer less expensive options.

In various embodiments, assistant **1002** of the present invention helps streamline the task of constrained selection.

In various embodiments, assistant **1002** employs database and search services, as well as other functionality, to reduce the effort, on the part of the user, of stating what he or she is looking for, considering what is available, and deciding on a satisfactory solution.

In various embodiments, assistant **1002** helps to make constrained selection simpler for humans in any of a number of different ways.

For example, in one embodiment, assistant **1002** may operationalize properties into constraints. The user states what he or she wants in terms of properties of the desired outcome. Assistant **1002** operationalizes this input into formal constraints. For example, instead of saying “find one or more restaurants less than 2 miles from the center of Palo Alto whose cuisine includes Italian food” the user may just say “Italian restaurants in palo alto.” Assistant **1002** may also operationalize qualities requested by the user that are not parameters to a database. For example, if the user requests romantic restaurants, the system may operationalize this as a text search or tag matching constraint. In this manner, assistant **1002** helps overcome some of the problems users may otherwise have with constrained selection. It is easier, for a user, to imagine and describe a satisfactory solution than to describe conditions that would distinguish suitable from unsuitable solutions.

In one embodiment, assistant **1002** may suggest useful selection criteria, and the user need only say which criteria are important at the moment. For example, assistant **1002** may ask “which of these matter: price (cheaper is better), location (closer is better), rating (higher rated is better)?” Assistant **1002** may also suggest criteria that may require specific values; for example, “you can say what kind of cuisine you would like or a food item you would like”.

In one embodiment, assistant **1002** may help the user make a decision among choices that differ on a number of competing criteria (for example, price, quality, availability, and convenience).

By providing such guidance, assistant **1002** may help users in making multi-parametric decisions in any of several ways:

One is to reduce the dimensionality of the space, combining raw data such as ratings from multiple sources into a composite “recommendation” score. The composite score may take into account domain knowledge about the sources of data (e.g., Zagat ratings may be more predictive of quality than Yelp).

Another approach is to focus on a subset of criteria, turning a problem of “what are all the possible criteria to consider and how to they combine?” into a selection of the most important criteria in a given situation (e.g., “which is more important, price or proximity?”).

Another way to simplify the decision making is to assume default values and preference orders (e.g., all things being equal, higher rated and closer and cheaper are better). The system may also remember users’ previous responses that indicate their default values and preferences.

Fourth, the system may offer salient properties of items in the choice set that were not mentioned in the original request. For example, the user may have asked for local Italian food. The system may offer a choice set of restaurants, and with them, a list of popular tags used by reviewers or a tag line from a guide book (e.g., “a nice spot for a date” “great pasta”). This could let people pick out a specific item and complete the task. Research shows that most people make decisions by evaluating specific instances rather than deciding on criteria and rationally accepting the one that pops to the top. It also shows that people learn about features from concrete cases. For example, when choosing among cars, buyers may not care about navigation systems until they see that some of the cars have them (and then the navigation system may become an important criterion). Assistant **1002** may present salient properties of listed items that help people pick a winner or that suggest a dimension along which to optimize.

#### Conceptual Data Model

In one embodiment, assistant **1002** offers assistance with the constrained selection task by simplifying the conceptual data model. The conceptual data model is the abstraction presented to users in the interface of assistant **1002**. To overcome the psychological problems described above, in one embodiment assistant **1002** provides a model that allows users to describe what they want in terms of a few easily recognized and recalled properties of suitable choices rather than constraint expressions. In this manner, properties can be made easy to compose in natural language requests (e.g., adjectives modifying keyword markers) and be recognizable in prompts (“you may also favor recommended restaurants . . .”). In one embodiment, a data model is used that allows assistant **1002** to determine the domain of interest (e.g., restaurants versus hotels) and a general approach to guidance that may be instantiated with domain-specific properties.

In one embodiment, the conceptual data model used by assistant **1002** includes a selection class. This is a representation of the space of things from which to choose. For example, in the find-a-restaurant application, the selection class is the class of restaurants. The selection class may be abstract and have subclasses, such as “things to do while in a destination.” In one embodiment, the conceptual data model assumes that, in a given problem solving situation,

the user is interested in choosing from a single selection class. This assumption simplifies the interaction and also allows assistant **1002** to declare its boundaries of competence (“I know about restaurants, hotels, and movies” as opposed to “I know about life in the city”).

Given a selection class, in one embodiment the data model presented to the user for the constrained selection task includes, for example: items; item features; selection criteria; and constraints.

Items are instances of the selection class.

Item features are properties, attributes, or computed values that may be presented and/or associated with at least one item. For example, the name and phone number of a restaurant are item features. Features may be intrinsic (the name or cuisine of a restaurant) or relational (e.g., the distance from one’s current location of interest). They may be static (e.g., restaurant name) or dynamic (rating). They may be composite values computed from other data (e.g., a “value for money” score). Item features are abstractions for the user made by the domain modeler; they do not need to correspond to underlying data from back-end services.

Selection criteria are item features that may be used to compare the value or relevance of items. That is, they are ways to say which items are preferred. Selection criteria are modeled as features of the items themselves, whether they are intrinsic properties or computed. For example, proximity (defined as distance from the location of interest) is a selection criterion. Location in space-time is a property, not a selection criterion, and it is used along with the location of interest to compute the distance from the location of interest.

Selection criteria may have an inherent preference order. That is, the values of any particular criterion may be used to line up items in a best first order. For example, the proximity criterion has an inherent preference that closer is better. Location, on the other hand, has no inherent preference value. This restriction allows the system to make default assumptions and guide the selection if the user only mentions the criterion. For example, the user interface might offer to “sort by rating” and assume that higher rated is better.

One or more selection criteria are also item features; they are those features related to choosing among possible items. However, item features are not necessarily related to a preference (e.g., the names and phone numbers of restaurants are usually irrelevant to choosing among them).

In at least one embodiment, constraints are restrictions on the desired values of the selection criteria. Formally, constraints might be represented as set membership (e.g., cuisine type includes Italian), pattern matches (e.g., restaurant review text includes “romantic”), fuzzy inequalities (e.g., distance less than a few miles), qualitative thresholds (e.g., highly rated), or more complex functions (e.g., a good value for money). To make things simple enough for normal humans, this data model reduces at least one or more constraints to symbolic values that may be matched as words. Time and distance may be excluded from this reduction. In one embodiment, the operators and threshold values used for implementing constraints are hidden from the user. For example, a constraint on the selection criteria called “cuisine” may be represented as a symbolic value such as “Italian” or “Chinese.” A constraint on rating is “recommended” (a binary choice). For time and distance, in one embodiment assistant **1002** uses proprietary representations that handle a range of inputs and constraint values. For example, distance might be “walking distance” and time might be “tonight”; in one embodiment, assistant **1002** uses special processing to match such input to more precise data.

67

In at least one embodiment, some constraints may be required constraints. This means that the task simply cannot be completed without this data. For example, it is hard to pick a restaurant without some notion of desired location, even if one knows the name.

To summarize, a domain is modeled as selection classes with item features that are important to users. Some of the features are used to select and order items offered to the user—these features are called selection criteria. Constraints are symbolic limits on the selection criteria that narrow the set of items to those that match.

Often, multiple criteria may compete and constraints may match partially. The data model reduces the selection problem from an optimization (finding the best solution) to a matching problem (finding items that do well on a set of specified criteria and match a set of symbolic constraints). The algorithms for selecting criteria and constraints and determining an ordering are described in the next section.

#### Methodology for Constrained Selection

In one embodiment, assistant 1002 performs constrained selection by taking as input an ordered list of criteria, with implicit or explicit constraints on at least one, and generating a set of candidate items with salient features. Computationally, the selection task may be characterized as a nested search: first, identify a selection class, then identify the important selection criteria, then specify constraints (the boundaries of acceptable solutions), and search through instances in order of best fit to find acceptable items.

Referring now to FIG. 45, there is shown an example of an abstract model 4500 for a constrained selection task as a nested search. In the example assistant 1002 identifies 4505 a selection call among all local search types 4501. The identified class is restaurant. Within the set of all restaurants 4502, assistant 1002 selects 4506 criteria. In the example, the criterion is identified as distance. Within the set of restaurants in PA 4503, assistant 1002 specifies 4507 constraints for the search. In the example, the identified constraint is “Italian cuisine”). Within the set of Italian restaurants in PA 4504, assistant 4508 selects items for presentation to the user.

In one embodiment, such a nested search is what assistant 1002 does once it has the relevant input data, rather than the flow for eliciting the data and presenting results. In one embodiment, such control flow is governed via a dialog between assistant 1002 and the user which operates by other procedures, such as dialog and task flow models. Constrained selection offers a framework for building dialog and task flow models at this level of abstraction (that is, suitable for constrained selection tasks regardless of domain).

Referring now to FIG. 46, there is shown an example of a dialog 4600 to help guide the user through a search process, so that the relevant input data can be obtained.

In the example dialog 4600, the first step is for the user to state the kind of thing they are looking for, which is the selection class. For example, the user might do this by saying “dining in palo alto.” This allows assistant 1002 to infer 4601 the task and domain.

Once assistant 1002 has understood the task and domain binding (selection class=restaurants), the next step is to understand which selection criteria are important to this user, for example by soliciting 4603 criteria and/or constraints. In the example above, “in palo alto” indicates a location of interest. In the context of restaurants, the system may interpret a location as a proximity constraint (technically, a constraint on the proximity criterion). Assistant 1002

68

explains what is needed, receives input. If there is enough information to constrain the choice set to a reasonable size, then assistant 1002 paraphrases the input and presents 4605 one or more restaurants that meet the proximity constraint, sorted in some useful order. The user can then select 4607 from this list, or refine 4606 the criteria and constraints. Assistant 1002 reasons about the constraints already stated, and uses domain-specific knowledge to suggest other criteria that might help, soliciting constraints on these criteria as well. For example, assistant 1002 may reason that, when recommending restaurants within walking distance of a hotel, the useful criteria to solicit would be cuisine and table availability.

The constrained selection task is complete when the user selects 4607 an instance of the selection class. In one embodiment, additional follow-on tasks 4602 are enabled by assistant 1002. Thus, assistant 1002 can offer services that indicate selection while providing some other value. Examples 4608 booking a restaurant, setting a reminder on a calendar, and/or sharing the selection with others by sending an invitation. For example, booking a restaurant certainly indicates that it was selected; other options might be to put the restaurant on a calendar or send in invitation with directions to friends.

Referring now to FIG. 47, there is shown a flow diagram depicting a method of constrained selection according to one embodiment. In one embodiment, assistant 1002 operates in an opportunistic and mixed-initiative manner, permitting the user to jump to the inner loop, for instance, by stating task, domain, criteria, and constraints one or more at once in the input.

The method begins 4701. Input is received 4702 from the user, according to any of the modes described herein. If, based on the input, the task not known, assistant 1002 requests 4705 clarifying input from the user.

In step 4717, assistant 1002 determines whether the user provides additional input. If so, assistant 1002 returns to step 4702. Otherwise the method ends 4799.

If, in step 4703, the task is known, assistant 1002 determines 4704 whether the task is constrained selection. If not, assistant 1002 proceeds 4706 to the specified task flow.

If, in step 4704, the task is constrained selection, assistant 1002 determines 4707 whether the selection class can be determined. If not, assistant 1002 offers 4708 a choice of known selection classes, and returns to step 4717.

If, in step 4707, the selection class can be determined, assistant 1002 determines 4709 whether all required constraints can be determined. If not, assistant 1002 prompts 4710 for required information, and returns to step 4717.

If, in step 4709, all required constants can be determined, assistant 1002 determines 4711 whether any result items can be found, given the constraints. If there are no items that meet the constraints, assistant 1002 offers 4712 ways to relax the constraints. For example, assistant 1002 may relax the constraints from lowest to highest precedence, using a filter/sort algorithm. In one embodiment, if there are items that meet some of the constraints, then assistant 1002 may paraphrase the situation (outputting, for example, “I could not find Recommended Greek restaurants that deliver on Sundays in San Carlos. However, I found 3 Greek restaurants and 7 Recommend restaurants in San Carlos.”). In one embodiment, if there are no items that match any constraints, then assistant 1002 may paraphrase this situation and prompt for different constraints (outputting, for example, “Sorry, I could not find any restaurants in Anytown, Tex. You may pick a different location.”). Assistant 1002 returns to step 4717.

If, in step 4711, result items can be found, assistant 1002 offers 4713 a list of items. In one embodiment, assistant 1002 paraphrases the currently specified criteria and constraints (outputting, for example, "Here are some recommended Italian restaurants in San Jose." (recommended=yes, cuisine=Italian, proximity=<in San Jose>)). In one embodiment, assistant 1002 presents a sorted, paginated list of items that meet the known constraints. If an item only shows some of the constraints, such a condition can be shown as part of the item display. In one embodiment, assistant 1002 offers the user ways to select an item, for example by initiating another task on that item such as booking, remembering, scheduling, or sharing. In one embodiment, on any given item, assistant 1002 presents item features that are salient for picking instances of the selection class. In one embodiment, assistant 1002 shows how the item meets a constraint; for example, Zagat rating of 5 meets the Recommended=yes constraint, and "1 mile away" meets the "within walking distance of an address" constraint. In one embodiment, assistant 1002 allows the user to drill down for more detail on an item, which results in display of more item features.

Assistant 1002 determines 4714 whether the user has selected an item. If the user selects an item, the task is

rants within one block of their location, assistant 1002 may request that the user chooses which of these criteria are more important. Such information can be taken into account when steps 4703 to 4713 are repeated.

In one embodiment, the user can provide additional input at any point while the method of FIG. 47 is being performed. In one embodiment, assistant 1002 checks periodically or continuously for such input, and, in response, loops back to step 4703 to process it.

In one embodiment, when outputting an item or list of items, assistant 1002 indicates, in the presentation of items, the features that were used to select and order them. For example, if the user asked for nearby Italian restaurants, such item features for distance and cuisine may be shown in the presentation of the item. This may include highlighting matches, as well as listing selection criteria that were involved in the presentation of an item.

Example Domains

Table 1 provides an example of constrained selection domains that may be handled by assistant 1002 according to various embodiments.

TABLE 1

Based on these criteria									
Select a	Location	Price	Availability	Type	Quality	Name	Services	special search	general search
Restaurant	proximity	affordability	open tables	cuisine	rating by guide, review	restaurant name	delivery	menu items	keywords
Hotel	proximity	price range	available rooms	motel, hotel, B&B, . . .	rating by guide, review	hotel name	amenities		keywords
Movie	theatre proximity		show times	genre	rating by review	movie title		actors, etc	
Local Business	proximity			business category	rating by review	business name			keywords
Local event	venue proximity		by date			event title			keywords
concert	venue proximity		by tour schedule	music genre		band name		band members	keywords
CD, book, DVD to buy		price range	online, in store, etc.	physical	popularity	album or song name		artist title, etc.	keywords

complete. Any follow-on task is performed 4715, if there is one, and the method ends 4799.

If, in step 4714, the user does not select an item, assistant 1002 offers 4716 the user ways to select other criteria and constraints and returns to step 4717. For example, given the currently specified criteria and constraints, assistant 1002 may offer criteria that are most likely to constrain the choice set to a desired size. If the user selects a constraint value, that constraint value is added to the previously determined constraints when steps 4703 to 4713 are repeated.

Since one or more criteria may have an inherent preference value, selecting the criteria may add information to the request. For example, allowing the user to indicate that positive reviews are valued allows assistant 1002 to sort by this criterion. Such information can be taken into account when steps 4703 to 4713 are repeated.

In one embodiment, assistant 1002 allows the user to raise the importance of a criterion that is already specified, so that it would be higher in the precedence order. For example, if the user asked for fast, cheap, highly recommended restau-

Filtering and Sorting Results

In one embodiment, when presenting items that meet currently specified criteria and constraints, a filter/sort methodology can be employed. In one embodiment selection constraints may serve as both filter and sort parameters to the underlying services. Thus, any selection criterion can be used to determine which items are in the list, and to compute the order in which to paginate and show them. Sort order for this task is akin to relevance rank in search. For example, proximity is a criterion with symbolic constraint values such as "within driving distance" and a general notion of sorting by distance. The "driving distance" constraint might be used to select a group of candidate items. Within that group, closer items might be sorted higher in the list.

In one embodiment, selection constraints and associated filtering and sorting are at discrete "levels", which are functions of both the underlying data and the input from the user. For example, proximity is grouped into levels such as "walking distance", "taxi distance", "driving distance."

When sorting, one or more items within walking distance are treated as if they were the same distance. The input from the user may come into play in the way he or she specifies a constraint. If the user enters “in palo alto”, for example, then one or more items within the Palo Alto city limits are perfect matches and are equivalent. If the user enters, “near the University Avenue train station” then the match would depend on a distance from that address, with the degree of match dependent on the selection class (e.g., near for restaurants is different than near for hotels). Even within a constraint that may be specified with a continuous value, a discretization may be applied. This may be important for sorting operations, so that multiple criteria may participate in determining the best-first ordering.

In one embodiment, the item list—those items that are considered “matching” or “good enough”—may be shorter or longer than the number of items shown on one “page” of the output. Generally, items in the first page are given the most attention, but conceptually there is a longer list, and pagination is simply a function of the form factor of the output medium. This means, for instance, that if the user is offered a way to sort or browse the items by some criterion, then it is the entire set of items (more than one page worth) that is sorted or browsed.

In one embodiment, there is a precedence ordering among selection criteria. That is, some criteria may matter more than others in the filter and sort. In one embodiment, those criteria selected by the user are given higher precedence than others, and there is a default ordering over one or more criteria. This allows for a general lexicographic sort. The assumption is that there is a meaningful a priori precedence. For example, unless the user states otherwise, it may be more important for a restaurant to be close than to be inexpensive. In one embodiment, the a priori precedence ordering is domain-specific. The model allows for user-specific preferences to override the domain defaults, if that is desired.

Since the values of constraints can represent several internal data types, there are different ways for constraints to match, and they may be specific to the constraint. For example, in one embodiment:

Binary constraints match one or more or none. For example, whether a restaurant is “Fast” might be either true or not.

Set membership constraints match one or more or none based on a property value. For example, cuisine=Greek means the set of cuisines for a restaurant includes Greek.

Enumeration constraints match at a threshold. For example, a rating criterion might have constraint values rated, highly-rated, or top-rated. Constraining to highly-rated would also match top-rated.

Numeric constraints match at a threshold that may be criterion specific. For example, “open late” might be a criterion, and the user might ask for places open after 10:00 pm. This kind of constraint may be slightly out of scope for the constrained selection task, since it is not a symbolic constraint value. However, in one embodiment, assistant **1002** recognizes some cases of numeric constraints like this, and maps them to threshold values with symbolic constraints (e.g., “restaurants in palo alto open now”→“here are 2 restaurants in palo alto that are open late”).

Location and time are handled specially. A constraint on proximity might be a location of interest specified at some level of granularity, and that determines the match. If the user specifies a city, then city-level

matching is appropriate; a ZIP code may allow for a radius. Assistant **1002** may also understand locations that are “near” other locations of interest, also based on special processing. Time is relevant as a constraint value of criteria that have threshold value based on a service call, such as table availability or flights within a given time range.

In one embodiment, constraints can be modeled so that there is a single threshold value for selection and a small set of discrete values for sorting. For example, the affordability criterion might be modeled as a roughly binary constraint, where affordable restaurants are any under some threshold price range. When the data justify multiple discrete levels for selection, constraints can be modeled using a gradient of matching. In one embodiment two levels of matching (such as strong and weak matching) may be provided; however, one skilled in the art will recognize that in other embodiments, any number of levels of matching can be provided. For example, proximity may be matched with a fuzzy boundary, so that things that are near the location of interest may match weakly. The operational consequence of a strong or weak match is in the filter/sort algorithm as described below.

For at least one criterion, an approach to matching and default thresholds can be established, if relevant. The user may be able to say just the name of the constraint, a symbolic constraint value, or a precise constraint expression if it is handled specially (such as time and location).

An ideal situation for constrained selection occurs when the user states constraints that result in a short list of candidates, one or more of which meet the constraints. The user then chooses among winners based on item features. In many cases, however, the problem is over- or under-constrained. When it is over-constrained, there are few or no items that meet the constraints. When it is under-constrained, there are so many candidates that examining the list is not expedient. In one embodiment, the general constrained selection model of the present invention is able to handle multiple constraints with robust matching and usually produce something to choose from. Then the user may elect to refine their criteria and constraints or just complete the task with a “good enough” solution.

#### Method

In one embodiment, the following method is used for filtering and sorting results:

1. Given an ordered list of selection criteria selected by the user, determine constraints on at least one.

a. If the user specified a constraint value, use it. For example, if the user said “greek food” the constraint is cuisine=Greek. If the user said “san Francisco” the constraint is In the City of San Francisco. If the user said “south of market” then the constraint is In the Neighborhood of SoMa.

b. Otherwise use a domain- and criteria-specific default. For example, if the user said “a table at some thai place” he or she is indicating that the availability criterion is relevant, but he or she did not specify a constraint value. The default constraint values for availability might be some range of date times such as tonight and a default party size of 2.

2. Select a minimum of N results by specified constraints.

a. Try to get N results at strong match.

b. If that fails, try to relax constraints, in reverse precedence order. That is, match at strong level for one or more of the criteria except the last, which may match

- at a weak level. If there is no weak match for that constraint, then try weak matches up the line from lowest to highest precedence.
- c. Then repeat the loop allowing failure to match on constraints, from lowest to highest precedence.
3. After getting a minimum choice set, sort lexicographically over one or more criteria (which may include user-specified criteria as well as other criteria) in precedence order.
    - a. Consider the set of user-specified criteria as highest precedence, then one or more remaining criteria in their a priori precedence. For example, if the a priori precedence is (availability, cuisine, proximity, rating), and the user gives constraints on proximity and cuisine, then the sort precedence is (cuisine, proximity, availability, rating).
    - b. Sort on criteria using discrete match levels (strong, weak, none), using the same approach as in relaxing constraints, this time applied the full criteria list.
      - i. If a choice set was obtained without relaxing constraints, then one or more of the choice set may “tie” in the sort because they one or more match at strong levels. Then, the next criteria in the precedence list may kick in to sort them. For example, if the user says cuisine=Italian, proximity=In San Francisco, and the sort precedence is (cuisine, proximity, availability, rating), then one or more the places on the list have equal match values for cuisine and proximity. So the list would be sorted on availability (places with tables available bubble to the top). Within the available places, the highest rated ones would be at the top.
      - ii. If the choice set was obtained by relaxing constraints, then one or more of the fully matching items are at the top of the list, then the partially matching items. Within the matching group, they are sorted by the remaining criteria, and the same for the partially matching group. For example, if there were only two Italian restaurants in San Francisco, then the available one would be shown first, then the unavailable one. Then the rest of the restaurants in San Francisco would be shown, sorted by availability and rating.

#### Precedence Ordering

The techniques described herein allow assistant **1002** to be extremely robust in the face of partially specified constraints and incomplete data. In one embodiment, assistant **1002** uses these techniques to generate a user list of items in best-first order, i.e. according to relevance.

In one embodiment, such relevance sorting is based on an a priori precedence ordering. That is, of the things that matter about a domain, a set of criteria is chosen and placed in order of importance. One or more things being equal, criteria higher in the precedence order may be more relevant to a constrained selection among items than those lower in the order. Assistant **1002** may operate on any number of criteria. In addition, criteria may be modified over time without breaking existing behaviors.

In one embodiment, the precedence order among criteria may be tuned with domain-specific parameters, since the way criteria interact may depend on the selection class. For example, when selecting among hotels, availability and price may be dominant constraints, whereas for restaurants, cuisine and proximity may be more important.

In one embodiment, the user may override the default criteria ordering in the dialog. This allows the system to

guide the user when searches are over-constrained, by using the ordering to determine which constraints should be relaxed. For example, if the user gave constraints on cuisine, proximity, recommendation, and food item, and there were no fully matching items, the user could say that food item was more important than recommendation level and change the mix so the desired food item matches were sorted to the top.

In one embodiment, when precedence order is determined, user-specified constraints take precedence over others. For example, in one embodiment, proximity is a required constraint and so is always specified, and further has precedence over other unselected constraints. Therefore it does not have to be the highest precedence constraint in order to be fairly dominant. Also, many criteria may not match at one or more unless a constraint is given by the user, and so the precedence of these criteria only matters within user-selected criteria.

For example, when the user specifies a cuisine it is important to them, and otherwise is not relevant to sorting items.

For example, the following is a candidate precedence sorting paradigm for the restaurant domain:

1. cuisine\* (not sortable unless a constraint value is given)
2. availability\* (sortable using a default constraint value, e.g., time)
3. recommended
4. proximity\* (a constraint value is always given)
5. affordability
6. may deliver
7. food item (not sortable unless a constraint value, e.g., a keyword, is given)
8. keywords (not sortable unless a constraint value, e.g., a keyword, is given)
9. restaurant name

The following is an example of a design rationale for the above sorting paradigm:

If a user specifies a cuisine, he or she wants it to stick. One or more things being equal, sort by rating level (it is the highest precedence among criteria than may be used to sort without a constraint).

In at least one embodiment, proximity may be more important than most things. However, since it matches at discrete levels (in a city, within a radius for walking and the like), and it is always specified, then most of the time most matching items may “tie” on proximity.

Availability (as determined by a search on a website such as open-table.com, for instance) is a valuable sort criterion, and may be based on a default value for sorting when not specified. If the user indicates a time for booking, then only available places may be in the list and the sort may be based on recommendation.

If the user says they want highly recommended places, then it may sort above proximity and availability, and these criteria may be relaxed before recommendation. The assumption is that if someone is looking for nice place, they may be willing to drive a bit farther and it is more important than a default table availability. If a specific time for availability is specified, and the user requests recommended places, then places that are both recommended and available may come first, and recommendation may relax to a weak match before availability fails to match at one or more.

The remaining constraints except for name are one or more based on incomplete data or matching. So they are weak sort heuristics by default, and when they are specified the match one or more-or-none.



Name may be used as a constraint to handle the case where someone mentions the restaurant by name, e.g., find one or more Hobe's restaurants near Palo Alto. In this case, one or more items may match the name, and may be sorted by proximity (the other specified constraint in this example).

#### Domain Modeling: Mapping Selection Criteria to Underlying Data

It may be desirable to distinguish between the data that are available for computation by assistant **1002** and the data used for making selections. In one embodiment, assistant **1002** uses a data model that reduces the complexity for the user by folding one or more kinds of data used to distinguish among items into a simple selection criteria model. Internally, these data may take several forms. Instances of the selection class can have intrinsic properties and attributes (such as cuisine of a restaurant), may be compared along dimensions (such as the distance from some location), and may be discovered by some query (such as whether it matches a text pattern or is available at a given time). They may also be computed from other data which are not exposed to the user as selection criteria (e.g., weighted combinations of ratings from multiple sources). These data are one or more relevant to the task, but the distinctions among these three kinds of data are not relevant to the user. Since the user thinks in terms of features of the desired choice rather than in properties and dimensions, assistant **1002** operationalizes these various criteria into features of the items. Assistant **1002** provides a user-facing domain data model and maps it to data found in web services.

One type of mapping is an isomorphism from underlying data to user-facing criteria. For example, the availability of tables for reservations as seen by the user could be exactly what an online reservation website, such as opentable.com, offers, using the same granularity for time and party size.

Another type of mapping is a normalization of data from one or more services to a common value set, possibly with a unification of equivalent values. For example, cuisines of one or more restaurants may be represented as a single ontology in assistant **1002**, and mapped to various vocabularies used in different services. That ontology might be hierarchical, and have leaf nodes pointing to specific values from at least one service. For example, one service might have a cuisine value for "Chinese", another for "Szechuan", and a third for "Asian." The ontology used by assistant **1002** would cause references to "Chinese food" or "Szechuan" to semantically match one or more of these nodes, with confidence levels reflecting the degree of match.

Normalization might also be involved when resolving differences in precision. For example, the location of a restaurant may be given to the street level in one service but only to city in another. In one embodiment, assistant **1002** uses a deep structural representation of locations and times that may be mapped to different surface data values.

In one embodiment, assistant **1002** uses a special kind of mapping for open-ended qualifiers (e.g., romantic, quiet) which may be mapped to matches in full text search, tags, or other open-textured features. The name of the selection constraint in this case would be something like "is described as".

In at least one embodiment, constraints may be mapped to operational preference orderings. That is, given the name of a selection criterion and its constraint value, assistant **1002**

is able to interpret the criterion as an ordering over possible items. There are several technical issues to address in such a mapping. For example:

Preference orderings may conflict. The ordering given by one constraint may be inconsistent or even inversely correlated with the ordering given by another. For example, price and quality tend to be in opposition. In one embodiment, assistant **1002** interprets constraints chosen by the user in a weighted or otherwise combined ordering that reflects the user's desires but is true to the data. For example, the user may ask for "cheap fast food French restaurants within walking distance rated highly." In many locations, there may not be any such restaurant. However, in one embodiment, assistant **1002** may show a list of items that tries to optimize for at least one constraint, and explain why at least one is listed. For example, item one might be "highly rated French cuisine" and another "cheap fast food within walking distance".

Data may be used as either hard or soft constraints. For example, the price range of a restaurant may be important to choosing one, but it may be difficult to state a threshold value for price up-front. Even seemingly hard constraints like cuisine may be, in practice, soft constraints because of partial matching. Since, in one embodiment, assistant **1002** using a data modeling strategy that seeks to flatten one or more criteria into symbolic values (such as "cheap" or "close"), these constraints may be mapped into a function that gets the criteria and order right, without being strict about matching specific threshold values. For symbolic criteria with clear objective truth values, assistant **1002** may weigh the objective criteria higher than other criteria, and make it clear in the explanation that it knows that some of the items do not strictly match the requested criteria.

Items may match some but not one or more constraints, and the "best fitting" items may be shown.

In general, assistant **1002** determines which item features are salient for a domain, and which may serve as selection criteria, and for at least one criteria, possible constraint values. Such information can be provided, for example, via operational data and API calls.

#### Paraphrase and Prompt Text

As described above, in one embodiment assistant **1002** provides feedback to show it understands the user's intent and is working toward the user's goal by producing paraphrases of its current understanding. In the conversational dialog model of the present invention, the paraphrase is what assistant **1002** outputs after the user's input, as a preface (for example, paraphrase **4003** in FIG. 40) or summary of the results to follow (for example, list **3502** in FIG. 35).

The prompt is a suggestion to the user about what else they can do to refine their request or explore the selection space along some dimensions.

In one embodiment, the purposes of paraphrase and prompt text include, for example:

- to show that assistant **1002** understands the concepts in the user's input, not just the text;
- to indicate the boundaries of assistant's **1002** understanding;
- to guide the user to enter text that is required for the assumed task;
- to help the user explore the space of possibilities in constrained selection;

to explain the current results obtained from services in terms of the user's stated criteria and assistant's **1002** assumptions (for example, to explain the results of under- and over-constrained requests).

For example, the following paraphrase and prompt illustrates several of these goals:

User input: indonesian food in menlo park

System interpretation:

Task=constrainedSelection

SelectionClass=restaurant

Constraints:

Location=Menlo Park, Calif.

Cuisine=Indonesian (known in ontology)

Results from Services: no strong matches

Paraphrase: Sorry, I can't find any Indonesian restaurants near Menlo Park.

Prompt: You could try other cuisines or locations.

Prompt under hypertext links:

Indonesian: You can try other food categories such as Chinese, or a favorite food item such as steak.

Menlo Park: Enter a location such as a city, neighborhood, street address, or "near" followed by a landmark.

Cuisines: Enter a food category such as Chinese or Pizza.

Locations: Enter a location: a city, zip code, or "near" followed by the name of a place.

In one embodiment, assistant **1002** responds to user input relatively quickly with the paraphrase. The paraphrase is then updated after results are known. For example, an initial response may be "Looking for Indonesian restaurants near Menlo Park . . ." Once results are obtained, assistant **1002** would update the text to read, "Sorry, I can't find any Indonesian restaurants near Menlo Park. You could try other cuisines or locations." Note that certain items are highlighted (indicated here by underline), indicating that those items represent constraints that can be relaxed or changed.

In one embodiment, special formatting/highlighting is used for key words in the paraphrase. This can be helpful to facilitate training of the user for interaction with intelligent automated assistant **1002**, by indicating to the user which words are most important to, and more likely to be recognized by, assistant **1002**. User may then be more likely to use such words in the future.

In one embodiment, paraphrase and prompt are generated using any relevant context data. For example, any of the following data items can be used, alone or in combination:

The parse—a tree of ontology nodes bound to their matching input tokens, with annotations and exceptions. For each node in the parse, this may include the node's metadata and/or any tokens in the input that provide evidence for the node's value.

The task, if known

The selection class.

The location constraint, independent of selection class.

Which required parameters are unknown for the given selection class (e.g., location is a required constraint on restaurants).

The name of a named entity in the parse that is an instance of the selection class, if there is one (e.g., a specific restaurant or movie name.)

Is this a follow-up refinement or the beginning of a conversation? (Reset starts a new conversation.)

Which constraints in the parse are bound to values in the input that changed their values? In other words, which constraints were just changed by the latest input?

Is the selection class inferred or directly stated?

Sorted by quality, relevance, or proximity?

For each constraint specified, how well was it matched?

Was refinement entered as text or clicking?

In one embodiment, the paraphrase algorithm accounts for the query, domain model **1056**, and the service results. Domain model **1056** contains classes and features including metadata that is used to decide how to generate text. Examples of such metadata for paraphrase generation include:

OsConstraint={trueIfalse}

IsMultiValued={trueIfalse}

ConstraintType={EntityName, Location, Time, Category-Constraint, AvailabilityConstraint, BinaryConstraint, SearchQualifier, Guessed-Qualifier}

DisplayName=string

DisplayTemplateSingular=string

DisplayTemplatePlural=string

Grammatical Role={AdjectiveBeforeNoun,Noun,That-ClauseModifier}

For example, a parse might contain these elements:

Class: Restaurant

IsConstraint=false

DisplayTemplateSingular="restaurant"

DisplayTemplatePlural="restaurants"

GrammaticalRole=Noun

Feature: RestaurantName (example: "Il Fornaio")

IsConstraint=true

IsMultiValued=false

ConstraintType=EntityName

DisplayTemplateSingular="named \$1"

DisplayTemplatePlural="named \$1"

GrammaticalRole=Noun

Feature: RestaurantCuisine (example: "Chinese")

IsConstraint=true

IsMultiValued=false

ConstraintType=CategoryConstraint

GrammaticalRole=AdjectiveBeforeNoun

Feature: RestaurantSubtype (example: "café")

IsConstraint=true

IsMultiValued=false

ConstraintType=CategoryConstraint

DisplayTemplateSingular="\$1"

DisplayTemplatePlural="\$1s"

GrammaticalRole=Noun

Feature: RestaurantQualifiers (example: "romantic")

IsConstraint=true

IsMultiValued=true

ConstraintType=SearchQualifier

DisplayTemplateSingular="is described as \$1"

DisplayTemplatePlural="are described as \$1"

DisplayTemplateCompact="matching \$1"

GrammaticalRole=Noun

Feature: FoodType (example: "burritos")

IsConstraint=true

IsMultiValued=false

ConstraintType=SearchQualifier

DisplayTemplateSingular="serves \$1"

DisplayTemplatePlural="serve \$1"

DisplayTemplateCompact="serving \$1"

GrammaticalRole=ThatClauseModifier

Feature: IsRecommended (example: true)

IsConstraint=true

IsMultiValued=false

ConstraintType=BinaryConstraint

DisplayTemplateSingular="recommended"

DisplayTemplatePlural="recommended"

GrammaticalRole=AdjectiveBeforeNoun

Feature: RestaurantGuessedQualifiers (example: "spectacular")

IsConstraint=true  
 IsMultiValued=false  
 ConstraintType=GussedQualifier  
 DisplayTemplateSingular="matches \$1 in reviews"  
 DisplayTemplatePlural="match \$1 in reviews"  
 DisplayTemplateCompact="matching \$1"  
 GrammaticalRole=ThatClauseModifer

In one embodiment, assistant **1002** is able to handle unmatched input. To handle such input, domain model **1056** can provide for nodes of type GussedQualifier for each selection class, and rules that match otherwise unmatched words if they are in the right grammatical context. That is, GussedQualifiers are treated as miscellaneous nodes in the parse which match when there are words that are not found in the ontology but which are in the right context to indicate that that are probably qualifiers of the selection class. The difference between GussedQualifiers and SearchQualifiers is that the latter are matched to vocabulary in the ontology. This distinction allows us to paraphrase that assistant **1002** identified the intent solidly on the SearchQualifiers and can be more hesitant when echoing back the GussedQualifiers.

In one embodiment, assistant **1002** performs the following steps when generating paraphrase text:

1. If the task is unknown, explain what assistant **1002** can do and prompt for more input.
2. If the task is a constrained selection task and the location is known, then explain the domains that assistant **1002** knows and prompt for the selection class.
3. If the selection class is known but a required constraint is missing, then prompt for that constraint. (for example, location is required for constrained selection on restaurants)

4. If the input contains an EntityName of the selection class, then output "looking up"<name> in <location>.
5. If this is the initial request in a conversation, then output "looking for" followed by the complex noun phrase that describes the constraints.
6. If this is a follow-up refinement step in the dialog,
  - a. If the user just completed a required input, then output "thanks" and then paraphrase normally. (This happens when there is a required constraint that is mapped to the user input.)
  - b. If the user is changing a constraint, acknowledge this and then paraphrase normally.
  - c. If the user typed in the proper name of an instance of the selection class, handle this specially.
  - d. If the user just added an unrecognized phrase, then indicate how it will be folded in as search. If appropriate, the input may be dispatched to a search service.
  - e. If the user is just adding a normal constraint, then output "OK", and paraphrase normally.
7. To explain results, use the same approach for paraphrase. However, when the results are surprising or unexpected, then explain the results using knowledge about the data and service. Also, when the query is over- or underconstrained, prompt for more input.

Grammar for Constructing Complex Noun Phrases

In one embodiment, when paraphrasing **734** a constrained selection task query, the foundation is a complex noun phrase around the selection class that refers to the current constraints. Each constraint has a grammatical position, based on its type. For example, in one embodiment, assistant **1002** may construct a paraphrase such as:

---

recommended romantic Italian restaurants near Menlo Park  
 with open tables for 2 that serve osso buco and are described as "quiet"  
 A grammar to construct this is

<paraphraseNounClause> ::= <binaryConstraint> <searchQualifier> <categoryConstraint>  
 <itemNoun> <locationConstraint> <availabilityConstraint> <adjectivalClauses>

<binaryConstraint> ::= single adjective that indicates the presence or absence of a  
 BinaryConstraint (e.g., recommended (best), affordable (cheap))  
 It is possible to list more than one in the same query.

<searchQualifier> ::= a word or words that match the ontology for a qualifier of the selection  
 class, which would be passed into a search engine service. (e.g., romantic restaurants,  
 funny movies).  
 Use when ConstraintType= Search Q ualifier.

<categoryConstraint> ::= an adjective that identifies the genre, cuisine, or category of the  
 selection class (e.g., Chinese restaurant or R-rated file). It is the last prefix adjective  
 because it is the most intrinsic. Use for features of type CategoryConstraint and  
 GrammaticalRole=AdjectiveBeforeNoun.

<itemNoun> ::= <namedEntityPhrase> | <selectionClass> | <selectionClassSubType > find  
 the most specific way to display the noun. NamedEntity < SubType < Class

<selectionClass > ::= a noun that is the generic name for the selection class (e.g., restaurant,  
 movie, place)

<selectionClassSubType> ::= a noun phrase that is the subtype of the selection class if it is  
 known (e.g., diner, museum, store, bar for the selection class local business). Use for  
 features in which ConstraintType =CategoryConstraint and  
 GrammaticalRole=AdjectiveBeforeNoun.

<namedEntityPhrase> ::= <entityName> |  
 "the" (<selection Class> | <selectionClassSubType>)

<entityName> ::= the proper name of an instance of the selection class (e.g., "Il Fornaio"  
 "Animal House" "Harry's Bar")

<locationConstraint> ::= <locationPreposition> <locationName>

<locationPreposition> ::= "in", "near", "at", and the like

<locationName> ::= city, street address, landmark, or something for OPS like "your current  
 location"

<availabilityConstraint> ::= the availability constraint expressed as a prepositional phrase that  
 comes after the noun (e.g., "with open tables", "with seats available", "available online").  
 It comes right after the noun to give it salience.

<adjectivalClauses> ::= <modifierVerbPhrase > I "that" <modifierVerbPhrase> "and"  
 <modifierVerbPhrase>

<modifierVerbPhrase> := a verb phrase that expresses a search-keyword style constraint on the selection class (e.g., restaurants that “are described as quiet”, “serve meat after 11”, “match ‘tragically hip’ in reviews”; movies that “contain violence”, “star Billy Bob Thornton”). Include all constraints in the parse whose GrammaticalRole=ThatClauseModifier, using the “that...and” variant if there are more than one. Use the DisplayTemplatePlural to generate the “that” clauses, putting the GuessedQualifier last. If there is only one such constraint, use the DisplayTemplateCompact variant.

Table 2 provides some examples of paraphrases that may be provided in response to the first input for a task, according to one embodiment.

TABLE 2

Paraphrases in response to first input	
Input	Initial Paraphrase
tie house	Sorry, I don't understand “tie house.” I know about <u>restaurants</u> , <u>hotels</u> , and other <u>local businesses</u> , <u>flights</u> , <u>weather</u> , and <u>buying things</u> online. What are you looking for, and where?
palo alto	I can help you find restaurants, businesses, events, and things to do in Palo Alto. What are you looking for?
food	Looking for a place to eat? Where? (examples)
Italian food	I can tell you about <u>Italian</u> restaurants in your area. Where would you like to eat?
burrito	I can help you find places that serve burritos in your area. Where would you like to eat?
best mexican food	I can help you find good <u>Mexican</u> restaurants in your area. Where are you?
restaurants in palo alto	Looking for restaurants near Palo Alto.
Italian palo alto	Looking for <u>Italian</u> restaurants near <u>Palo Alto</u> .
thai food in menlo park	Looking for <u>Thai</u> restaurants near <u>Menlo Park</u>
Indonesian food in menlo park	Looking for <u>Indonesian</u> restaurants near <u>Menlo Park</u>
best mexican food in Palo Alto	Looking for <u>recommended Mexican</u> restaurants near <u>Palo Alto</u> .
fast food menlo park	Looking for fast food restaurants near Menlo Park
healthy food in menlo park	Looking for places near Menlo Park that <u>serve healthy food</u> .
dive bar in menlo park	Looking for dive bars near <u>Menlo Park</u> .
pool room in menlo park	Looking for pool rooms near <u>Menlo Park</u> .
hookah room in menlo park	Looking for places near <u>Menlo Park</u> described as “hookah room”.
spicy food in sf	Looking for places near <u>Menlo Park</u> that serve <u>spicy food</u> .
burgers in Menlo park	Looking for places near <u>Menlo Park</u> that serve <u>burgers</u> .
belly dancing place in sf	Looking for places near <u>San Francisco</u> described as “belly dancing”.
belly dancing place in menlo park	Looking for places near <u>Menlo Park</u> described as “belly dancing”.
juke joint in sf	Looking for joints near <u>San Francisco</u> described as “juke”.
tie house Menlo park	Looking for places near <u>Menlo Park</u> described as “tie house”.
thai house palo alto	Looking up <u>Thai House</u> in <u>Palo Alto</u>
ii fornai menlo park	Looking up <u>Il Fornai</u> in <u>Palo Alto</u>
ii fornai in Menlo park	Looking for places near <u>Palo Alto</u> described as “il fornai”.
cliff house in Menlo park	Looking up <u>Cliff House</u> in <u>Palo Alto</u>
romantic restaurant in palo alto	Looking for <u>romantic</u> restaurants in <u>Palo Alto</u>
romantic restaurant in palo alto	Looking for <u>romantic</u> restaurants in <u>Palo Alto</u>
quiet romantic restaurant in palo alto	Looking for <u>romantic</u> restaurants in <u>Palo Alto</u> described as “quiet”
quiet romantic restaurant in palo alto	Looking for <u>romantic</u> restaurants in <u>Palo Alto</u> described as “quiet”
tragically hip restaurant in palo alto	Looking for restaurants in <u>Palo Alto</u> described as “tragically hip”
tragically hip restaurant in palo alto	Looking for restaurants in <u>Palo Alto</u> described as “tragically hip”
table for two tonight in palo alto	Checking availability for <u>tonight</u> at restaurants near <u>Palo Alto</u> .

TABLE 2-continued

Paraphrases in response to first input	
Input	Initial Paraphrase
table for two italian food tonight in Palo alto	Checking availability for <u>tonight</u> at <u>Italian</u> restaurants near <u>Palo Alto</u> .
il fornaio palo alto 6 pm for 2	Checking availability for tables tonight at <u>Il Fornaio</u> in <u>Palo Alto</u> .
table for 2 at thai house in PA	Checking availability for tables <u>tonight</u> at <u>Thai House</u> in <u>Palo Alto</u> .
Pizza delivery in menlo park	
I want the best quiet romantic italian restaurant for osso buco in or near menlo park	OK, looking for <u>recommended romantic Italian</u> restaurants near <u>Menlo Park</u> that serve <u>osso buco</u> and are described as "quiet".
Book me a table for 2 at the best quiet romantic italian restaurant for osso buco in or near menlo park	OK, looking for <u>recommended romantic italian</u> restaurants near <u>Menlo Park</u> with <u>open tables for 2</u> that serve <u>osso buco</u> and are described as "quiet".

Refining a Query about Places to Eat

Table 3 provides some examples of paraphrases in response to a situation where user's intent to find a place to eat is known, but they have not selected a particular place to eat. They are facing a list of restaurants, and they provide refinements.

TABLE 3

Paraphrases in response to refinements	
Refinements	
menlo park (was un-known) cheapest	Thanks, now looking for restaurants in <u>Menlo Park</u> . OK, looking for affordable restaurants near <u>Menlo Park</u> .
Chinese (was italian)	OK, changing cuisine to Chinese. Looking for <u>Chinese</u> restaurants near <u>Menlo Park</u> .

TABLE 3-continued

Paraphrases in response to refinements	
Refinements	
pizza (adding food item)	OK, looking for Italian restaurants near <u>Menlo Park</u> that serve <u>pizza</u> .
san francisco (was menlo park)	OK, changing location to San Francisco. Looking for Italian restaurants near <u>San Francisco</u> that serve <u>pizza</u> .
tragically hip quiet romantic	OK, I'll search reviews for "tragically hip". OK, looking for romantic restaurants in <u>Palo Alto</u> described as "quiet"
cliff house	Cliff House sounds familiar. I'll look it up in Palo Alto.

Table 4 provides some examples of results summaries that are provided once results are obtained.

TABLE 4

Results Summaries		
Input	#Results	Results Summary
tie house	N/A	N/A (no call to services)
palo alto	N/A	N/A (no call to services)
food	N/A	N/A (no call to services)
Italian food	N/A	N/A (no call to services)
burrito	N/A	N/A (no call to services)
best mexican food	N/A	N/A (no call to services)
restaurants palo alto	many	Here are some <u>recommended</u> restaurants near <u>Palo Alto</u> . Do you prefer any particular <u>food type</u> ? Would you like a <u>reservation</u> ?
Italian palo alto	some	Here are some <u>Italian</u> restaurants near <u>Palo Alto</u> . To reserve a table, click on available times.
thai food in menlo park	some	Here are some <u>Thai</u> restaurants near <u>Menlo Park</u> . To reserve a table, click on available times.
indonesian food in menlo park	0	Sorry I can't find any <u>Indonesian</u> restaurants near <u>Menlo Park</u> . You could try other <u>cuisines</u> or <u>locations</u> .
best mexican food in Palo Alto	some	Here are some <u>recommended Mexican</u> restaurants near <u>Palo Alto</u> .
fast food menlo park	some	OK, here are some <u>fast food</u> restaurants near <u>Menlo Park</u> .
healthy food in menlo park	some	Here are some places near <u>Menlo Park</u> that might sene healthy food, based on reviews.
dive bar in menlo park	some	Here are some bars near <u>Menlo Park</u> . I don't see anything specific to "dive bars," Are there other ways of saying it?
pool room in menlo park	some	Here are some places in <u>Menlo Park</u> that are described as pool rooms. You can add other words to describe what you want.

TABLE 4-continued

Results Summaries		
Input	#Results	Results Summary
hookah room in menlo park	0	I can't find places <u>Menlo Park</u> matching "hookah room". Interested in <u>restaurants</u> , <u>hotels</u> , or <u>local businesses</u> ?
spicy food in sf	weak match	Here are some places to eat in <u>San Francisco</u> . I don't know which serve <u>spicy food</u> . Could it go by another name?
burgers in Menlo park	some	You might find <u>burgers</u> at these <u>places to eat</u> near <u>Menlo Park</u> .
belly dancing place in sf	some	Here are some places in <u>Menlo Park</u> that are described as "belly dancing". You can add other words to describe what you want
belly dancing place in menlo park	0	I can help you find <u>restaurants</u> , <u>businesses</u> , <u>events</u> , and <u>things to do</u> in <u>San Francisco</u> . What are some other words for "belly dancing place"?
juke joint in sf	0	I can help you find <u>restaurants</u> , <u>businesses</u> , <u>events</u> , and <u>things to do</u> in <u>San Francisco</u> . What are some other words for "juke joint"?
tie house Menlo park	0	Sorry, I don't know about "tie house" in <u>Menlo Park</u> . Any other names for it?
thai house palo alto	1	Got it: Thai House <u>restaurant</u> in <u>Palo Alto, CA</u> . Want to reserve a table? When and for how many?
il fornaio menlo park	weak match	There is a Il Fornaio in Palo Alto, which is near Menlo Park.
il fornao in Menlo park	spell match	Did you mean Il Fornaio in <u>Palo Alto</u> ? If not, try different words.
cliff house in Menlo park	0	I couldn't find <u>Cliff House</u> in <u>Palo Alto</u> . Could it go by different name or be in a different city?
romantic restaurant in palo alto	some	Here are some restaurants near <u>Palo Alto</u> that are described in reviews as romantic.
romantic restaurant in palo alto	0	Here are restaurants near <u>Palo Alto</u> . Searching reviews did not find any described as romantic. Any other preferences?
quiet romantic restaurant in palo alto	some	Here are some restaurants near <u>Palo Alto</u> that match "quiet romantic" in reviews.
quiet romantic restaurant in palo alto	0	Here are some restaurants near <u>Palo Alto</u> . Searching reviews did not find any matching "quiet romantic". Any other preferences?
tragically hip restaurant in palo alto	some	Here are some restaurants near <u>Palo Alto</u> that match "tragically hip" in reviews.
tragically hip restaurant in palo alto	0	Here are some restaurants near <u>Palo Alto</u> . Searching reviews did not find any matching "tragically hip". Any other preferences?
table for two italian food tonight in palo alto	some	Here are restaurants with open tables from <u>6pm to 8pm tonight</u> for a <u>party of two</u> in <u>Palo Alto, CA</u> .
table for two italian food tonight in palo alto	some	Here are restaurants with open tables from <u>6pm to 8pm tonight</u> for a <u>party of two</u> in <u>Palo Alto, CA</u> .
il fornaio palo alto 6pm for 2	1	Here are table options at <u>Il Fornaio</u> restaurant in <u>Palo Alto, CA</u> at <u>6pm today</u> for a <u>party of 2</u> .
table for 2 at thai house in PA	1	Here is information for <u>Thai House</u> in <u>Palo Alto, CA</u> . You can call them at the phone number listed.
pizza delivery in menlo park		Here are places that serve pizza in menlo park. I do not have delivery options at this time. Click on restaurant phone number to call for delivery.
I want the best quiet romantic italian restaurant for osso buco in or near menlo park	weak match,	Here are the best matches for <u>recommended romantic italian</u> restaurant near <u>Menlo Park</u> that serve <u>osso buco</u> and are described as "quiet". Click on available times to reserve a table.
Book me a table for 2 at the best quiet romantic italian restaurant for osso buco in or near menlo park	soiled by availability	
refinements	weak match,	Here are the best matches for <u>recommended romantic italian</u> restaurants near <u>Menlo Park</u> with <u>open tables for 2</u> that serve <u>osso buco</u> and are described as "quiet". Click on available times to reserve a table.
menlo park (was unknown)	some	Here are some <u>recommended</u> restaurants near <u>Menlo Park</u> . Do you prefer any particular food type?
cheapest	some	I found 4 <u>affordable</u> restaurants near <u>Menlo Park</u> .
Chinese (was Italian)	some	I found 4 <u>Chinese</u> restaurants near <u>Menlo Park</u> .
pizza (adding food item)	some	I found 4 <u>Italian</u> restaurants near <u>Menlo Park</u> that serve <u>pizza</u> .
san Francisco (was menlo park)	some	I found 4 <u>Italian</u> restaurants near <u>San Francisco</u> .

TABLE 4-continued

Results Summaries		
Input	#Results	Results Summary
tragically hip	some	I found 4 restaurants near <u>Palo Alto</u> that match “tragically hip” in reviews.
quiet romantic	some	Here are some restaurants near <u>Palo Alto</u> that match “quiet romantic” in reviews.
cliff house	0	I couldn’t find <u>Cliff House</u> in <u>Palo Alto</u> . Could it go by a different name or be in a different city?

Table 5 provides some examples of prompts that are provided when users click on active links.  
 Prompts when Users Click on Active Links

TABLE 5

Prompts when users click on active links		
Anchor Text	Prompt Text	Notes
Location, where	Enter a location: a city, zip code, or “near” followed by the name of a place.	This prompt might be used when the user has not specified a location yet
Palo Alto	Enter a location such as a city, neighborhood, street address, or “near” followed by a landmark.	This prompt might be used when the user is changing locations.
food type	Enter a food category such as Chinese or Pizza.	Merge food type and cuisine can be merged
Italian	You can try other food categories such as Chinese, or a favorite food item such as stake.	User already said Italian. Assistant 1002 is helping the user explore alter-natives. If it is a food item, if dominates over cuisine.
reservation	Enter the day and time to reserve a table, such as “tomorrow at 8”.	Prompting for a reservation
healthy food	You can also enter menu items or cuisines	Known food type
spicy food	You can also enter menu items or cuisines	Unknown food type
restaurants	What kind of restaurant? (e.g., Chinese, Pizza)	Clicking on the restaurants link should insert the word “restaurant” on the end of the text input.
businesses	You can find local florists, ATMs, doctors, drug stores, and the like What kind of business are you looking for?	Clicking on the businesses link should add to the machine readable tag that this is a local search
events	You can discover upcoming concerts, shows and the like What interests you?	
things to do	Music, art, theater, sports, and the like What kind of thing would you like to do in this area?	
hotels	I can help you find an available hotel room. Any preferences for amenities or location?	
weather	Enter a city, and I’ll tell you what the weather is like there.	If location is known, just show the weather data
buying things	I can help you find music, movies, books, electronics, toys and more - and buy it from Amazon. What are you looking for?	

Suggesting Possible Responses in a Dialog

In one embodiment, assistant 1002 provides contextual suggestions. Suggestions a way for assistant 1002 to offer the user options to move forward from his or her current situation in the dialog. The set of suggestions offered by assistant 1002 depends on context, and the number of suggestions offered may depend on the medium and form factor. For example, in one embodiment, the most salient suggestions may be offered in line in the dialog, an extended

list of suggestions (“more”) may be offered in a scrollable menu, and even more suggestions are reachable by typing a few characters and picking from autocomplete options. One skilled in the art will recognize that other mechanisms may be used for providing suggestions.

In various embodiments, different types of suggestions may be provided. Examples of suggestion types include:  
 options to refine a query, including adding or removing or changing constraint values;

options to repair or recover from bad situations, such as “not what I mean” or “start over” or “search the web”; options to disambiguate among; interpretations of speech; interpretations of text, including spell correction and semantic ambiguity; context-specific commands, such as “show these on a map” or “send directions to my date” or “explain these results”; suggested cross-selling offers, such as next steps in meal or event planning scenarios; options to reuse previous commands, or parts of them.

In various embodiments, the context that determines the most relevant suggestions may be derived from, for example:

- dialog state
- user state, including, for example:
  - static properties (name, home address, etc)
  - dynamic properties (location, time, network speed)
- interaction history, including, for example:
  - query history
  - results history
  - the text that has been entered so far into autocomplete.

In various embodiments, suggestions may be generated by any mechanism, such as for example:

- paraphrasing a domain, task, or constraint based on the ontology model;
- prompting in autocomplete based on the current domain and constraints;
- paraphrasing ambiguous alternative interpretations; alternative interpretations of speech-to-text; hand authoring, based on special dialog conditions.

According to one embodiment, suggestions are generated as operations on commands in some state of completion. Commands are explicit, canonical representations of requests, including assumptions and inferences, based on attempted interpretations on user input. In situations where the user input is incomplete or ambiguous, suggestions are an attempt to help the user adjust the input to clarify the command.

In one embodiment, each command is an imperative sentence having some combination of a command verb (imperative such as “find” or “where is”); domain (selection class such as “restaurants”); constraint(s) such as location=Palo Alto and cuisine=Italian.

These parts of a command (verb, domain, constraints) correspond to nodes in the ontology.

A suggestion, then, may be thought of as operations on a command, such as setting it, changing it, or declaring that it is relevant or not relevant. Examples include:

- setting a command verb or domain (“find restaurants”)
- changing a command verb (“book it”, “map it”, “save it”)
- changing a domain (“looking for a restaurant, not a local business”)
- stating that a constraint is relevant (“try refining by cuisine”)
- choosing a value for a constraint (“Italian”, “French”, and the like)
- choosing a constraint and value together (“near here”, “tables for 2”)
- stating that a constraint value is wrong (“not that Boston”)
- stating that a constraint is not relevant (“ignore the expense”)
- stating the intent to change a constraint value (“try a different location”)
- changing a constraint value (“Italian, not Chinese”)

- adding to a constraint value (“and with a pool, too”)
- snapping a value to grid (“Los Angeles, not los angeles”)
- initiating a new command, reusing context ([after movies] “find nearby restaurants”, “send directions to my friend”)

- initiating a command that is “meta” to context (“explain these results”)
- initiating a new command, resetting or ignoring context (“start over”, “help with speech”)

A suggestion may also involve some combination of the above. For example:

“the movie Milk not [restaurants serving] the food item milk”

“restaurants serving pizza, not just pizza joints”

“The place called Costco in Mountain View, I don’t care whether you think it is a restaurant or local business”

“Chinese in mountain view” [a recent query]

In one embodiment, assistant **1002** includes a general mechanism to maintain a list of suggestions, ordered by relevance. The format in which a suggestion is offered may differ depending on current context, mode, and form factor of the device.

In one embodiment, assistant **1002** determines which constraints to modify by considering any or all of the following factors:

- Consider whether the constraint has a value;
- Consider whether the constraint was inferred or explicitly stated;
- Consider its salience (suggestionIndex).

In one embodiment, assistant **1002** determines an output format for the suggestion. Examples of output formats include:

change domain:  
if autocomplete option “find restaurants”, then “try something different”  
else [was inferred] “not looking for restaurants”

change name constraint:  
if name was inferred, offer alternative ambiguous interpretation”  
stuff into autocomplete the entity names from current results  
different name  
consider that it wasn’t a name lookup (remove constraint)—maybe offer category in place of it

“not named”

“not in Berkeley”

“some other day”

not that sense of (use ambiguity alternatives)

inferred date: “any day, I don’t need a reservation”

In one embodiment, assistant **1002** attempts to resolve ambiguities via suggestions. For example, if the set of current interpretations of user intent is too ambiguous **310**, then suggestions are one way to prompt for more information **322**. In one embodiment, for constrained selection tasks, assistant **1002** factors out common constraints among ambiguous interpretations of intent **290** and presents the differences among them to the user. For example, if the user input includes the word “café” and this word could match the name of a restaurant or the type of restaurant, then assistant **102** can ask “did you mean restaurants named ‘café’ or ‘café restaurants’?”

In one embodiment, assistant **1002** infers constraints under certain situations. That is, for constrained selection tasks, not all constraints need be mentioned explicitly in the user input; some can be inferred from other information



available in active ontology **1050**, short term memory **1052**, and/or other sources of information available to assistant **1002**. For example:

Inferring domain or location

Default assumption, like location

Weakly matched constraint (fuzzy, low salience location, etc)

Ambiguous criteria (match to constraint value without prefix (name vs. category, often ambiguous)

In cases where the assistant **1002** infers constraint values, it may also offer these assumptions as suggestions for the user to overrule. For example, it might tell the user “I assumed you meant around here. Would you like to look at a different location?”

The present invention has been described in particular detail with respect to possible embodiments. Those of skill in the art will appreciate that the invention may be practiced in other embodiments. First, the particular naming of the components, capitalization of terms, the attributes, data structures, or any other programming or structural aspect is not mandatory or significant, and the mechanisms that implement the invention or its features may have different names, formats, or protocols. Further, the system may be implemented via a combination of hardware and software, as described, or entirely in hardware elements, or entirely in software elements. Also, the particular division of functionality between the various system components described herein is merely exemplary, and not mandatory; functions performed by a single system component may instead be performed by multiple components, and functions performed by multiple components may instead be performed by a single component.

In various embodiments, the present invention can be implemented as a system or a method for performing the above-described techniques, either singly or in any combination. In another embodiment, the present invention can be implemented as a computer program product comprising a nontransitory computer-readable storage medium and computer program code, encoded on the medium, for causing a processor in a computing device or other electronic device to perform the above-described techniques.

Reference in the specification to “one embodiment” or to “an embodiment” means that a particular feature, structure, or characteristic described in connection with the embodiments is included in at least one embodiment of the invention. The appearances of the phrase “in one embodiment” in various places in the specification are not necessarily all referring to the same embodiment.

Some portions of the above are presented in terms of algorithms and symbolic representations of operations on data bits within a memory of a computing device. These algorithmic descriptions and representations are the means used by those skilled in the data processing arts to most effectively convey the substance of their work to others skilled in the art. An algorithm is here, and generally, conceived to be a self-consistent sequence of steps (instructions) leading to a desired result. The steps are those requiring physical manipulations of physical quantities. Usually, though not necessarily, these quantities take the form of electrical, magnetic or optical signals capable of being stored, transferred, combined, compared and otherwise manipulated. It is convenient at times, principally for reasons of common usage, to refer to these signals as bits, values, elements, symbols, characters, terms, numbers, or the like. Furthermore, it is also convenient at times, to refer

to certain arrangements of steps requiring physical manipulations of physical quantities as modules or code devices, without loss of generality.

It should be borne in mind, however, that all of these and similar terms are to be associated with the appropriate physical quantities and are merely convenient labels applied to these quantities. Unless specifically stated otherwise as apparent from the following discussion, it is appreciated that throughout the description, discussions utilizing terms such as “processing” or “computing” or “calculating” or “displaying” or “determining” or the like, refer to the action and processes of a computer system, or similar electronic computing module and/or device, that manipulates and transforms data represented as physical (electronic) quantities within the computer system memories or registers or other such information storage, transmission or display devices.

Certain aspects of the present invention include process steps and instructions described herein in the form of an algorithm. It should be noted that the process steps and instructions of the present invention can be embodied in software, firmware and/or hardware, and when embodied in software, can be downloaded to reside on and be operated from different platforms used by a variety of operating systems.

The present invention also relates to an apparatus for performing the operations herein. This apparatus may be specially constructed for the required purposes, or it may comprise a general-purpose computing device selectively activated or reconfigured by a computer program stored in the computing device. Such a computer program may be stored in a computer readable storage medium, such as, but is not limited to, any type of disk including floppy disks, optical disks, CD-ROMs, magnetic-optical disks, read-only memories (ROMs), random access memories (RAMs), EPROMs, EEPROMs, magnetic or optical cards, application specific integrated circuits (ASICs), or any type of media suitable for storing electronic instructions, and each coupled to a computer system bus. Further, the computing devices referred to herein may include a single processor or may be architectures employing multiple processor designs for increased computing capability.

The algorithms and displays presented herein are not inherently related to any particular computing device, virtualized system, or other apparatus. Various general-purpose systems may also be used with programs in accordance with the teachings herein, or it may prove convenient to construct more specialized apparatus to perform the required method steps. The required structure for a variety of these systems will be apparent from the description provided herein. In addition, the present invention is not described with reference to any particular programming language. It will be appreciated that a variety of programming languages may be used to implement the teachings of the present invention as described herein, and any references above to specific languages are provided for disclosure of enablement and best mode of the present invention.

Accordingly, in various embodiments, the present invention can be implemented as software, hardware, and/or other elements for controlling a computer system, computing device, or other electronic device, or any combination or plurality thereof. Such an electronic device can include, for example, a processor, an input device (such as a keyboard, mouse, touchpad, trackpad, joy-stick, trackball, microphone, and/or any combination thereof), an output device (such as a screen, speaker, and/or the like), memory, long-term storage (such as magnetic storage, optical storage, and/or the like), and/or network connectivity, according to techniques

that are well known in the art. Such an electronic device may be portable or nonportable. Examples of electronic devices that may be used for implementing the invention include: a mobile phone, personal digital assistant, smartphone, kiosk, desktop computer, laptop computer, tablet computer, consumer electronic device, consumer entertainment device; music player; camera; television; set-top box; electronic gaming unit; or the like. An electronic device for implementing the present invention may use any operating system such as, for example, iOS or MacOS, available from Apple Inc. of Cupertino, Calif., or any other operating system that is adapted for use on the device.

While the invention has been described with respect to a limited number of embodiments, those skilled in the art, having benefit of the above description, will appreciate that other embodiments may be devised which do not depart from the scope of the present invention as described herein. In addition, it should be noted that the language used in the specification has been principally selected for readability and instructional purposes, and may not have been selected to delineate or circumscribe the inventive subject matter. Accordingly, the disclosure of the present invention is intended to be illustrative, but not limiting, of the scope of the invention, which is set forth in the claims.

What is claimed is:

1. An electronic device, comprising:  
one or more processors;  
a memory; and  
one or more programs, wherein the one or more programs are stored in the memory and configured to be executed by the one or more processors, the one or more programs including instructions for:  
receiving input from a user;  
determining an intent corresponding to the received input;  
performing a first task based on the determined intent;  
providing a first output associated with the performed task;  
in accordance with a detection of a user selection corresponding to the first output:  
providing a second output including at least one additional task corresponding to the performed task; and  
in accordance with a detection that no user selection corresponding to the first output has occurred:  
providing a third output including at least one option to select a task parameter associated with the first task.
2. The device of claim 1, the one or more programs further including instructions for:  
receiving a second input from the user, wherein the second input corresponds to a selection of a task from the at least one provided additional task; and  
performing a second task based on the second input.
3. The device of claim 1, wherein the at least one additional task includes an interaction with a remote source over a network connection.
4. The device of claim 1, wherein the at least one additional task includes an interaction with information stored on the electronic device.
5. The device of claim 1, wherein the at least one additional task includes a task to save information corresponding to the first task.
6. The device of claim 1, wherein the at least one additional task includes a task to send information to another user, wherein the information corresponds to the first task.

7. The device of claim 1, wherein the at least one additional task includes a task to display map information corresponding to the first task.

8. The device of claim 1, wherein the at least one additional task includes a task to initiate a phone call to a contact associated with the first task.

9. The device of claim 1, wherein the at least one additional task includes a task to set an alarm associated with the first task.

10. The device of claim 1, wherein the at least one additional task includes a task to initiate a reservation procedure associated with the first task.

11. The device of claim 1, wherein the at least one additional task includes a task to create a note file associated with the first task.

12. The device of claim 1, wherein the second output includes an audible representation of at least one additional task corresponding to the performed task.

13. The device of claim 1, the one or more programs further including instructions for:  
receiving a second user input including a speech input; and  
determining a user intent of the second speech input based on the second output including at least one additional task corresponding to the performed task.

14. The device of claim 1, wherein at least one of the first task and the at least one additional task includes performing a task on a secondary device.

15. The device of claim 1, wherein the task parameter is associated with a domain corresponding to the first task.

16. The device of claim 1, wherein determining an intent corresponding to the received input comprises:  
obtaining context information including a history of interactions between the user and the electronic device; and  
determining the intent based on the context information.

17. The device of claim 16, the one or more programs further including instructions for:  
prior to receiving the input from the user, receiving a speech input from the user within a predetermined time of the received input; and  
processing the received speech input to obtain the context information.

18. The device of claim 16, the one or more programs further including instructions for:  
prior to receiving the input from the user, receiving a non-speech input from the user within a predetermined time of the received input; and  
processing the received non-speech input to obtain the context information.

19. A non-transitory computer readable storage medium storing one or more programs, the one or more programs comprising instructions, which when executed by one or more processors of an electronic device, cause the device to:  
receive input from a user;

determine an intent corresponding to the received input;  
perform a first task based on the determined intent;  
provide a first output associated with the performed task; in accordance with a detection of a user selection corresponding to the first output:

provide a second output including at least one additional task corresponding to the performed task; and  
in accordance with a detection that no user selection corresponding to the first output has occurred:  
provide a third output including at least one option to select a task parameter associated with the first task.

20. The computer readable storage medium of claim 19, wherein the one or more programs cause the device to:

95

receive a second input from the user, wherein the second input corresponds to a selection of a task from the at least one provided additional task; and perform a second task based on the second input.

21. The computer readable storage medium of claim 19, wherein the at least one additional task includes an interaction with a remote source over a network connection.

22. The computer readable storage medium of claim 19, wherein the at least one additional task includes an interaction with information stored on the electronic device.

23. The computer readable storage medium of claim 19, wherein the at least one additional task includes a task to save information corresponding to the first task.

24. The computer readable storage medium of claim 19, wherein the at least one additional task includes a task to send information to another user, wherein the information corresponds to the first task.

25. The computer readable storage medium of claim 19, wherein the at least one additional task includes a task to display map information corresponding to the first task.

26. The computer readable storage medium of claim 19, wherein the at least one additional task includes a task to initiate a phone call to a contact associated with the first task.

27. The computer readable storage medium of claim 19, wherein the at least one additional task includes a task to set an alarm associated with the first task.

28. The computer readable storage medium of claim 19, wherein the at least one additional task includes a task to initiate a reservation procedure associated with the first task.

29. The computer readable storage medium of claim 19, wherein the at least one additional task includes a task to create a note file associated with the first task.

30. The computer readable storage medium of claim 19, wherein the second output includes an audible representation of at least one additional task corresponding to the performed task.

31. The computer readable storage medium of claim 19, wherein the one or more programs cause the device to: receive a second user input including a speech input; and determine a user intent of the second speech input based on the second output including at least one additional task corresponding to the performed task.

32. The computer readable storage medium of claim 19, wherein at least one of the first task and the at least one additional task includes performing a task on a secondary device.

33. The computer readable storage medium of claim 19, wherein the task parameter is associated with a domain corresponding to the first task.

34. The computer readable storage medium of claim 19, wherein determining an intent corresponding to the received input comprises:

obtaining context information including a history of interactions between the user and the electronic device; and determining the intent based on the context information.

35. The computer readable storage medium of claim 34, wherein the one or more programs cause the device to: prior to receiving the input from the user, receiving a speech input from the user within a predetermined time of the received input; and processing the received speech input to obtain the context information.

36. The computer readable storage medium of claim 34, wherein the one or more programs cause the device to: prior to receiving the input from the user, receiving a non-speech input from the user within a predetermined time of the received input; and

96

processing the received non-speech input to obtain the context information.

37. A computer-implemented method, comprising: at an electronic device with one or more processors and memory:

receiving input from a user;

determining an intent corresponding to the received input;

performing a first task based on the determined intent; providing a first output associated with the performed task;

in accordance with a detection of a user selection corresponding to the first output:

providing a second output including at least one additional task corresponding to the performed task; and

in accordance with a detection that no user selection corresponding to the first output has occurred:

providing a third output including at least one option to select a task parameter associated with the first task.

38. The method of claim 37, comprising: receiving a second input from the user, wherein the second input corresponds to a selection of a task from the at least one provided additional task; and performing a second task based on the second input.

39. The method of claim 37, wherein the at least one additional task includes an interaction with a remote source over a network connection.

40. The method of claim 37, wherein the at least one additional task includes an interaction with information stored on the electronic device.

41. The method of claim 37, wherein the at least one additional task includes a task to save information corresponding to the first task.

42. The method of claim 37, wherein the at least one additional task includes a task to send information to another user, wherein the information corresponds to the first task.

43. The method of claim 37, wherein the at least one additional task includes a task to display map information corresponding to the first task.

44. The method of claim 37, wherein the at least one additional task includes a task to initiate a phone call to a contact associated with the first task.

45. The method of claim 37, wherein the at least one additional task includes a task to set an alarm associated with the first task.

46. The method of claim 37, wherein the at least one additional task includes a task to initiate a reservation procedure associated with the first task.

47. The method of claim 37, wherein the at least one additional task includes a task to create a note file associated with the first task.

48. The method of claim 37, wherein the second output includes an audible representation of at least one additional task corresponding to the performed task.

49. The method of claim 37, comprising:

receiving a second user input including a speech input; and

determining a user intent of the second speech input based on the second output including at least one additional task corresponding to the performed task.

50. The method of claim 37, wherein at least one of the first task and the at least one additional task includes performing a task on a secondary device.

51. The method of claim 37, wherein the task parameter is associated with a domain corresponding to the first task.

52. The method of claim 37, wherein determining an intent corresponding to the received input comprises: obtaining context information including a history of interactions between the user and the electronic device; and determining the intent based on the context information. 5

53. The method of claim 52, comprising: prior to receiving the input from the user, receiving a speech input from the user within a predetermined time of the received input; and processing the received speech input to obtain the context information. 10

54. The method of claim 52, comprising: prior to receiving the input from the user, receiving a non-speech input from the user within a predetermined time of the received input; and processing the received non-speech input to obtain the context information. 15

\* \* \* \* \*